

Index of Authors and Titles

- Abmayr, S. M. *See* Rushton, E.
 Acampora, D., Mazan, S., Lallemand, Y.,
 Avantaggiato, V., Maury, M., Simeone, A.
 and Brûlet, P. Forebrain and midbrain regions
 are deleted in *Otx2*^{-/-} mutants due to a
 defective anterior neuroectoderm specification
 during gastrulation **121**, 3279
 Adamson, T. E. *See* Brower, D. L.
 Adler, H. T. *See* Talbert, P. B.
 Adler, P. N. *See* Krasnow, R. E.
 Agarwal, V. R. *See* Witta, S. E.
 Akam, M. *See* Castelli-Gair, J.
 Akhurst, R. J. *See* Dickson, M. C.
 Akimenko, M.-A., Johnson, S. L., Westerfield,
 M. and Ekker, M. Differential induction of
 four *msx* homeobox genes during fin
 development and regeneration in zebrafish
121, 347
 Alexander, C. M. *See* Behrendtsen, O.
 Ali, Z. *See* Tabata, T.
 Alldus, G. *See* Xu, Q.
 Amaya, E. *See* Robbie, E. P.
 Ambros, V. *See* Liu, Z.
 Ambros, V. *See* Rougvie, A. E.
 Amrein, H. *See* Hilfiker, A.
 Amselgruber, W. *See* Moser, M.
 Anderson, D. J. *See* Groves, A. K.
 Andreazzoli, M. *See* Pannese, M.
 Andres, A. J. and Thummel, C. S. The
Drosophila 63F early puff contains *E63-1*, an
 ecdysone-inducible gene that encodes a novel
 Ca²⁺-binding protein **121**, 2667
 Andrews, C. M. *See* Murphy, A. M.
 Aparicio, S. *See* Streit, A.
 Apfeld, J. *See* Curtis, D.
 Appel, B., Korch, V., Glasgow, E., Thor, S.,
 Edlund, T., Dawid, I. B. and Eisen, J. S.
 Motoneuron fate specification revealed by
 patterned LIM homeobox gene expression in
 embryonic zebrafish **121**, 4117
 Aragnol, D. *See* Graba, Y.
 Arcellana-Panillo, M. Y. *See* Harvey, M. B.
 Arkell, R. M. *See* Harrison, S. M.
 Artavanis-Tsakonas, S. *See* Matsuno, K.
 Artzt, K. *See* O'Neill, M. J.
 Asashima, M. *See* Kinoshita, K.
 Ataliotis, P., Symes, K., Chou, M. M., Ho, L.
 and Mercola, M. PDGF signalling is required
 for gastrulation of *Xenopus laevis* **121**, 3099
 Atherton, A. *See* Niranjan, B.
 Austin, C. P., Feldman, D. E., Ida Jr., J. A. and
 Cepko, C. L. Vertebrate retinal ganglion cells
 are selected from competent progenitors by the
 action of *Notch* **121**, 3637
 Avantaggiato, V. *See* Acampora, D.
 Ayabe, T., Kopf, G. S. and Schultz, R. M.
 Regulation of mouse egg activation: presence
 of ryanodine receptors and effects of
 microinjected ryanodine and cyclic ADP
 ribose on unispermated and inseminated eggs
121, 2233
 Babyatsky, M. W. *See* Sharp, R.
 Bader, D. *See* Gannon, M.
 Bae, E. *See* Nagoshi, R. N.
 Bailey, J. L. *See* Visconti, P. E.
 Baima, S., Nobili, F., Sessa, G., Lucchetti, S.,
 Ruberti, I. and Morelli, G. The expression of
 the *Athb 8* homeobox gene is restricted to
 provascular cells in *Arabidopsis thaliana* **121**,
 4171
 Baker, B. S. *See* Bashaw, G. J.
 Baker, B. S. *See* Gorman, M.
 Baker, B. S. *See* Pultz, M. A.
 Baker, R. and Schubiger, G. Ectoderm induces
 muscle-specific gene expression in *Drosophila*
 embryos **121**, 1387
 Baldwin, H. S. *See* Kwee, L.
 Banerjee, U. *See* Rogge, R.
 Bannerman, P. G. C. *See* Scherer, S. C.
 Bansal, R. *See* Ono, K.
 Barde, Y.-A. *See* Biffo, S.
 Barde, Y.-A. *See* Brill, G.
 Barnett, S. C., Rosario, M., Doyle, A., Kilbey,
 A., Lovatt, A. and Gillespie, D. A. F.
 Differential regulation of AP-1 and novel
 TRE-specific DNA-binding complexes during
 differentiation of oligodendrocyte-type-2-
 astrocyte (O-2A) progenitor cells **121**, 3969
 Barsacchi, G. *See* Pannese, M.
 Barsh, G. S. *See* Millar, S. E.
 Barth, K. A. and Wilson, S. W. Expression of
 zebrafish *nk2.2* is influenced by *sonic*
hedgehog/vertebrate *hedgehog*- and
 demarcates a zone of neuronal differentiation
 in the embryonic forebrain **121**, 1755
 Barth, K. A. *See* Macdonald, R.
 Bartlett, P. F. *See* Ware, C. B.
 Barton, S. C. *See* Sasaki, H.
 Bashaw, G. J. and Baker, B. S. The *mst-2*
 dosage compensation gene of *Drosophila*
 encodes a putative DNA-binding protein
 whose expression is sex specifically regulated
 by *Sex-lethal* **121**, 3245
 Basler, K. *See* Zecca, M.
 Basset, P. *See* Lefebvre, O.
 Bastiani, M. J. *See* Ganfornina, M. D.
 Bastiani, M. J. *See* Sanchez, D.
 Bate, M. *See* Baylies, M. K.
 Bate, M. *See* Borkowski, O. M. D.
 Bate, M. *See* Currie, D. A.
 Bate, M. *See* Rushton, E.
 Bauer, R. *See* Moser, M.
 Bay, B.-H. *See* Stoker, A. W.
 Baylies, M. K., Martinez Arias, A. and Bate,
 M. *wingless* is required for the formation of a
 subset of muscle founder cells during
Drosophila embryogenesis **121**, 3829
 Bazan, J. F. *See* Guimares, M. J.
 Beachy, P. A. *See* Chiang, C.
 Beachy, P. A. *See* Ekker, S. C.
 Beachy, P. A. *See* Lai, C.-J.
 Becker, S. *See* Wickramasinghe, D.
 Becker, T., Berliner, A. J., Nitabach, M. N.,
 Gan, W.-B. and Macagno, E. R. Target-
 induced neurogenesis in the leech CNS
 involves efferent projections to the target **121**,
 359
 Beddington, R. S. P. *See* Harrison, S. M.
 Beddington, R. S. P. *See* Wilson, V.
 Begemann, G., Michon, A.-M., Voorn, L. v.d.,
 Wepf, R. and Mlodzik, M. The *Drosophila*
 orphan nuclear receptor Seven-up requires the
 Ras pathway for its function in photoreceptor
 determination **121**, 225
 Behrendtsen, O., Alexander, C. M. and Werb,
 Z. Cooperative interactions between
 extracellular matrix, integrins and parathyroid
 hormone-related peptide regulate parietal
 endoderm differentiation in mouse embryos
121, 4137
 Behringer, R. R. *See* Rivera-Perez, J. A.
 Belting, H.-G. *See* Shashikant, C. S.
 Bender, W. *See* Chiang, A.
 Bender, W. *See* Tjong, S. Y. K.
 Benfey, P. N. *See* Hauser, M.-T.
 Benfey, P. N. *See* Scheres, B.
 Bennett, D. C. *See* Sviderskaya, E. V.
 Berenger, H. *See* Graba, Y.
 Berg, C. A. *See* Rittenhouse, K. R.
 Berliner, A. J. *See* Becker, T.
 Berninger, B., Marty, S., Zafra, F., da Penha
 Berzaghi, M., Thoenen, H. and Lindholm,
 D. GABAergic stimulation switches from
 enhancing to repressing BDNF expression in
 rat hippocampal neurons during maturation in
 vitro **121**, 2327
 Bertram, J. F. *See* Tan, S.-S.
 Bettenhausen, B., Hrabec de Angelis, M.,
 Simon, D., Guenet, J.-L. and Gossler, A.
 Transient and restricted expression during
 mouse embryogenesis of Dll1, a murine gene
 closely related to *Drosophila Delta* **121**, 2407
 Bhatnagar, P., Papaioannou, V. E. and
 Biggers, J. D. CSF-1 and mouse
 preimplantation development in vitro **121**,
 1333
 Bieberich, C. J. *See* Shashikant, C. S.
 Bielinska, M. *See* Soudais, C.
 Bier, E. *See* Emery, J. F.
 Bier, E. *See* Schmidt, J.
 Bier, E. *See* Sturtevant, M. A.
 Biffo, S., Offenhauser, N., Carter, B. D. and
 Barde, Y.-A. Selective binding and
 internalisation by truncated receptors restrict
 the availability of BDNF during development
121, 2461
 Biggers, J. D. *See* Bhatnagar, P.
 Birgbauer, E., Sechrist, J., Bronner-Fraser, M.
 and Fraser, S. Rhombomeric origin and
 rostrocaudal reassortment of neural crest cells
 revealed by intravital microscopy **121**, 935
 Bissen, S. T. Expression of the cell cycle control
 gene, *cdc25*, is constitutive in the segmental
 founder cells but is cell-cycle-regulated in the
 micromeres of leech embryos **121**, 3035
 Blair, S. S. *See* Rulifson, E. J.
 Blar, M. A. *See* Cross, J. C.
 Blaumueller, C. M. *See* Matsuno, K.
 Blitz, I. L. and Cho, K. W. Y. Anterior
 neuroectoderm is progressively induced during
 gastrulation: the role of the *Xenopus*
 homeobox gene *orthodenticle* **121**, 993
 Blum, M. *See* Yamada, G.
 Blumberg, B. *See* Gardiner, D. M.
 Bock, D. *See* Monaghan, A. P.
 Bockman, D. E. *See* Sharp, R.
 Bode, H. R. *See* Grens, A.
 Bodmer, R. *See* Brewster, R.
 Bodmer, R. *See* Lawrence, P. A.
 Boissy, Y. L. *See* Rosenbaum, T.
 Boncinelli, E. *See* Pannese, M.
 Bonnin, M.-A. *See* Grapin-Botton, A.
 Borbely, M. A. *See* Shashikant, C. S.
 Borkowski, O. M. D., Brown, N. H. and Bate,
 M. Anterior-posterior subdivision and the
 diversification of the mesoderm in *Drosophila*
121, 4183
 Borowsky, M. L. *See* Margolis, J. S.
 Boyan, G., Therianos, S., Williams, J. L. D.
 and Reichert, H. Axogenesis in the
 embryonic brain of the grasshopper
Schistocerca gregaria: an identified cell
 analysis of early brain development **121**, 75

- Boyle, M. and DiNardo, S. Specification, migration and assembly of the somatic cells of the *Drosophila* gonad **121**, 1815
- Bradshaw, A. D., McNaghy, K. M., Gervin, D. B., Cann, G. M., Graf, T. and Clegg, D. O. Integrin $\alpha 2 \beta 1$ mediates interactions between developing embryonic retinal cells and collagen **121**, 3593
- Brand, A. H. See Hidalgo, A.
- Brand, S. J. See Sharp, R.
- Brandhorst, B. P. See Wikramanayake, A. H.
- Branford, W. See Hsieh-Li, H. M.
- Brannan, C. I. See Rosenbaum, T.
- Bray, S. See Jennings, B.
- Breen, S. J. See Tan, S.-S.
- Breitwieser, W. See Markussen, F.-H.
- Brewster, R. and Bodmer, R. Origin and specification of type II sensory neurons in *Drosophila* **121**, 2923
- Brill, G., Kahane, N., Carmeli, C., von Schack, D., Barde, Y.-A. and Kalcheim, C. Epithelial-mesenchymal conversion of dermatome progenitors requires neural tube-derived signals: characterization of the role of Neurotrophin-3 **121**, 2583
- Britten, R. J. See Makabe, K. W.
- Britten, R. J. See Wang, D. G.-W.
- Brüet, P. See Acampora, D.
- Broadus, A. E. See Wysolmerski, J. J.
- Broadus, J. and Doe, C. Q. Evolution of neuroblast identity: *seven-up* and *prospero* expression reveal homologous and divergent neuroblast fates in *Drosophila* and *Schistocerca* **121**, 3989
- Brock, H. W. See Serrano, N.
- Brockes, J. P. See Viviano, C. M.
- Bronner-Fraser, M. See Birgbauer, E.
- Bronner-Fraser, M. See Dickinson, M. E.
- Bronner-Fraser, M. See Krull, C. E.
- Bronner-Fraser, M. See Sechrist, J.
- Bronner-Fraser, M. See Selleck, M. A. J.
- Brophy, P. J. See Scherer, S. C.
- Brower, D. L., Bunch, T. A., Mukai, L., Adamson, T. E., Wehrli, M., Lam, S., Friedlander, E., Roote, C. E. and Zusman, S. Nonequivalent requirements for PS₁ and PS₂ integrin at cell attachments in *Drosophila*: genetic analysis of the $\alpha 2 \beta 1$ integrin subunit **121**, 1311
- Brown, A. M. C. See Stern, H. M.
- Brown, D. See Cserjesi, P.
- Brown, J. D. See Cui, Y.
- Brown, J. M. See Haramis, A. G.
- Brown, N. H. See Borkowski, O. M. D.
- Brunet, J.-F. See Groves, A. K.
- Brunk, B. P. See Goldhamer, D. J.
- Bruzzo, R. See Paul, D. L.
- Bryant, S. V. See Gardiner, D. M.
- Buck, C. A. See Kwee, L.
- Buck, C. See Kwee, L.
- Buckingham, M. E. See Tajbakhsh, S.
- Buettner, R. See Moser, M.
- Buluwela, L. See Niranjani, B.
- Bumcrot, D. A. See Marti, E.
- Bunch, T. A. See Brower, D. L.
- Bunch, T. D. See Yue, C.
- Burchard, S. See Paululat, A.
- Burke, A. C. See Roberts, D. J.
- Burke, A. C., Nelson, C. E., Morgan, B. A. and Tabin, C. *Hox* genes and the evolution of vertebrate axial morphology **121**, 333
- Burke, B. See LaBonne, C.
- Burrell, M. R. See Gard, A. L.
- Burtis, K. C. See Fletcher, J. C.
- Busser, J. C. See Herrup, K.
- Buxton, R. S. See Collins, J. E.
- Callahan, C. A. See Lundgren, S. E.
- Campbell, G. and Tomlinson, A. Initiation of the proximodistal axis in insect legs **121**, 619
- Campion, E. See Christians, E.
- Cann, G. M. See Bradshaw, A. D.
- Capdevila, J. See Guillen, I.
- Capecchi, M. R. See Manley, N. R.
- Capel, B. See Hacker, A.
- Carlson, L. M. See Masteller, E. L.
- Carlton, M. B. L. See Dear, T. N.
- Carmeli, C. See Brill, G.
- Carmena, A. See Martin-Bermudo, M. D.
- Carmo-Fonseca, M. See Ferreira, J.
- Carpenter, M. K. See Ware, C. B.
- Carpenter, R. and Coen, E. S. Transposon induced chimeras show that *floricaula*, a meristem identity gene, acts non-autonomously between cell layers **121**, 19
- Carpenter, R. See Hantke, S. S.
- Carroll, J. See Jones, K. T.
- Carroll, J. See Kono, T.
- Carter, B. D. See Biffo, S.
- Carthew, R. W. See Zheng, L.
- Cary, R. B. and Klymkowsky, M. W. Disruption of intermediate filament organization leads to structural defects at the intersomite junction in *Xenopus* myotomal muscle **121**, 1041
- Casanova, J. See de Celis, J. F.
- Casares, F. and Sanchez-Herrero, E. Regulation of the *infraabdominal* regions of the bithorax complex of *Drosophila* by gap genes **121**, 1855
- Castelli-Gair, J. and Akam, M. How the *Hox* gene *Ultrabithorax* specifies two different segments: the significance of spatial and temporal regulation within metameres **121**, 2973
- Centanni, J. M. See Wickramasinghe, D.
- Cepko, C. L. See Austin, C. P.
- Chambon, P. See Lampron, C.
- Chambon, P. See Lefebvre, O.
- Chan, D. C., Laufer, E., Tabin, C. and Leder, P. Polydactylous limbs in *Strong's Luxoid* mice result from ectopic polarizing activity **121**, 1971
- Chan, D. C., Wynshaw-Boris, A. and Leder, P. Formin isoforms are differentially expressed in the mouse embryo and are required for normal expression of *fgf-4* and *shh* in the limb bud **121**, 3151
- Chan, E. See Norman, D. J.
- Chanut, F. and Heberlein, U. Role of the morphogenetic furrow in establishing polarity in the *Drosophila* eye **121**, 4085
- Charlton, W. L., Keen, C. L., Merriman, C., Lynch, P., Greenland, A. J. and Dickinson, H. G. Endosperm development in *Zea mays*; implication of gametic imprinting and paternal excess in regulation of transfer layer development **121**, 3089
- Chellaiah, A. T. See MacArthur, C. A.
- Chen, L. See Forristall, C.
- Chen, W.-H., Morriss-Kay, G. M. and Copp, A. J. Genesis and prevention of spinal neural tube defects in the *curly tail* mutant mouse: involvement of retinoic acid and its nuclear receptors RAR- β and RAR- γ **121**, 681
- Chen, X. See Frasch, M.
- Chenard, M.-P. See Lefebvre, O.
- Cheng, L. See Ware, C. B.
- Cheng, S. S. See Norman, D. J.
- Cheyette, B. N. R. See Oliver, G.
- Chia, C. M., Winston, R. M. L. and Handside, A. H. EGF, TGF- α and EGFR expression in human preimplantation embryos **121**, 299
- Chia, W. See Harden, N.
- Chiang, A., O'Connor, M. B., Paro, R., Simon, J. and Bender, W. Discrete Polycomb-binding sites in each parasegmental domain of the bithorax complex **121**, 1681
- Chiang, C., Young, K. E. and Beachy, P. A. Control of *Drosophila* tracheal branching by the novel homeodomain gene *unplugged*, a regulatory target for genes of the bithorax complex **121**, 3901
- Chien, C.-B., Cornel, E. M. and Holt, C. E. Absence of topography in precociously innervated tecta **121**, 2621
- Cho, K. W. Y. See Blitz, I. L.
- Chou, M. M. See Atalotis, P.
- Chow, K. L., Hall, D. H. and Emmons, S. W. The *mab-21* gene of *Caenorhabditis elegans* encodes a novel protein required for choice of alternate cell fates **121**, 3615
- Chow, R. L., Roux, G. D., Roghani, M., Palmer, M. A., Rifkin, D. B., Moscatelli, D. A. and Lang, R. A. FGF suppresses apoptosis and induces differentiation of fibre cells in the mouse lens **121**, 4383
- Christian, J. L. See Cui, Y.
- Christians, E. See Thompson, E. M.
- Christians, E., Campion, E., Thompson, E. M. and Renard, J.-P. Expression of the *HSP 70.1* gene, a landmark of early zygotic activity in the mouse embryo, is restricted to the first burst of transcription **121**, 113
- Chuang, P.-T. See Hsu, D. R.
- Church, D. L., Guan, K.-L. and Lambie, E. J. Three genes of the MAP kinase cascade, *mek-2*, *mpk-1/sur-1* and *let-60* ras, are required for meiotic cell cycle progression in *Caenorhabditis elegans* **121**, 2525
- Clark, S. E., Running, M. P. and Meyerowitz, E. M. *CLAVATA3* is a specific regulator of shoot and floral meristem development affecting the same processes as *CLAVATA1* **121**, 2057
- Clark, W. C. See Hodgetts, R. B.
- Clegg, D. O. See Bradshaw, A. D.
- Coen, E. S. See Carpenter, R.
- Coen, E. S. See Hantke, S. S.
- Cohen, D. See Qiao, J.
- Cohen, R. S. See Serano, T. L.
- Cohen, S. M. See Diaz-Benjumea, F. J.
- Cohen, S. M. See Ng, M.
- Colbert, M. See Fawcett, D.
- Collazo, A. See Krull, C. E.
- Colledge, W. H. See Dear, T. N.
- Collins, J. E., Lorimer, J. E., Garrod, D. R., Pidsley, S. C., Buxton, R. S. and Fleming, T. P. Regulation of desmocollin transcription in mouse preimplantation embryos **121**, 743
- Comai, L. See Talbert, P. B.
- Conlon, R. A., Reaume, A. G. and Rossant, J. *Notch1* is required for the coordinate segmentation of somites **121**, 1533
- Connors, S. A. See Visconti, P. E.
- Copeland, N. G. See Cross, J. C.
- Copeland, N. G. See Cserjesi, P.
- Copeland, N. G. See Oliver, G.
- Copeland, N. G. See Rosenbaum, T.
- Copp, A. J. See Chen, W.-H.
- Core, N. See McCormick, A.
- Cornel, E. M. See Chien, C.-B.
- Cornell, R. A., Musci, T. J. and Kimelman, D.

- FGF is a prospective competence factor for early activin-type signals in *Xenopus* mesoderm induction **121**, 2429
- Costantini, F.** See Pevny, L.
- Cousins, F. M.** See Dickinson, M. C.
- Cox, W. G. and Hemmati-Brivanlou, A.** Caudalization of neural fate by tissue recombination and bFGF **121**, 4349
- Cross, J. C., Flannery, M. L., Blonar, M. A., Steingrimsson, E., Jenkins, N. A., Copeland, N. G., Rutter, W. J. and Werb, Z.** *Hxt* encodes a basic helix-loop-helix transcription factor that regulates trophoblast cell development **121**, 2513
- Crossgrove, K.** See Hodgetts, R. B.
- Crossley, P. H. and Martin, G. R.** The mouse *Fgf8* gene encodes a family of polypeptides and is expressed in regions that direct outgrowth and patterning in the developing embryo **121**, 439
- Cserjesi, P., Brown, D., Ligon, K. L., Lyons, G. E., Copeland, N. G., Gilbert, D. J., Jenkins, N. A. and Olson, E. N.** Scleraxis: a basic helix-loop-helix protein that prefigures skeletal formation during mouse embryogenesis **121**, 1099
- Cubitt, A. B., Firtel, R. A., Fischer, G., Jaffe, L. F. and Miller, A. L.** Patterns of free calcium in multicellular stages of *Dicystostelium* expressing jellyfish apoaequorin **121**, 2291
- Cui, H.** See Ekstrom, T. J.
- Cui, X. and Doe, C. Q.** The role of the cell cycle and cytokinesis in regulating neuroblast sublineage gene expression in the *Drosophila* CNS **121**, 3233
- Cui, Y., Brown, J. D., Moon, R. T. and Christian, J. L.** *Xwnt-8b*: a maternally expressed *Xenopus* *Wnt* gene with a potential role in establishing the dorsoventral axis **121**, 2177
- Cunha, G. R.** See Donjacour, A. A.
- Cunliffe, V.** See O'Reilly, M.-A. J.
- Currie, D. A. and Bate, M.** Innervation is essential for the development and differentiation of a sex-specific adult muscle in *Drosophila melanogaster* **121**, 2549
- Curtis, D., Apfeld, J. and Lehmann, R.** *nanos* is an evolutionarily conserved organizer of anterior-posterior polarity **121**, 1899
- Curtiss, J. and Heilig, J. S.** Establishment of *Drosophila* imaginal precursor cells is controlled by the *Arrowhead* gene **121**, 3819
- D'Agati, V.** See Pevny, L.
- da Cunha Berzaghi, M.** See Berninger, B.
- Daifotis, A. G.** See Wysolmerski, J. J.
- Dale, B.** See Yazaki, I.
- Dale, T.** See Niranjan, B.
- Dambly-Chaudiere, C.** See Vervoort, M.
- Danos, M. C. and Yost, H. J.** Linkage of cardiac left-right asymmetry and dorsal-anterior development in *Xenopus* **121**, 1467
- Datta, S.** Control of proliferation activation in quiescent neuroblasts of the *Drosophila* central nervous system **121**, 1173
- Davidson, D. R.** See Grindley, J. C.
- Davidson, E. H.** See Makabe, K. W.
- Davidson, E. H.** See Ransick, A.
- Davidson, E. H.** See Wang, D. G.-W.
- Davidson, L. A., Koehl, M. A. R., Keller, R. and Oster, G. F.** How do sea urchins invaginate? Using biomechanics to distinguish between mechanisms of primary invagination **121**, 2005
- Davies, J., Lyon, M., Gallagher, J. and Garrod, D.** Sulphated proteoglycan is required for collecting duct growth and branching but not nephron formation during kidney development **121**, 1507
- Davison, B. L.** See Ware, C. B.
- Dawid, I. B.** See Appel, B.
- Dawid, I. B.** See Knecht, A. K.
- Dawid, I. B.** See Toyama, R.
- Day, C. D., Galgoczi, B. F. C. and Irish, V. F.** Genetic ablation of petal and stamen primordia to elucidate cell interactions during floral development **121**, 2887
- De Robertis, E. M.** See Yamada, G.
- de Celis, J. F. and Ruiz-Gomez, M.** *groucho* and *hedgehog* regulate *engrailed* expression in the anterior compartment of the *Drosophila* wing **121**, 3467
- de Celis, J. F., Llimargas, M. and Casanova, J.** *ventral veinless*, the gene encoding the Cfla transcription factor, links positional information and cell differentiation during embryonic and imaginal development in *Drosophila melanogaster* **121**, 3405
- de Celis, J. F.** See Jennings, B.
- de Laat, S. W.** See Gutknecht, D. R.
- Dean, J.** See Epifano, O.
- Dear, T. N., Colledge, W. H., Carlton, M. B. L., Lavenir, L., Larson, T., Smith, A. J. H., Warren, A. J., Evans, M. J., Sofroniew, M. V. and Rabbitts, T. H.** The *Hox11* gene is essential for cell survival during spleen development **121**, 2909
- Delidakis, C.** See Jennings, B.
- DeLotto, R.** See Smith, C. L.
- Demeret, C.** See Serrano, N.
- Detrich III, H. W.** See Stainier, D. Y. R.
- Deutsch, E.** See Mohler, J.
- Di Laurenzio, L.** See Scheres, B.
- Diaz-Benjumea, F. J. and Cohen, S. M.** Serrate signals through Notch to establish a Wingless-dependent organizer at the dorsal/ventral compartment boundary of the *Drosophila* wing **121**, 4215
- Diaz-Benjumea, F. J.** See Ng, M.
- Dickinson, H. G.** See Charlton, W. L.
- Dickinson, M. E., Selleck, M. A. J., McMahon, A. P. and Bronner-Fraser, M.** Dorsalization of the neural tube by the non-neural ectoderm **121**, 2099
- Dickson, C.** See Mahmood, R.
- Dickson, M. C., Martin, J. S., Cousins, F. M., Kulkarni, A. B., Karlsson, S. and Akhurst, R. J.** Defective haematopoiesis and vasculogenesis in transforming growth factor- β 1 knock out mice **121**, 1845
- Diederich, R. J.** See Matsuno, K.
- DiNardo, S.** See Boyle, M.
- Doe, C. Q.** See Broadus, J.
- Doe, C. Q.** See Cui, X.
- Doe, C. Q.** See Spana, E. P.
- Doggett, B.** See Kapur, R. P.
- Dolle, P.** See Lampron, C.
- Domingo, C. and Keller, R.** Induction of notochord cell intercalation behavior and differentiation by progressive signals in the gastrula of *Xenopus laevis* **121**, 3311
- Donjacour, A. A. and Cunha, G. R.** Induction of prostatic morphology and secretion in urothelium by seminal vesicle mesenchyme **121**, 2199
- Donovan, P. J.** See Ware, C. B.
- Donovan, P. J.** See Wickramasinghe, D.
- Downs, K. M. and Gardner, R. L.** An investigation into early placental ontogeny: allantoic attachment to the chorion is selective and developmentally regulated **121**, 407
- Doyle, A.** See Barnett, S. C.
- Dressler, G. R.** See Ryan, G.
- Dressler, G. R.** See Torres, M.
- Drysdale, R.** See Rushton, E.
- Dubendorfer, A.** See Hilfiker, A.
- Dudus, L.** See Engelhardt, J. F.
- Dumont, N.** See Vervoort, M.
- Dunwoodie, S. L.** See Harrison, S. M.
- Duprat, A.-M.** See Zarsisky, A. G.
- Duprez, D.** See Hardy, A.
- Dura, J.-M.** See Serrano, N.
- Durston, A. J.** See Gutknecht, D. R.
- Eberhart, C. G. and Wasserman, S. A.** The *pelota* locus encodes a protein required for meiotic cell division: an analysis of G₂/M arrest in *Drosophila* spermatogenesis **121**, 3477
- Ecochard, V.** See Zarsisky, A. G.
- Edlund, T.** See Appel, B.
- Edwards, D. N.** See Galindo, R. L.
- Edwards, D. R.** See Harvey, M. B.
- Eisen, J. S.** See Appel, B.
- Ekker, M.** See Akimenko, M.-A.
- Ekker, S. C.** See Lai, C.-J.
- Ekker, S. C., McGrew, L. L., Lai, C.-J., Lee, J. J., von Kessler, D. P., Moon, R. T. and Beachy, P. A.** Distinct expression and shared activities of members of the *hedgehog* gene family of *Xenopus laevis* **121**, 2337
- Ekstrom, T. J., Cui, H., Li, X. and Ohlsson, R.** Promoter-specific *IGF2* imprinting status and its plasticity during human liver development **121**, 309
- Elinson, R. P.** See Holowacz, T.
- Emerson, C. P. J.** See Goldhamer, D. J.
- Emery, J. F. and Bier, E.** Specificity of CNS and PNS regulatory subelements comprising pan-neuronal enhancers of the *deadpan* and *scratch* genes is achieved by repression **121**, 3549
- Emmons, S. W.** See Chow, K. L.
- Engel, J. D.** See Groves, A. K.
- Engelhardt, J. F., Schlossberg, H., Yankaskas, J. R. and Dudus, L.** Progenitor cells of the adult human airway involved in submucosal gland development **121**, 2031
- Ephrussi, A.** See Markussen, F.-H.
- Epifano, O., Liang, L.-f., Familiari, M., Moos Jr., M. C. and Dean, J.** Coordinate expression of the three zona pellucida genes during mouse oogenesis **121**, 1947
- Eppig, J. J.** See Hampl, A.
- Erezylmaz, D. F.** See Kelly, G. M.
- Erickson, C. A. and Goins, T. L.** Avian neural crest cells can migrate in the dorsolateral path only if they are specified as melanocytes **121**, 915
- Eriksson, U.** See Lee, Y. M.
- Ernst, M. K.** See Wickramasinghe, D.
- Etkin, L. D.** See Kloc, M.
- Eto, K.** See Lee, Y. M.
- Evans, M. J.** See Dear, T. N.
- Evans, R. M.** See Sucov, H. M.
- Evans, S. M., Yan, W., Murillo, M. P., Ponce, J. and Papalopulu, N.** *tinman*, a *Drosophila* homeobox gene required for heart and visceral mesoderm specification, may be represented by a family of genes in vertebrates: *XNkx-2.3*, a second vertebrate homologue of *tinman* **121**, 3889
- Faerman, A.** See Goldhamer, D. J.
- Familiari, M.** See Epifano, O.

- Faulkner-Jones, B. See Tan, S.-S.
- Faust, C., Schumacher, A., Holdener, B. and Magnuson, T. The *eed* mutation disrupts anterior mesoderm production in mice 121, 273
- Fawcett, D., Pasceri, P., Fraser, R., Colbert, M., Rossant, J. and Giguere, V. Postaxial polydactyly in forelimbs of *CRABP-II* mutant mice 121, 671
- Fedorov, L. See Haegel, H.
- Feldman, D. E. See Austin, C. P.
- Feldman, L. J. See Kerk, N. M.
- Felsenfeld, A. L. and Kennison, J. A. Positional signaling by *hedgehog* in *Drosophila* imaginal disc development 121, 1
- Feng, L. and Heintz, N. Differentiating neurons activate transcription of the brain lipid-binding protein gene in radial glia through a novel regulatory element 121, 1719
- Feng, L. See Norman, D. J.
- Ferguson-Smith, A. C. See Sasaki, H.
- Ferreira, J. and Carmo-Fonseca, M. The biogenesis of the coiled body during early mouse development 121, 601
- Ferri, R. T. and Levitt, P. Regulation of regional differences in the differentiation of cerebral cortical neurons by EGF family-matrix interactions 121, 1151
- Fesenko, I. V. See Zarsky, A. G.
- Finkelstein, R. See Royet, J.
- Finn, T. P. See Heller, S.
- Firtel, R. A. See Cubitt, A. B.
- Fischer, G. See Cubitt, A. B.
- Fishell, G. Striatal precursors adopt cortical identities in response to local cues 121, 803
- Fishman, M. C. See Stainer, D. Y. R.
- Fitzgerald, K. and Greenwald, I. Interchangeability of *Caenorhabditis elegans* DSL proteins and intrinsic signalling activity of their extracellular domains in vivo 121, 4275
- Flannery, M. L. See Cross, J. C.
- Fleming, R. J. See Gu, Y.
- Fleming, T. P. See Collins, J. E.
- Fletcher, J. C. and Thummel, C. S. The *Drosophila E74* gene is required for the proper stage- and tissue-specific transcription of ecdysone-regulated genes at the onset of metamorphosis 121, 1411
- Fletcher, J. C., Burtis, K. C., Hogness, D. S. and Thummel, C. S. The *Drosophila E74* gene is required for metamorphosis and plays a role in the polytene chromosome puffing response to ecdysone 121, 1455
- Fontaine-Perus, J., Jarno, V., Fournier Le Ray, C., Li, Z. and Paulin, D. Mouse chick chimera: a new model to study the in ovo developmental potentialities of mammalian somites 121, 1705
- Forrestall, C., Pondel, M., Chen, L. and King, M. L. Patterns of localization and cytoskeletal association of two vegetally localized RNAs, *Vg1* and *Xcat-2* 121, 201
- Fournier Le Ray, C. See Fontaine-Perus, J.
- Francis-West, P. H. See Hardy, A.
- Francois, V. See Schmidt, J.
- Frank, E. See Oakley, R. A.
- Franke, A. See Gorman, M.
- Frasch, M. See Maggert, K.
- Frasch, M., Chen, X. and Lufkin, T. Evolutionary-conserved enhancers direct region-specific expression of the murine *Hoxa-1* and *Hoxa-2* loci in both mice and *Drosophila* 121, 957
- Fraser, R. See Fawcett, D.
- Fraser, S. E. See Krull, C. E.
- Fraser, S. E. See Miller, J.
- Fraser, S. E. See Shih, J.
- Fraser, S. E. See Woo, K.
- Fraser, S. See Birgbauer, E.
- Friedlander, E. See Brower, D. L.
- Friesel, R. See Robinson, M. L.
- Fuhrmann, S., Kirsch, M. and Hofmann, H.-D. Ciliary neurotrophic factor promotes chick photoreceptor development in vitro 121, 2695
- Fujioka, M., Jaynes, J. B. and Goto, T. Early even-skipped stripes act as morphogenetic gradients at the single cell level to establish *engrailed* expression 121, 4371
- Fujisawa, H. See Kitsukawa, T.
- Fujiwara, Y. See Schläger, T. M.
- Futch, T. A. See Nakato, H.
- Galgoci, B. F. C. See Day, C. D.
- Galindo, R. L., Edwards, D. N., Gillespie, S. K. H. and Wasserman, S. A. Interaction of the pelle kinase with the membrane-associated protein tube is required for transduction of the dorsoventral signal in *Drosophila* embryos 121, 2209
- Gallagher, J. See Davies, J.
- Galliot, B., Welsch, M., Schuckert, O., Hoffmeister, S. and Schaller, H. C. The cAMP Response Element Binding protein is involved in hydra regeneration 121, 1205
- Gamer, L. W. See Gu, Y.
- Gan, W.-B. See Becker, T.
- Ganan, Y. See Sucov, H. M.
- Ganforina, M. D. See Sanchez, D.
- Ganforina, M. D., Sanchez, D. and Bastiani, M. J. Lazarillo, a new GPI-linked surface lipocalin, is restricted to a subset of neurons in the grasshopper embryo 121, 123
- Gannon, M. and Bader, D. Initiation of cardiac differentiation occurs in the absence of anterior endoderm 121, 2439
- Gard, A. L., Burrell, M. R., Pfeiffer, S. E., Rudge, J. S. and Williams II, W. C. Astroglial control of oligodendrocyte survival mediated by PDGF and a leukemia inhibitory factor-like protein 121, 2187
- Gardiner, D. M., Blumberg, B., Komine, Y. and Bryant, S. V. Regulation of *HoxA* expression in developing and regenerating axolotl limbs 121, 1731
- Gardner, R. L. See Downs, K. M.
- Garner, A. S. See Oakley, R. A.
- Garrod, D. R. See Collins, J. E.
- Garrod, D. See Davies, J.
- Gaunt, S. See Muller, J.
- Gavis, E. R. See Rongo, C.
- Gearing, D. P. See Ware, C. B.
- Gehrig, B. See Stoker, A. W.
- Geissen, M. See Heller, S.
- Gendron-Maguire, M. See Rivera-Perez, J. A.
- George, K. M. See Groves, A. K.
- Gergen, P. See Tsai, C.
- Gerhart, J. C. See Vodicka, M. A.
- Gervin, D. B. See Bradshaw, A. D.
- Geyer, P. K. See Nagoshi, R. N.
- Geyer, P. K. See Roseman, R. R.
- Gherardi, E. See Streit, A.
- Ghysen, A. See Vervoort, M.
- Giangrande, A. Proneural genes influence gliogenesis in *Drosophila* 121, 429
- Gieseler, K. See Graba, Y.
- Giguere, V. See Fawcett, D.
- Gilbert, D. J. See Cserjesi, P.
- Gillespie, D. A. F. See Barnett, S. C.
- Gillespie, S. K. H. See Galindo, R. L.
- Gimlich, R. L. See Paul, D. L.
- Giordano, H. See Smith, C. L.
- Giraldez, F. See Schimmang, T.
- Glaser, G. See Wolf, C.
- Glasgow, E. See Appel, B.
- Gliniak, B. C. See Ware, C. B.
- Go, M. J. See Matsuno, K.
- Godt, D. and Laski, F. A. Mechanisms of cell rearrangement and cell recruitment in *Drosophila* ovary morphogenesis and the requirement of *brick à brac* 121, 173
- Goins, T. L. See Erickson, C. A.
- Goldhamer, D. J., Brunk, B. P., Faerman, A., King, A., Shani, M. and Emerson, C. P. J. Embryonic activation of the *myoD* gene is regulated by a highly conserved distal control element 121, 637
- Goldstein, B. An analysis of the response to gut induction in the *C. elegans* embryo 121, 1227
- Gomez-Pardo, E. See Torres, M.
- Gonzalez-Crespo, S. and Morata, G. Control of *Drosophila* adult pattern by *extradenticle* 121, 2117
- Gonzalez-Gaitan, M. and Jackle, H. Invagination centers within the *Drosophila* stomatogastric nervous system anlage are positioned by *Notch*-mediated signaling which is spatially controlled through *wingless* 121, 2313
- Good, P. J. See Knecht, A. K.
- Goodenough, D. A. See Paul, D. L.
- Goodfellow, P. See Hacker, A.
- Goodman, C. S. See Spana, E. P.
- Goodman, C. S. See Therianos, S.
- Gorman, M., Franke, A. and Baker, B. S. Molecular characterization of the *male-specific lethal-3* gene and investigations of the regulation of dosage compensation in *Drosophila* 121, 463
- Gorry, P. See Lampron, C.
- Gossler, A. See Bettenhausen, B.
- Goto, T. See Fujioka, M.
- Gourdie, R. G., Mima, T., Thompson, R. P. and Mikawa, T. Terminal diversification of the myocyte lineage generates Purkinje fibers of the cardiac conduction system 121, 1423
- Graba, Y., Gieseler, K., Aragnol, D., Laurenti, P., Mariol, M.-C., Berenger, H., Sagnier, T. and Pradel, J. *DWnt-4*, a novel *Drosophila Wnt* gene acts downstream of homeotic complex genes in the visceral mesoderm 121, 209
- Gabel, L. B. See Wickramasinghe, D.
- Graf, T. See Bradshaw, A. D.
- Grabin-Botton, A., Bonnin, M.-A., McNaughton, L. A., Krumlauf, R. and Le Douarin, N. M. Plasticity of transposed rhombomeres: Hox gene induction is correlated with phenotypic modifications 121, 2707
- Grau, E. See Monaghan, A. P.
- Green, P. J. See Rogge, R.
- Greenland, A. J. See Charlton, W. L.
- Greenstein, P. See Kelly, G. M.
- Greenwald, I. See Fitzgerald, K.
- Grenier, J. K. See Johnson, R. L.
- Grens, A., Mason, E., Marsh, J. L. and Bode, H. R. Evolutionary conservation of a cell fate specification gene: the *Hydra achaete-scute* homolog has proneural activity in *Drosophila* 121, 4027
- Gridley, T. See Rivera-Perez, J. A.
- Grieshammer, U., McGrew, M. J. and

- Rosenthal, N. Role of methylation in maintenance of positionally restricted transgene expression in developing muscle 121, 2245
- Griffin, K., Patient, R. and Holder, N. Analysis of FGF function in normal and *no tail* zebrafish embryos reveals separate mechanisms for formation of the trunk and the tail 121, 2983
- Grimaldi, J. C. See Guimares, M. J.
- Grindley, J. C., Davidson, D. R. and Hill, R. E. The role of *Pax-6* in eye and nasal development 121, 1433
- Grizzle, W. E. See Robinson, M. L.
- Groves, A. K., George, K. M., Tissier-Seta, J.-P., Engel, J. D., Brunet, J.-F. and Anderson, D. J. Differential regulation of transcription factor gene expression and phenotypic markers in developing sympathetic neurons 121, 887
- Gruss, P. See Knittel, T.
- Gruss, P. See Oliver, G.
- Gruss, P. See Torres, M.
- Gruss, P. See Yamada, G.
- Gu, Y., Hukriede, N. A. and Fleming, R. J. *Serrate* expression can functionally replace *Delta* activity during neuroblast segregation in the *Drosophila* embryo 121, 855
- Guan, K.-L. See Church, D. L.
- Gubbay, J. See Norman, D. J.
- Guenet, J.-L. See Bettenhausen, B.
- Guerrero, I. See Guillen, I.
- Guild, G. M. See Hodgetts, R. B.
- Guillen, I., Mullor, J. L., Capdevila, J., Sanchez-Herrero, E., Morata, G. and Guerrero, I. The function of *engrailed* and the specification of *Drosophila* wing pattern 121, 3447
- Guimares, M. J., Bazan, J. F., Zlotnik, A., Wiles, M. V., Grimaldi, J. C., Lee, F. and McClanahan, T. A new approach to the study of haematopoietic development in the yolk sac and embryoid bodies 121, 3335
- Gustavson, E. See Tabata, T.
- Gusterson, B. See Niranjana, B.
- Guthrie, S. See Mahmood, R.
- Gutknecht, D. R., Koster, C. H., Tertoolen, L. G. J., de Laat, S. W. and Durston, A. J. Intracellular acidification of gastrula ectoderm is important for posterior axial development in *Xenopus* 121, 1911
- Guz, Y., Montminy, M. R., Stein, R., Leonard, J., Gamer, L. W., Wright, C. V. E. and Teitelman, G. Expression of murine STF-1, a putative insulin gene transcription factor, in β cells of pancreas, duodenal epithelium and pancreatic exocrine and endocrine progenitors during ontogeny 121, 11
- Hacker, A., Capel, B., Goodfellow, P. and Lovell-Badge, R. Expression of *Sry*, the mouse sex determining gene 121, 1603
- Haegel, H., Larue, L., Ohsugi, M., Fedorov, L., Herrenknecht, K. and Kemler, R. Lack of β -catenin affects mouse development at gastrulation 121, 3529
- Haj, F. See Stoker, A. W.
- Hall, A. K. and MacPhedran, S. E. Multiple mechanisms regulate sympathetic neuronal phenotype 121, 2361
- Hall, D. H. See Chow, K. L.
- Halpern, M. E., Thisse, C., Ho, R. K., Thisse, B., Riggleman, B., Trevarrow, B., Weinberg, E. S., Postlethwait, J. H. and Kimmel, C. B. Cell-autonomous shift from axial to paraxial mesodermal development in zebrafish *floating head* mutants 121, 4257
- Halter, D. A., Urban, J., Rickert, C., Ner, S. S., Ito, K., Travers, A. A. and Technau, G. M. The homeobox gene *repo* is required for the differentiation and maintenance of glia function in the embryonic nervous system of *Drosophila melanogaster* 121, 317
- Hampl, A. and Eppig, J. J. Analysis of the mechanism(s) of metaphase I arrest in maturing mouse oocytes 121, 925
- Handyside, A. H. See Chia, C. M.
- Hantke, S. S., Carpenter, R. and Coen, E. S. Expression of *floricaula* in single cell layers of periclinal chimeras activates downstream homeotic genes in all layers of floral meristems 121, 27
- Harada, Y., Yasuo, H. and Satoh, N. A sea urchin homologue of the chordate *Brachyury* (*T*) gene is expressed in the secondary mesenchyme founder cells 121, 2747
- Haramis, A. G., Brown, J. M. and Zeller, R. The *limb deformity* mutation disrupts the SHH/FGF-4 feedback loop and regulation of *5' HoxD* genes during limb pattern formation 121, 4237
- Harden, N., Loh, H. Y., Chia, W. and Lim, L. A dominant inhibitory version of the small GTP-binding protein Rac disrupts cytoskeletal structures and inhibits developmental cell shape changes in *Drosophila* 121, 903
- Hardy, A., Richardson, M. K., Francis-West, P. H., Rodriguez, C., Izpisua-Belmonte, J.-C., Duprez, D. and Wolpert, L. Gene expression, polarising activity and skeletal patterning in reaggregated hind limb mesenchyme 121, 4329
- Harland, R. M. See Knecht, A. K.
- Harland, R. M. See Lamb, T. M.
- Harrison, S. M., Dunwoodie, S. L., Arkell, R. M., Lehrach, H. and Beddington, R. S. P. Isolation of novel tissue-specific genes from cDNA libraries representing the individual tissue constituents of the gastrulating mouse embryo 121, 2479
- Hartenstein, V. See Oliver, G.
- Hartenstein, V. See Rogge, R.
- Hartenstein, V. See Tepass, U.
- Hartigan, D. J. See Shimamura, K.
- Harvey, M. B., Leco, K. J., Arcellana-Panlilio, M. Y., Zhang, X., Edwards, D. R. and Schultz, G. A. Proteinase expression in early mouse embryos is regulated by leukaemia inhibitory factor and epidermal growth factor 121, 1005
- Hauschka, S. D. See Stern, H. M.
- Hauser, M.-T. See Scheres, B.
- Hauser, M.-T., Morikami, A. and Benfey, P. N. Conditional root expansion mutants of *Arabidopsis* 121, 1237
- Hayashi, K. and Ozawa, E. Myogenic cell migration from somites is induced by tissue contact with medial region of the presumptive limb mesoderm in chick embryos 121, 661
- Heberlein, U. See Chanut, F.
- Heikinheimo, M. See MacArthur, C. A.
- Heikinheimo, M. See Soudais, C.
- Heilig, J. S. See Curtiss, J.
- Heintz, N. See Feng, L.
- Heintz, N. See Norman, D. J.
- Heller, S., Finn, T. P., Huber, J., Nishi, R., Geissen, M., Puschel, A. W. and Rohrer, H. Analysis of function and expression of the chick GPA receptor (GPAPRo) suggests multiple roles in neuronal development 121, 2681
- Hemmati-Brivanlou, A. See Cox, W. G.
- Hennighausen, L. See Robinson, G. W.
- Henry, J. Q. See Martindale, M. Q.
- Herrenknecht, K. See Haegel, H.
- Herrmann, B. G. See Holland, P. W. H.
- Herrup, K. and Busser, J. C. The induction of multiple cell cycle events precedes target-related neuronal death 121, 2385
- Herzlinger, D. See Qiao, J.
- Heuer, J. G., Li, K. and Kaufman, T. C. The *Drosophila* homeotic target gene *centrosomin* (*cnm*) encodes a novel centrosomal protein with leucine zippers and maps to a genomic region required for midgut morphogenesis 121, 3861
- Hidalgo, A., Urban, J. and Brand, A. H. Targeted ablation of glia disrupts axon tract formation in the *Drosophila* CNS 121, 3703
- Hilfiker, A., Amrein, H., Dubendorfer, A., Schneider, R. and Nothiger, R. The gene *virilizer* is required for female-specific splicing controlled by *Sxl*, the master gene for sexual development in *Drosophila* 121, 4017
- Hill, R. E. See Grindley, J. C.
- Hiromi, Y. See Kramer, S.
- Hirth, F. See Thierianos, S.
- Ho, L. See Ataliotis, P.
- Ho, R. K. See Halpern, M. E.
- Hoch, M. See Pankratz, M. J.
- Hodgetts, R. B., Clark, W. C., O'Keefe, S. L., Schouls, M., Crossgrove, K., Guild, G. M. and von Kalm, L. Hormonal induction of Dopa decarboxylase in the epidermis of *Drosophila* is mediated by the *Broad-Complex* 121, 3913
- Hoekfelt, T. See Minichiello, L.
- Hoffmann, F. M. See Staehling-Hampton, K.
- Hoffmeister, S. See Galliot, B.
- Hofmann, H.-D. See Fuhrmann, S.
- Hofstadter, F. See Moser, M.
- Hogan, B. L. M. See Jones, C. M.
- Hogness, D. S. See Fletcher, J. C.
- Holdener, B. See Faust, C.
- Holder, N. See Griffin, K.
- Holder, N. See Macdonald, R.
- Holder, N. See Xu, Q.
- Holland, L. Z. See Holland, P. W. H.
- Holland, P. W. H., Koschorz, B., Holland, L. Z. and Herrmann, B. G. Conservation of *Brachyury* (*T*) genes in amphioxus and vertebrates: developmental and evolutionary implications 121, 4283
- Holowacz, T. and Elinson, R. P. Properties of the dorsal activity found in the vegetal cortical cytoplasm of *Xenopus* eggs 121, 2789
- Holstein, T. W. See Technau, U.
- Holt, C. E. See Chien, C.-B.
- Honjo, T. See Oka, C.
- Horn-Saban, S. See Rogge, R.
- Horowitz, M. C. See Ware, C. B.
- Horton, C. E. See Viviano, C. M.
- Howard, K. R. See Jaglarz, M. K.
- Hrabe de Angelis, M. See Bettenhausen, B.
- Hsieh-Li, H. M., Witte, D. P., Weinstein, M., Branford, W., Li, H., Small, K. and Potter, S. S. *Hoxa 11* structure, extensive antisense transcription, and function in male and female fertility 121, 1373
- Hsu, D. R., Chuang, P.-T. and Meyer, B. J. DPY-30, a nuclear protein essential early in embryogenesis for *Caenorhabditis elegans* dosage compensation 121, 3323

- Huber, J. See Heller, S.
Hudson, A. See Wailes, R.
Huet, F., Ruiz, C. and Richards, G. Sequential gene activation by ecdysone in *Drosophila melanogaster*: the hierarchical equivalence of early and early late genes 121, 1195
Hui, C.-C. See Millen, K. J.
Hukriede, N. A. See Gu, Y.
Hunt, J. S. See Ware, C. B.
Hutter, H. and Schnabel, R. Establishment of left-right asymmetry in the *Caenorhabditis elegans* embryo: a multistep process involving a series of inductive events 121, 3417
Hutter, H. and Schnabel, R. Specification of anterior-posterior differences within the AB lineage in the *C. elegans* embryo: a polarising induction 121, 1559
Hynes, R. O. See Yang, J. T.
Ida Jr., J. A. See Austin, C. P.
Imhof, A. See Moser, M.
Ireland, G. W. See Streit, A.
Irish, V. F. See Day, C. D.
Itin, A. See Weil, M.
Ito, K. See Halter, D. A.
Ito, T. See Nogawa, H.
Itoh, K. See Sokol, S. Y.
Itoh, K., Tang, T. L., Neel, B. G. and Sokol, S. Y. Specific modulation of ectodermal cell fates in *Xenopus* embryos by glycogen synthase kinase 121, 3979
Izpissua-Belmonte, J.-C. See Hardy, A.
Izpissua-Belmonte, J.-C. See Sucov, H. M.
Jackle, H. See Gonzalez-Gaitan, M.
Jackle, H. See Ruden, D. M.
Jacobs, A. A. See O'Rourke, N. A.
Jacobs, J. R. See Sonnenfeld, M. J.
Jaffe, L. F. See Cubitt, A. B.
Jaglarz, M. K. and Howard, K. R. The active migration of *Drosophila* primordial germ cells 121, 3495
Jalkanen, M. See Mitsiadis, T. A.
Jan, L. Y. See Jarman, A. P.
Jan, Y. N. See Jarman, A. P.
Janmaat, K. See Scheres, B.
Jarman, A. P., Sun, Y., Jan, L. Y. and Jan, Y. N. Role of the proneural gene, *atonal*, in formation of *Drosophila* chondrotal organs and photoreceptors 121, 2019
Jarno, V. See Fontaine-Perus, J.
Jaynes, J. B. See Fujioka, M.
Jaynes, J. B. See John, A.
Jenkins, N. A. See Cross, J. C.
Jenkins, N. A. See Cserjesi, P.
Jenkins, N. A. See Oliver, G.
Jenkins, N. A. See Rosenbaum, T.
Jennings, B., de Celis, J., Delidakis, C., Preiss, A. and Bray, S. Role of *Notch* and *achaete-scute* complex in the expression of *Enhancer of split* bHLH proteins 121, 3745
Jimenez, F. See Martin-Bermudo, M. D.
John, A., Smith, S. T. and Jaynes, J. B. Inserting the Ftz homeodomain into Engrailed creates a dominant transcriptional repressor that specifically turns off Ftz target genes in vivo 121, 1801
Johnson, R. L., Grenier, J. K. and Scott, M. P. *patched* overexpression alters wing disc size and pattern: transcriptional and post-transcriptional effects on *hedgehog* targets 121, 4161
Johnson, R. L. See Roberts, D. J.
Johnson, S. L. See Akimenko, M.-A.
Jones, C. M., Kuehn, M. R., Hogan, B. L. M., Smith, J. C. and Wright, C. V. E. Nodal-related signals induce axial mesoderm and dorsalize mesoderm during gastrulation 121, 3651
Jones, K. T., Carroll, J., Merriman, J. A., Whittingham, D. G. and Kono, T. Repetitive sperm-induced Ca^{2+} transients in mouse oocytes are cell cycle dependent 121, 3259
Joyner, A. L. See Millen, K. J.
Kablar, B. See Pannese, M.
Kahane, N. See Brill, G.
Kalcheim, C. See Brill, G.
Kamalati, T. See Niranjana, B.
Kapoun, A. M. and Kaufman, T. C. A functional analysis of 5' intronic and promoter regions of the homeotic gene *proboscipedia* in *Drosophila melanogaster* 121, 2127
Kapur, R. P., Sweetser, D. A., Doggett, B., Siebert, J. R. and Palmiter, R. D. Intercellular signals downstream of endothelin receptor-B mediate colonization of the large intestine by enteric neuroblasts 121, 3787
Karess, R. See Wheatley, S.
Karlsson, S. See Dickson, M. C.
Kato, Y. and Tsunoda, Y. Germ cell nuclei of male fetal mice can support development of chimeras to midgestation following serial transplantation 121, 779
Katsuyama, Y., Wada, S., Yasugi, S. and Saiga, H. Expression of the *labial* group Hox gene *HrHox-1* and its alteration induced by retinoic acid in development of the ascidian *Halocynthia roretzi* 121, 3197
Katz, F. N. See Villano, J. L.
Kaufman, T. C. See Heuer, J. G.
Kaufman, T. C. See Kapoun, A. M.
Kawauchi, M. See Oka, C.
Kawakami, A. See Kitsukawa, T.
Kazanskaya, O. V. See Zarsky, A. G.
Kaznowski, C. E. See O'Rourke, N. A.
Keen, C. L. See Charlton, W. L.
Keith, K. See Nambara, E.
Keller, R. E. See Moore, S. W.
Keller, R. See Davidson, L. A.
Keller, R. See Domingo, C.
Kelley, M. W., Turner, J. K. and Reh, T. A. Ligands of steroid/thyroid receptors induce cone photoreceptors in vertebrate retina 121, 3777
Kelly, G. M., Greenstein, P., Erezilmaz, D. F. and Moon, R. T. Zebrafish *wnt8* and *wnt8b* share a common activity but are involved in distinct developmental pathways 121, 1787
Kemler, R. See Haegel, H.
Kengaku, M. and Okamoto, H. bFGF as a possible morphogen for the anteroposterior axis of the central nervous system in *Xenopus* 121, 3121
Kennison, J. A. See Felsenfeld, A. L.
Kerk, N. M. and Feldman, L. J. A biochemical model for the initiation and maintenance of the quiescent center: implications for organization of root meristems 121, 2825
Kerridge, S. See McCormick, A.
Keshet, E. See Weil, M.
Kessel, M. See Knittel, T.
Kessler, D. S. and Melton, D. A. Induction of dorsal mesoderm by soluble, mature Vg1 protein 121, 2155
Kiefer, P. See Mahmood, R.
Kilbey, A. See Barnett, S. C.
Kim, M. H. See Knittel, T.
Kimbale, J. See Kuwabara, P. E.
Kimelman, D. See Cornell, R. A.
Kimelman, D. See Pierce, S. B.
Kimelman, D. See Schmidt, J.
Kimmel, C. B. See Halpern, M. E.
Kimura, Y. and Yanagimachi, R. Mouse oocytes injected with testicular spermatozoa or round spermatids can develop into normal offspring 121, 2397
King, A. See Goldhamer, D. J.
King, M. L. See Forristall, C.
Kinoshita, K. and Asashima, M. Effect of activin and lithium on isolated *Xenopus* animal blastomeres and response alteration at the midblastula transition 121, 1581
Kirch, S. See Liu, Z.
Kirchhamer, C. V. See Makabe, K. W.
Kirchhamer, C. V. See Wang, D. G.-W.
Kirsch, M. See Fuhrmann, S.
Kitsukawa, T., Shimono, A., Kawakami, A., Kondoh, H. and Fujisawa, H. Overexpression of a membrane protein, neuropilin, in chimeric mice causes anomalies in the cardiovascular system, nervous system and limbs 121, 4309
Klein, R. See Minichiello, L.
Klein, R. See Schimmang, T.
Klein, W. H. See Wikramanayake, A. H.
Klingensmith, J. See Sokol, S. Y.
Kloc, M. and Etkin, L. D. Two distinct pathways for the localization of RNAs at the vegetal cortex in *Xenopus* oocytes 121, 287
Klymkowsky, M. W. See Cary, R. B.
Knecht, A. K., Good, P. J., Dawid, I. B. and Harland, R. M. Dorsal-ventral patterning and differentiation of noggin-induced neural tissue in the absence of mesoderm 121, 1927
Knittel, L. M. See Taylor, B. J.
Knittel, T., Kessel, M., Kim, M. H. and Gruss, P. A conserved enhancer of the human and murine *Hoxa-7* gene specifies the anterior boundary of expression during embryonal development 121, 1077
Koblar, S. A. See Ware, C. B.
Koehl, M. A. R. See Davidson, L. A.
Koehl, M. A. R. See Moore, S. W.
Koga, M. and Ohshima, Y. Mosaic analysis of the *let-23* gene function in vulval induction of *Caenorhabditis elegans* 121, 2655
Kornbrink, K. See Rosenbaum, T.
Komine, Y. See Gardiner, D. M.
Kondoh, H. See Kitsukawa, T.
Kono, T. See Jones, K. T.
Kono, T., Carroll, J., Swann, K. and Whittingham, D. G. Nuclei from fertilized mouse embryos have calcium-releasing activity 121, 1123
Kopczynski, C. See Spana, E. P.
Kopf, G. S. See Ayabe, T.
Kopf, G. S. See Visconti, P. E.
Kornberg, T. B. See Schwartz, C.
Kornberg, T. B. See Serrano, N.
Kornberg, T. B. See Tabata, T.
Korzh, V. See Appel, B.
Koschorz, B. See Holland, P. W. H.
Koster, C. H. See Gutknecht, D. R.
Kramer, S., West, S. R. and Hiromi, Y. Cell fate control in the *Drosophila* retina by the orphan receptor seven-up: its role in the decisions mediated by the ras signaling pathway 121, 1361
Krasnow, R. E., Wong, L. L. and Adler, P. N. *dishevelled* is a component of the *frizzled* signaling pathway in *Drosophila* 121, 4095
Krinks, M. See Moos Jr, M.
Krull, C. E., Collazo, A., Fraser, S. E. and Bronner-Fraser, M. Segmental migration of

- trunk neural crest: time-lapse analysis reveals a role for PNA-binding molecules **121**, 3733
- Krumlauf, R.** See Grapin-Botton, A.
- Kuehn, M. R.** See Jones, C. M.
- Kuehn, M. R.** See Toyama, R.
- Kuliszewski, M.** See Souza, P.
- Kulkarni, A. B.** See Dickinson, M. C.
- Kulkarni, S.** See Wheatley, S.
- Kumar, J. P. and Ready, D. F.** Rhodopsin plays an essential structural role in *Drosophila* photoreceptor development **121**, 4359
- Kuwabara, P. E. and Kimble, J. A.** predicted membrane protein, TRA-2A, directs hermaphrodite development in *Caenorhabditis elegans* **121**, 2995
- Kwee, L., Baldwin, H. S., Shen, H. M., Stewart, C. L., Buck, C., Buck, C. A. and Labow, M. A.** Defective development of the embryonic and extraembryonic circulatory systems in vascular cell adhesion molecule (VCAM-1) deficient mice **121**, 489
- LaBonne, C., Burke, B. and Whitman, M.** Role of MAP kinase in mesoderm induction and axial patterning during *Xenopus* development **121**, 1475
- Labow, M. A.** See Kwee, L.
- Lai, C.-J.** See Ekker, S. C.
- Lai, C.-J., Ekker, S. C., Beachy, P. A. and Moon, R. T.** Patterning of the neural ectoderm of *Xenopus laevis* by the amino-terminal product of hedgehog autoproteolytic cleavage **121**, 2349
- Lai, Z.-C.** See Treisman, J. E.
- Lallemand, Y.** See Acampora, D.
- Lam, S.** See Brower, D. L.
- Lamb, T. M. and Harland, R. M.** Fibroblast growth factor is a direct neural inducer, which combined with noggin generates anterior-posterior neural pattern **121**, 3627
- Lambie, E. J.** See Church, D. L.
- Lampron, C., Rochette-Egly, C., Gorry, P., Dolle, P., Mark, M., Lufkin, T., LeMeur, M. and Chambon, P.** Mice deficient in cellular retinoic acid binding protein II (CRABPII) or in both CRABPI and CRABPII are essentially normal **121**, 539
- Landolt, R. M., Vaughan, L., Winterhalter, K. H. and Zimmermann, D. R.** Versican is selectively expressed in embryonic tissues that act as barriers to neural crest cell migration and axon outgrowth **121**, 2303
- Lang, R. A.** See Chow, R. L.
- Lans, D.** See Ramirez, F.-A.
- Large, T. H.** See Oakley, R. A.
- Larsen, R. D.** See Masteller, E. L.
- Larson, T.** See Dear, T. N.
- Larue, L.** See Haegel, H.
- Laski, F. A.** See Godt, D.
- Laskowski, M. J., Williams, M. E., Nusbaum, H. C. and Sussel, I. M.** Formation of lateral root meristems is a two-stage process **121**, 3303
- Lassar, A. B.** See Munsterberg, A. E.
- Lassar, A. B.** See Schultheiss, T. M.
- Laufer, E.** See Chan, D. C.
- Laughon, A. S.** See Staehling-Hampton, K.
- Laurenti, P.** See Graba, Y.
- Lavenir, I.** See Dear, T. N.
- Lawrence, P. A.** See Muller, J.
- Lawrence, P. A., Bodmer, R. and Vincent, J.-P.** Segmental patterning of heart precursors in *Drosophila* **121**, 4303
- Lawshe, A.** See MacArthur, C. A.
- Le Douarin, N. M.** See Grapin-Botton, A.
- Leclerc, P.** See Visconti, P. E.
- Leco, K. J.** See Harvey, M. B.
- Leder, P.** See Chan, D. C.
- Lee, F.** See Guimares, M. J.
- Lee, J. J.** See Ekker, S. C.
- Lee, K. P.** See Masteller, E. L.
- Lee, T.** See Murphy, A. M.
- Lee, Y. M., Osumi-Yamashita, N., Ninomiya, Y., Moon, C. K., Eriksson, U. and Eto, K.** Retinoic acid stage-dependently alters the migration pattern and identity of hindbrain neural crest cells **121**, 825
- Lefebvre, O., Regnier, C., Chenard, M.-P., Wendling, C., Chambon, P., Basset, P. and Rio, M.-C.** Developmental expression of mouse stromelysin-3 mRNA **121**, 947
- Legouy, E.** See Thompson, E. M.
- Lehmann, R.** See Curtis, D.
- Lehmann, R.** See Rongo, C.
- Lehner, C. F.** See Weigmann, K.
- Lehrach, H.** See Harrison, S. M.
- Lehtonen, E.** See Mitsiadis, T. A.
- Leiden, J. M.** See Soudais, C.
- LeMeur, M.** See Lampron, C.
- Lengyel, J. A.** See Margolis, J. S.
- Leonard, J.** See Guz, Y.
- Leuzinger, S.** See Therianos, S.
- Levine, M.** See Maggert, K.
- Levitt, P.** See Ferri, R. T.
- Levitt, P.** See Zhukareva, V.
- Li, H.** See Hsieh-Li, H. M.
- Li, K.** See Heuer, J. G.
- Li, X.** See Ekstrom, T. J.
- Li, Z.** See Fontaine-Perus, J.
- Liang, L.-f.** See Epifano, O.
- Liggitt, D.** See Ware, C. B.
- Ligon, K. L.** See Cserjesi, P.
- Lim, L.** See Harden, N.
- Lin, C.-S.** See Pevny, L.
- Linck, R. W.** See Norrander, J. M.
- Lindholm, D.** See Berninger, B.
- Liu, Z. and Meyerowitz, E. M.** *LEUNIG* regulates *AGAMOUS* expression in *Arabidopsis* flowers **121**, 975
- Liu, Z., Kirch, S. and Ambros, V.** The *Caenorhabditis elegans* heterochronic gene pathway controls stage-specific transcription of collagen genes **121**, 2471
- Llimargas, M.** See de Celis, J. F.
- Locke, J.** See Schwartz, C.
- Loh, H. Y.** See Harden, N.
- Lorimer, J. E.** See Collins, J. E.
- Lovatt, A.** See Barnett, S. C.
- Lovell-Badge, R.** See Hacker, A.
- Lowe, J.** See Masteller, E. L.
- Lucchetti, S.** See Baima, S.
- Lufkin, T.** See Frasch, M.
- Lufkin, T.** See Lampron, C.
- Luis de la Pompa, J.** See Oka, C.
- Lukyanov, S. A.** See Zaraisky, A. G.
- Lundgren, S. E., Callahan, C. A., Thor, S. and Thomas, J. B.** Control of neuronal pathway selection by the *Drosophila* LIM homeodomain gene *apterous* **121**, 1769
- Lynch, P.** See Charlton, W. L.
- Lyon, M.** See Davies, J.
- Lyons, G. E.** See Cserjesi, P.
- Ma, C. and Moses, K.** *wingless* and *patched* are negative regulators of the morphogenetic furrow and can affect tissue polarity in the developing *Drosophila* compound eye **121**, 2279
- Macagno, E. R.** See Becker, T.
- MacArthur, C. A.** See Soudais, C.
- MacArthur, C. A., Lawshe, A., Xu, J., Santos-Ocampo, S., Heikkinen, M., Chelliah, A. T. and Ornitz, D. M.** FGF-8 isoforms activate receptor splice forms that are expressed in mesenchymal regions of mouse development **121**, 3603
- Macdonald, R., Barth, K. A., Xu, Q., Holder, N., Mikkola, I. and Wilson, S. W.** Midline signalling is required for Pax gene regulation and patterning of the eyes **121**, 3267
- MacGregor, G. R., Zambrowicz, B. P. and Soriano, P.** Tissue non-specific alkaline phosphatase is expressed in both embryonic and extraembryonic lineages during mouse embryogenesis but is not required for migration of primordial germ cells **121**, 1487
- Maciag, T.** See Robinson, M. L.
- MacMillan-Crow, L. A.** See Robinson, M. L.
- MacPhedran, S. E.** See Hall, A. K.
- Maden, M.** See Viviano, C. M.
- Maggert, K., Levine, M. and Frasch, M.** The somatic-visceral subdivision of the embryonic mesoderm is initiated by dorsal gradient thresholds in *Drosophila* **121**, 2107
- Magnuson, T.** See Faust, C.
- Magnuson, T.** See Weng, A.
- Magram, J.** See Schlaeger, T. M.
- Mahaffey, J. W.** See Mohler, J.
- Mahmood, R., Kiefer, P., Guthrie, S., Dickinson, C. and Mason, I.** Multiple roles for FGF-3 during cranial neural development in the chicken **121**, 1399
- Mailhos, A.** See Oliver, G.
- Mak, T. W.** See Oka, C.
- Makabe, K. W., Kirchhamer, C. V., Britten, R. J. and Davidson, E. H.** *Cis*-regulatory control of the *SMO* gene, an early marker of skeletogenic lineage specification in the sea urchin embryo **121**, 1957
- Mallo, M.** See Rivera-Perez, J. A.
- Manley, N. R. and Capecechi, M. R.** The role of *Hoxa-3* in mouse thymus and thyroid development **121**, 1989
- Manoukian, A. S., Yoffe, K. B., Wilder, E. L. and Perrimon, N.** The *porcupine* gene is required for *wingless* autoregulation in *Drosophila* **121**, 4037
- Manson, L.** See Wilson, V.
- Mansouri, A.** See Yamada, G.
- Margolis, J. and Spradling, A.** Identification and behavior of epithelial stem cells in the *Drosophila* ovary **121**, 3797
- Margolis, J. S., Borowsky, M. L., Steingrimsson, E., Shim, C. W., Lengyel, J. A. and Posakony, J. W.** Posterior stripe expression of *hunchback* is driven from two promoters by a common enhancer element **121**, 3067
- Mariol, M.-C.** See Graba, Y.
- Mark, M.** See Lampron, C.
- Markussen, F.-H., Michon, A.-M., Breitwieser, W. and Ephrussi, A.** Translational control of *oskar* generates Short OSK, the isoform that induces pole plasm assembly **121**, 3723
- Marsh, J. L.** See Grens, A.
- Marti, E., Takada, R., Bumcrot, D. A., Sasaki, H. and McMahon, A. P.** Distribution of Sonic hedgehog peptides in the developing chick and mouse embryo **121**, 2537
- Martin, G. R.** See Crossley, P. H.
- Martin, J. S.** See Dickinson, M. C.
- Martin, P.** See Strome, S.
- Martin-Bermudo, M. D., Carmena, A. and Jimenez, F.** Neurogenic genes control gene

- expression at the transcriptional level in early neurogenesis and in mesoderm specification 121, 219
- Martindale, M. Q. and Henry, J. Q.** Modifications of cell fate specification in equal-cleaving nemertean embryos: alternate patterns of spiralian development 121, 3175
- Martinez Arias, A.** See Baylies, M. K.
- Martinez, S.** See Shimamura, K.
- Marty, S.** See Berninger, B.
- Marty, T.** See Richardson, H.
- Maschat, F.** See Serrano, N.
- Mason, E.** See Greer, A.
- Mason, I.** See Mahmood, R.
- Masteller, E. L., Larsen, R. D., Carlson, L. M., Pickel, J. M., Nickoloff, B., Lowe, J., Thompson, C. B. and Lee, K. P.** Chicken B cells undergo discrete developmental changes in surface carbohydrate structure that appear to play a role in directing lymphocyte migration during embryogenesis 121, 1657
- Matsuno, K., Diederich, R. J., Go, M. J., Blaumueller, C. M. and Artavanis-Tsakonas, S.** Deltex acts as a positive regulator of Notch signaling through interactions with the Notch ankyrin repeats 121, 2633
- Matthew, W. D.** See Tuttle, R.
- Maury, M.** See Acampora, D.
- Maves, L. and Schubiger, G.** *wingless* induces transdetermination in developing *Drosophila* imaginal discs 121, 1263
- Mayor, R., Morgan, R. and Sargent, M. G.** Induction of the prospective neural crest of *Xenopus* 121, 767
- Mazan, S.** See Acampora, D.
- McCaughern-Carucci, J. F.** See Wysolmerski, J. J.
- McClanahan, T.** See Guimares, M. J.
- McClay, D.** See Miller, J.
- McConnell, S. K.** See O'Rourke, N. A.
- McCormick, A., Core, N., Kerridge, S. and Scott, M. P.** Homeotic response elements are tightly linked to tissue-specific elements in a transcriptional enhancer of the *teashirt* gene 121, 2799
- McCourt, P.** See Nambara, E.
- McDougall, A.** See Roegiers, F.
- McGhee, J. D.** See Svendsen, P. C.
- McGrew, L. L.** See Ekker, S. C.
- McGrew, M. J.** See Grieshammer, U.
- McKearin, D. and Ohlstein, B.** A role for the *Drosophila* Bag-of-marbles protein in the differentiation of cystoblasts from germline stem cells 121, 2937
- McKenna, H. J.** See Ware, C. B.
- McKnight, R. A.** See Robinson, G. W.
- McMahon, A. P.** See Dickinson, M. E.
- McMahon, A. P.** See Marti, E.
- McNaghy, K. M.** See Bradshaw, A. D.
- McNaughton, L. A.** See Grapin-Botton, A.
- Melton, D. A.** See Kessler, D. S.
- Mercola, M.** See Atalio, P.
- Mercola, M.** See Nascone, N.
- Merlino, G.** See Sharp, R.
- Merriman, C.** See Charlton, W. L.
- Merriman, J. A.** See Jones, K. T.
- Meyer, B. J.** See Hsu, D. R.
- Meyerowitz, E. M.** See Clark, S. E.
- Meyerowitz, E. M.** See Liu, Z.
- Michelson, A. M.** See Rushton, E.
- Michon, A.-M.** See Begemann, G.
- Michon, A.-M.** See Markussen, F.-H.
- Mikawa, T.** See Gourdie, R. G.
- Mikkola, I.** See Macdonald, R.
- Millar, S. E., Miller, M. W., Stevens, M. E. and Barsh, G. S.** Expression and transgenic studies of the mouse *agouti* gene provide insight into the mechanisms by which mammalian coat color patterns are generated 121, 3223
- Millen, K. J., Hui, C.-C. and Joyner, A. L.** A role for *En-2* and other murine homologues of *Drosophila* segment polarity genes in regulating positional information in the developing cerebellum 121, 3935
- Miller III, D. M. and Niemeyer, C. J.** Expression of the *unc-4* homeoprotein in *Caenorhabditis elegans* motor neurons specifies presynaptic input 121, 2877
- Miller, A. L.** See Cubitt, A. B.
- Miller, J., Fraser, S. E. and McClay, D.** Dynamics of thin filopodia during sea urchin gastrulation 121, 2501
- Miller, M. W.** See Millar, S. E.
- Miller, R. H.** See Ono, K.
- Mima, T.** See Gourdie, R. G.
- Miner, J. H.** See Patapoutian, A.
- Minichiello, L.** See Schimmang, T.
- Minichiello, L., Piehl, F., Vazquez, E., Schimmang, T., Hoekfelt, T., Represa, J. and Klein, R.** Differential effects of combined *trk* receptor mutations on dorsal root ganglion and inner ear sensory neurons 121, 4067
- Mitsiadis, T. A., Salmivirta, M., Muramatsu, T., Muramatsu, H., Rauvala, H., Lehtonen, E., Jalkanen, M. and Thesleff, I.** Expression of the heparin-binding cytokines, midline (MK) and HB-GAM (pleiotrophin) is associated with epithelial-mesenchymal interactions during fetal development and organogenesis 121, 37
- Mlodzik, M.** See Begemann, G.
- Mlodzik, M.** See Rogge, R.
- Mlodzik, M.** See Strutt, D. I.
- Mohler, J., Mahaffey, J. W., Deutsch, E. and Vani, K.** Control of *Drosophila* head segment identity by the bZIP homeotic gene *cnc* 121, 237
- Monaghan, A. P., Grau, E., Bock, D. and Schutz, G.** The mouse homolog of the orphan nuclear receptor *taulless* is expressed in the developing forebrain 121, 839
- Montell, D. J.** See Murphy, A. M.
- Montminy, M. R.** See Guz, Y.
- Moon, C. K.** See Lee, Y. M.
- Moon, R. T.** See Cui, Y.
- Moon, R. T.** See Ekker, S. C.
- Moon, R. T.** See Kelly, G. M.
- Moon, R. T.** See Lai, C.-J.
- Moore, G. D.** See Visconti, P. E.
- Moore, S. W., Keller, R. E. and Koehl, M. A. R.** The dorsal involuting marginal zone stiffens anisotropically during its convergent extension in the gastrula of *Xenopus laevis* 121, 3131
- Moos Jr., M. C.** See Epifano, O.
- Moos Jr., M., Wang, S. and Krinks, M.** Anti-Dorsalizing Morphogenetic Protein is a novel TGF- β homolog expressed in the Spemann organizer 121, 4293
- Morata, G.** See Gonzalez-Crespo, S.
- Morata, G.** See Guillen, I.
- Morelli, G.** See Baima, S.
- Morgan, B. A.** See Burke, A. C.
- Morgan, B. A.** See Roberts, D. J.
- Morgan, R.** See Mayor, R.
- Mori, C.** See Oka, C.
- Morikami, A.** See Hauser, M.-T.
- Morris, J. F.** See Ryan, G.
- Morris-Kay, G. M.** See Chen, W.-H.
- Moscatelli, D. A.** See Chow, R. L.
- Moser, M., Imhof, A., Pscherer, A., Bauer, R., Amselgruber, W., Sinowatz, F., Hofstadter, F., Schule, R. and Buettner, R.** Cloning and characterization of a second AP-2 transcription factor: AP-2 β 121, 2779
- Moses, H. L.** See Serra, R.
- Moses, K.** See Ma, C.
- Motte, P.** See Zachgo, S.
- Mukai, L.** See Brower, D. L.
- Muller, J., Gaunt, S. and Lawrence, P. A.** Function of the Polycomb protein is conserved in mice and flies 121, 2847
- Mullor, J. L.** See Guillen, I.
- Muneoka, K.** See Reginelli, A. D.
- Munsterberg, A. E. and Lassar, A. B.** Combinatorial signals from the neural tube, floor plate and notochord induce myogenic bHLH gene expression in the somite 121, 651
- Muramatsu, H.** See Mitsiadis, T. A.
- Murillo, M. P.** See Evans, S. M.
- Murphy, A. M., Lee, T., Andrews, C. M., Shilo, B.-Z. and Montell, D. J.** The Breathless FGF receptor homolog, a downstream target of *Drosophila* C/EBP in the developmental control of cell migration 121, 2255
- Musci, T. J.** See Cornell, R. A.
- Musci, T. J.** See Robbie, E. P.
- Nagase, H.** See Yan, L.
- Nagoshi, R. N., Patton, J. S., Bae, E. and Geyer, P. K.** The somatic sex determines the requirement for ovarian tumor gene activity in the proliferation of the *Drosophila* germline 121, 579
- Naito, S.** See Nambara, E.
- Nakagawa, S. and Takeichi, M.** Neural crest cell-cell adhesion controlled by sequential and subpopulation-specific expression of novel cadherins 121, 1321
- Nakano, T.** See Oka, C.
- Nakato, H., Futch, T. A. and Selleck, S. B.** The *division abnormally delayed (dally)* gene: a putative integral membrane proteoglycan required for cell division patterning during postembryonic development of the nervous system in *Drosophila* 121, 3687
- Nambara, E., Keith, K., McCourt, P. and Naito, S.** A regulatory role for the *AB13* gene in the establishment of embryo maturation in *Arabidopsis thaliana* 121, 629
- Narita, N.** See Soudais, C.
- Nascone, N. and Mercola, M.** An inductive role for the endoderm in *Xenopus* cardiogenesis 121, 515
- Nash, D.** See Tiong, S. Y. K.
- Neel, B. G.** See Itoh, K.
- Nelson, C. E.** See Burke, A. C.
- Nelson, C. E.** See Roberts, D. J.
- Ner, S. S.** See Halter, D. A.
- Newman, A. P., White, J. G. and Sternberg, P. W.** The *Caenorhabditis elegans* *lin-12* gene mediates induction of ventral uterine specialization by the anchor cell 121, 263
- Newman-Smith, E. D. and Werb, Z.** Stem cell defects in parthenogenetic peri-implantation embryos 121, 2069
- Ng, M., Diaz-Benjumea, F. J. and Cohen, S. M.** *nubbin* encodes a POU-domain protein required for proximal-distal patterning in the *Drosophila* wing 121, 589
- Nickoloff, B.** See Masteller, E. L.
- Niederer, E.** See Poirie, M.


- Niemeyer, C. J. See Miller III, D. M.
 Nieto, M. A. See Sechrist, J.
 Ninomiya, Y. See Lee, Y. M.
 Niranjan, B., Buluwela, L., Yant, J.,
 Perusinghe, N., Atherton, A., Phippard, D.,
 Dale, T., Gusterson, B. and Kamaia, T.
 HGF/SF: a potent cytokine for mammary
 growth, morphogenesis and development 121,
 2897
 Nishi, R. See Heller, S.
 Nishida, C. See Schwartz, C.
 Nitabach, M. N. See Becker, T.
 Nobili, F. See Baima, S.
 Nogawa, H. and Ito, T. Branching
 morphogenesis of embryonic mouse lung
 epithelium in mesenchyme-free culture 121,
 1015
 Norman, D. J., Feng, L., Cheng, S. S., Gubbay,
 J., Chan, E. and Heintz, N. The *lurcher* gene
 induces apoptotic death in cerebellar Purkinje
 cells 121, 1183
 Norrander, J. M., Linck, R. W. and Stephens,
 R. E. Transcriptional control of *tektin A*
 mRNA correlates with cilia development and
 length determination during sea urchin
 embryogenesis 121, 1615
 Nothiger, R. See Hilfiker, A.
 Nusbaum, H. C. See Laskowski, M. J.
 O'Connell, M. L. See Toyama, R.
 O'Connor, M. B. See Chiang, A.
 O'Keefe, L. V. See Richardson, H.
 O'Keefe, S. L. See Hodgetts, R. B.
 O'Neill, M. J. and Artzt, K. Identification of a
 germ-cell-specific transcriptional repressor in
 the promoter of *Tctex-1* 121, 561
 O'Reilly, M.-A. J., Smith, J. C. and Cunliffe,
 V. Patterning of the mesoderm in *Xenopus*:
 dose-dependent and synergistic effects of
Brachyury and *Pintallavis* 121, 1351
 O'Rourke, N. A., Sullivan, D. P., Kaznowski,
 C. E., Jacobs, A. A. and McConnell, S. K.
 Tangential migration of neurons in the
 developing cerebral cortex 121, 2165
 Oakley, R. A., Garner, A. S., Large, T. H. and
 Frank, E. Muscle sensory neurons require
 neurotrophin-3 from peripheral tissues during
 the period of normal cell death 121, 1341
 Offenhauser, N. See Biffo, S.
 Ohlsson, R. See Ekstrom, T. J.
 Ohlstein, B. See McKearin, D.
 Ohshima, Y. See Koga, M.
 Ohsugi, M. See Haegel, H.
 Oka, C., Nakano, T., Wakeham, A., Luis de la
 Pompa, J., Mori, C., Sakai, T., Okazaki, S.,
 Kawaichi, M., Shiota, K., Mak, T. W. and
 Honjo, T. Disruption of the mouse *RBP-J κ*
 gene results in early embryonic death 121,
 3291
 Okamoto, H. See Kengaku, M.
 Okazaki, S. See Oka, C.
 Olds-Clarke, P. See Visconti, P. E.
 Oliver, G., Mailhos, A., Wehr, R., Copeland,
 N. G., Jenkins, N. A. and Gruss, P. *Six3*, a
 murine homologue of the *sine oculis* gene,
 demarcates the most anterior border of the
 developing neural plate and is expressed
 during eye development 121, 4045
 Oliver, G., Wehr, R., Jenkins, N. A., Copeland,
 N. G., Cheyette, B. N. R., Hartenstein, V.,
 Zipursky, S. L. and Gruss, P. Homeobox
 genes and connective tissue patterning 121,
 693
 Olson, E. N. See Cserjesi, P.
 Ono, K., Bansal, R., Payne, J., Rutishauser, U.
 and Miller, R. H. Early development and
 dispersal of oligodendrocyte precursors in the
 embryonic chick spinal cord 121, 1743
 Orkin, S. H. See Pevny, L.
 Ornitz, D. M. See MacArthur, C. A.
 Oster, G. F. See Davidson, L. A.
 Osumi-Yamashita, N. See Lee, Y. M.
 Overbeek, P. A. See Reneker, L. W.
 Overbeek, P. A. See Robinson, M. L.
 Ozawa, E. See Hayashi, K.
 Palmer, M. A. See Chow, R. L.
 Palmiter, R. D. See Kapur, R. P.
 Pan, D. See Visconti, P. E.
 Pankratz, M. J. and Hoch, M. Control of
 epithelial morphogenesis by cell signaling and
 integrin molecules in the *Drosophila* foregut
 121, 1885
 Pannese, M., Polo, C., Andreazzoli, M.,
 Vignali, R., Kablar, B., Barsacchi, G. and
 Boncinelli, E. The *Xenopus* homologue of
Otx2 is a maternal homeobox gene that
 demarcates and specifies anterior body regions
 121, 707
 Papaioannou, V. E. See Bhatnagar, P.
 Papalopulu, N. See Evans, S. M.
 Papayannopoulou, T. See Ware, C. B.
 Parks, D. W. See Talbert, P. B.
 Paro, R. See Chiang, A.
 Pasceri, P. See Fawcett, D.
 Patapoutian, A., Yoon, J. K., Miner, J. H.,
 Wang, S., Stark, K. and Wold, B. Disruption
 of the mouse MRF4 gene identifies multiple
 waves of myogenesis in the myotome 121,
 3347
 Patel, K. See Reneker, L. W.
 Patient, R. See Griffin, K.
 Patton, J. S. See Nagoshi, R. N.
 Paul, D. L., Yu, K., Bruzzone, R., Gimlich,
 R. L. and Goodenough, D. A. Expression of a
 dominant negative inhibitor of intercellular
 communication in the early *Xenopus* embryo
 causes delamination and extrusion of cells 121,
 371
 Paulin, D. See Fontaine-Perus, J.
 Paulsen, J. See Strome, S.
 Paululat, A., Burchard, S. and Renkawitz-
 Pohl, R. Fusion from myoblasts to myotubes is
 dependent on the *rolling stone* gene (*rostr*) of
Drosophila 121, 2611
 Payne, J. See Ono, K.
 Peifer, M. See Rauskolb, C.
 Perrimon, N. See Manoukian, A. S.
 Perrimon, N. See Sokol, S. Y.
 Perrimon, N. See Wilder, E. L.
 Perusinghe, N. See Niranjan, B.
 Peschon, J. J. See Ware, C. B.
 Peterson, M. See Robbie, E. P.
 Pevny, L., Lin, C.-S., D'Agati, V., Simon,
 M. C., Orkin, S. H. and Costantini, F.
 Development of hematopoietic cells lacking
 transcription factor GATA-1 121, 163
 Pfeiffer, S. E. See Gard, A. L.
 Philbrick, W. M. See Wysolmerski, J. J.
 Phippard, D. See Niranjan, B.
 Pickel, J. M. See Masteller, E. L.
 Pidsley, S. C. See Collins, J. E.
 Piehl, F. See Minichiello, L.
 Pierce, S. B. and Kimelman, D. Regulation of
 Spemann organizer formation by the
 intracellular kinase Xgsk-3 121, 755
 Pogge v. Strandmann, E. and Ryffel, G. U.
 Developmental expression of the maternal
 protein XDcoH, the dimerization cofactor of
 the homeoprotein LFB1 (HNF1) 121, 1217
 Poirie, M., Niederer, E. and Steinmann-
 Zwicky, M. A sex-specific number of germ
 cells in embryonic gonads of *Drosophila* 121,
 1867
 Pollock, G. H. See Yan, L.
 Polo, C. See Pannese, M.
 Ponce, J. See Evans, S. M.
 Pondel, M. See Forristall, C.
 Posakony, J. W. See Margolis, J. S.
 Post, M. See Souza, P.
 Postlethwait, J. H. See Halpern, M. E.
 Potter, S. S. See Hsieh-Li, H. M.
 Pradel, J. See Graba, Y.
 Preiss, A. See Jennings, B.
 Pscherer, A. See Moser, M.
 Puelles, L. See Shimamura, K.
 Pujol, N. See Vervoort, M.
 Pultz, M. A. and Baker, B. S. The dual role of
hermaphrodite in the *Drosophila* sex
 determination regulatory hierarchy 121, 99
 Puschel, A. W. See Heller, S.
 Qiao, J., Cohen, D. and Herzlinger, D. The
 metanephric blastema differentiates into
 collecting system and nephron epithelia in
 vitro 121, 3207
 Qin, Y. See Schlaeger, T. M.
 Quinlan, G. A., Williams, E. A., Tan, S.-S. and
 Tam, P. P. L. Neuroectodermal fate of
 epiblast cells in the distal region of the mouse
 egg cylinder: implication for body plan
 organization during early embryogenesis 121,
 87
 Rabbitts, T. H. See Dear, T. N.
 Ramirez, F.-A., Wedeen, C. J., Stuart, D. K.,
 Lans, D. and Weisblat, D. A. Identification of
 a neurogenic sublineage required for CNS
 segmentation in an Annelid 121, 2091
 Randsholt, N. B. See Serrano, N.
 Ransick, A. and Davidson, E. H. Micromeres
 are required for normal vegetal plate
 specification in sea urchin embryos 121, 3215
 Ratner, N. See Rosenbaum, T.
 Rauscher III, F. J. See Ryan, G.
 Rauskolb, C., Smith, K. M., Peifer, M. and
 Wieschaus, E. *extradenticle* determines
 segmental identities throughout *Drosophila*
 development 121, 3663
 Rauvala, H. See Mitsiadis, T. A.
 Rayburn, H. See Yang, J. T.
 Ready, D. F. See Kumar, J. P.
 Reaume, A. G. See Conlon, R. A.
 Reed, W. A. See Yue, C.
 Reese, B. E. See Tan, S.-S.
 Reginelli, A. D., Wang, Y.-Q., Sassoon, D. and
 Muneoka, K. Digit tip regeneration correlates
 with regions of *Mx1* (*Hox 7*) expression in
 fetal and newborn mice 121, 1065
 Regnier, C. See Lefebvre, O.
 Reh, T. A. See Kelley, M. W.
 Reichert, H. See Boyan, G.
 Reichert, H. See Therianos, S.
 Renard, J.-P. See Christians, E.
 Renard, J.-P. See Thompson, E. M.
 Reneker, L. W., Silversides, D. W., Patel, K.
 and Overbeek, P. A. TGF α can act as a
 chemoattractant to periopertic mesenchymal
 cells in developing mouse eyes 121, 1669
 Renkawitz-Pohl, R. See Paululat, A.
 Renshaw, B. R. See Ware, C. B.
 Represa, J. See Minichiello, L.
 Represa, J. See Schinmang, T.
 Resnick, J. L. See Wickramasinghe, D.
 Richards, G. See Huet, F.
 Richardson, H., O'Keefe, L. V., Marty, T. and

- Saint, R.** Ectopic cyclin E expression induces premature entry into S phase and disrupts pattern formation in the *Drosophila* eye imaginal disc **121**, 3371
- Richardson, M. K.** See Hardy, A.
- Rickert, C.** See Halter, D. A.
- Rifkin, D. B.** See Chow, R. L.
- Riggleman, B.** See Halpern, M. E.
- Rio, M.-C.** See Lefebvre, O.
- Rittenhouse, K. R. and Berg, C. A.** Mutations in the *Drosophila* gene *bullwinkle* cause the formation of abnormal eggshell structures and bicaudal embryos **121**, 3023
- Rivera-Perez, J. A., Mallo, M., Gendron-Maguire, M., Gridley, T. and Behringer, R. R.** *gooseoid* is not an essential component of the mouse gastrula organizer but is required for craniofacial and rib development **121**, 3005
- Robbie, E. P., Peterson, M., Amaya, E. and Musci, T. J.** Temporal regulation of the *Xenopus* FGF receptor in development: a translation inhibitory element in the 3' untranslated region **121**, 1775
- Roberts, D. J., Johnson, R. L., Burke, A. C., Nelson, C. E., Morgan, B. A. and Tabin, C.** Sonic hedgehog is an endosomal signal inducing *Bmp-4* and *Hox* genes during induction and regionalization of the chick hindgut **121**, 3163
- Robinson, G. W., McKnight, R. A., Smith, G. H. and Hennighausen, L.** Mammary epithelial cells undergo secretory differentiation in cycling virgins but require pregnancy for the establishment of terminal differentiation **121**, 2079
- Robinson, M. L., MacMillan-Crow, L. A., Thompson, J. A. and Overbeek, P. A.** Expression of a truncated FGF receptor results in defective lens development in transgenic mice **121**, 3959
- Robinson, M. L., Overbeek, P. A., Verran, D. J., Grizzle, W. E., Stockard, C. R., Friesel, R., Maciag, T. and Thompson, J. A.** Extracellular FGF-1 acts as a lens differentiation factor in transgenic mice **121**, 505
- Rochette-Egly, C.** See Lampron, C.
- Rodriguez, C.** See Hardy, A.
- Roegiers, F., McDougall, A. and Sardet, C.** The sperm entry point defines the orientation of the calcium-induced contraction wave that directs the first phase of cytoplasmic reorganization in the ascidian egg **121**, 3457
- Rogge, R., Green, P. J., Urano, J., Horn-Saban, S., Mlodzik, M., Shilo, B.-Z., Hartenstein, V. and Banerjee, U.** The role of *yan* in mediating the choice between cell division and differentiation **121**, 3947
- Roghani, M.** See Chow, R. L.
- Rohrer, H.** See Heller, S.
- Rongo, C., Gavis, E. R. and Lehmann, R.** Localization of *oskar* RNA regulates *oskar* translation and requires Oskar protein **121**, 2737
- Root, C. E.** See Brower, D. L.
- Rosario, M.** See Barnett, S. C.
- Roseman, R. R., Swan, J. M. and Geyer, P. K.** A *Drosophila* insulator protein facilitates dosage compensation of the X chromosome *mini-white* gene located at autosomal insertion sites **121**, 3573
- Rosenbaum, T., Boissy, Y. L., Kombrinck, K., Brannan, C. I., Jenkins, N. A., Copeland, N. G. and Ratner, N.** Neurofibromin-deficient fibroblasts fail to form perineurium in vitro **121**, 3583
- Rosenthal, N.** See Grieshammer, U.
- Rossant, J.** See Conlon, R. A.
- Rossant, J.** See Fawcett, D.
- Rougvi, A. E. and Ambros, V.** The heterochronic gene *lin-29* encodes a zinc finger protein that controls a terminal differentiation event in *Caenorhabditis elegans* **121**, 2491
- Roux, G. D.** See Chow, R. L.
- Royet, J. and Finkelstein, R.** Pattern formation in *Drosophila* head development: the role of the orthodenticle homeobox gene **121**, 3561
- Rubenstein, J. L. R.** See Shimamura, K.
- Ruberti, I.** See Baima, S.
- Rubin, G. M.** See Treisman, J. E.
- Ruddle, F. H.** See Shashikant, C. S.
- Ruden, D. M. and Jackle, H.** Mitotic delay dependent survival identifies components of cell cycle control in the *Drosophila* blastoderm **121**, 63
- Rudge, J. S.** See Gard, A. L.
- Ruiz, C.** See Huet, F.
- Ruiz-Gomez, M.** See de Celis, J. F.
- Rulifson, E. J. and Blair, S. S.** *Notch* regulates *wingless* expression and is not required for reception of the paracrine *wingless* signal during wing margin neurogenesis in *Drosophila* **121**, 2813
- Running, M. P.** See Clark, S. E.
- Rushon, E., Drysdale, R., Abmayr, S. M., Michelson, A. M. and Bate, M.** Mutations in a novel gene, *myoblast city*, provide evidence in support of the founder cell hypothesis for *Drosophila* muscle development **121**, 1979
- Rutishauser, U.** See Ono, K.
- Rutishauser, U.** See Yin, X.
- Rutter, W. J.** See Cross, J. C.
- Ryan, G., Steele-Perkins, V., Morris, J. F., Rauscher III, F. J. and Dressler, G. R.** Repression of *Pax-2* by *Wt1* during normal kidney development **121**, 867
- Ryffel, G. U.** See Pogge v. Strandmann, E.
- Saedler, H.** See Zachgo, S.
- Saffitz, J. E.** See Soudais, C.
- Sagnier, T.** See Graba, Y.
- Saiga, H.** See Katsuyama, Y.
- Saint, R.** See Richardson, H.
- Sakai, T.** See Oka, C.
- Salmivirta, M.** See Mitsiadis, T. A.
- San Jose, I.** See Schimmang, T.
- Sanchez, D.** See Ganfornina, M. D.
- Sanchez, D., Ganfornina, M. D. and Bastiani, M. J.** Developmental expression of the lipocalin Lazarillo and its role in axonal pathfinding in the grasshopper embryo **121**, 135
- Sanchez-Herrero, E.** See Casares, F.
- Sanchez-Herrero, E.** See Guillen, I.
- Sanes, J. R.** See Yamagata, M.
- Santos-Ocampo, S.** See MacArthur, C. A.
- Sardet, C.** See Roegiers, F.
- Sargent, M. G.** See Mayor, R.
- Sarras Jr., M. P.** See Yan, L.
- Sasaki, H.** See Marti, E.
- Sasaki, H., Ferguson-Smith, A. C., Shum, A. S. W., Barton, S. C. and Surani, M. A.** Temporal and spatial regulation of *H19* imprinting in normal and uniparental mouse embryos **121**, 4195
- Sassoon, D.** See Regnelli, A. D.
- Sato, S. M.** See Witta, S. E.
- Sato, T. N.** See Schlaeger, T. M.
- Satoh, N.** See Harada, Y.
- Schaller, H. C.** See Galliot, B.
- Scherer, S. S., Xu, Y.-t., Bannerman, P. G. C., Sherman, D. L. and Brophy, P. J.** Periaxin expression in myelinating Schwann cells: modulation by axon-glia interactions and polarized localization during development **121**, 4265
- Scheres, B., Di Lorenzo, L., Willemsen, V., Hauser, M.-T., Janmaat, K., Weisbeek, P. and Benfey, P. N.** Mutations affecting the radial organisation of the *Arabidopsis* root display specific defects throughout the embryonic axis **121**, 53
- Schibler, U.** See Schmidt, E. E.
- Schierenberg, E.** See Strome, S.
- Schimmang, T.** See Minichiello, L.
- Schimmang, T., Minichiello, L., Vazquez, E., San Jose, I., Giraldez, F., Klein, R. and Represa, J.** Developing inner ear sensory neurons require TrkB and TrkC receptors for innervation of their peripheral targets **121**, 3381
- Schlaeger, T. M., Qin, Y., Fujiwara, Y., Magram, J. and Sato, T. N.** Vascular endothelial cell lineage-specific promoter in transgenic mice **121**, 1089
- Schlossberg, H.** See Engelhardt, J. F.
- Schlosshauer, B.** See Stier, H.
- Schmidt, E. E. and Schibler, U.** High accumulation of components of the RNA polymerase II transcription machinery in rodent spermatids **121**, 2373
- Schmidt, J., Francois, V., Bier, E. and Kimelman, D.** *Drosophila* short gastrulation induces an ectopic axis in *Xenopus*: evidence for conserved mechanisms of dorsal-ventral patterning **121**, 4319
- Schnabel, R.** Duels without obvious sense: counteracting inductions involved in body wall muscle development in the *Caenorhabditis elegans* embryo **121**, 2219
- Schnabel, R.** See Hutter, H.
- Schneider, R.** See Hilfiker, A.
- Schouls, M.** See Hodgetts, R. B.
- Schroder, R.** See Wolf, C.
- Schubiger, G.** See Baker, R.
- Schubiger, G.** See Maves, L.
- Schuckert, O.** See Galliot, B.
- Schule, R.** See Moser, M.
- Schultheiss, T. M., Xydias, S. and Lassar, A. B.** Induction of avian cardiac myogenesis by anterior endoderm **121**, 4203
- Schultz, G. A.** See Harvey, M. B.
- Schultz, M.** See Yamada, G.
- Schultz, R. M.** See Ayabe, T.
- Schultz, R. M.** See Worrall, D. M.
- Schulz, C. and Tautz, D.** Zygotic caudal regulation by *hunchback* and its role in abdominal segment formation of the *Drosophila* embryo **121**, 1023
- Schumacher, A.** See Faust, C.
- Schutz, G.** See Monaghan, A. P.
- Schwartz, C.** See Tabata, T.
- Schwartz, C., Locke, J., Nishida, C. and Kornberg, T. B.** Analysis of *cubitus interruptus* regulation in *Drosophila* embryos and imaginal disks **121**, 1625
- Schwartz, M.** See Smith, C. L.
- Schwarz-Sommer, Z.** See Zachgo, S.
- Schweigsuth, F.** Suppressor of *Hairless* is required for signal reception during lateral inhibition in the *Drosophila* pupal notum **121**, 1875
- Scott, M. P.** See Johnson, R. L.

- Scott, M. P. See McCormick, A.
 Sechrist, J. See Birgbauer, E.
 Sechrist, J., Nieto, M. A., Zamanian, R. T. and Bronner-Fraser, M. Regulative response of the cranial neural tube after neural fold ablation: spatiotemporal nature of neural crest regeneration and up-regulation of *Slug* 121, 4103
 Selleck, M. A. J. and Bronner-Fraser, M. Origins of the avian neural crest: the role of neural plate-epidermal interactions 121, 525
 Selleck, M. A. J. See Dickinson, M. E.
 Selleck, M. A. J. See Storey, K. G.
 Selleck, S. B. See Nakato, H.
 Serano, T. L. and Cohen, R. S. Gratuitous mRNA localization in the *Drosophila* oocyte 121, 3013
 Serano, T. L. and Cohen, R. S. A small predicted stem-loop structure mediates oocyte localization of *Drosophila* *K10* mRNA 121, 3809
 Serra, R. and Moses, H. L. pRb is necessary for inhibition of N-myc expression by TGF- β 1 in embryonic lung organ cultures 121, 3057
 Serrano, N., Brock, H. W., Demeret, C., Dura, J.-M., Randsholt, N. B., Kornberg, T. B. and Maschat, F. *polyhomeotic* appears to be a target of Engrailed regulation in *Drosophila* 121, 1691
 Sessa, G. See Baima, S.
 Sessions, R. A. and Zambryski, P. C. *Arabidopsis* gynoecium structure in the wild type and *ettin* mutants 121, 1519
 Shani, M. See Goldhamer, D. J.
 Sharp, R., Babyatsky, M. W., Takagi, H., Tagerud, S., Wang, T. C., Bockman, D. E., Brand, S. J. and Merlino, G. Transforming growth factor α disrupts the normal program of cellular differentiation in the gastric mucosa of transgenic mice 121, 149
 Sharpe, M. J. See Streit, A.
 Shashikant, C. S., Bieherich, C. J., Belting, H.-G., Wang, J. C. H., Borbely, M. A. and Ruddle, F. H. Regulation of *Hoxc-8* during mouse embryonic development: identification and characterization of critical elements involved in early neural tube expression 121, 4339
 Shen, H. M. See Kwee, L.
 Sherman, D. L. See Scherer, S. C.
 Shih, J. and Fraser, S. E. Distribution of tissue progenitors within the shield region of the zebrafish gastrula 121, 2755
 Shilo, B.-Z. See Murphy, A. M.
 Shilo, B.-Z. See Rogge, R.
 Shim, C. W. See Margolis, J. S.
 Shimamura, K., Hartigan, D. J., Martinez, S., Puelles, L. and Rubenstein, J. L. R. Longitudinal organization of the anterior neural plate and neural tube 121, 3923
 Shimono, A. See Kitsuikawa, T.
 Shiota, K. See Oka, C.
 Shum, A. S. W. See Sasaki, H.
 Siebert, J. R. See Kapur, R. P.
 Silva, E. de A. See Zachgo, S.
 Silversides, D. W. See Reneker, L. W.
 Simeone, A. See Acampora, D.
 Simon, D. See Bettenhausen, B.
 Simon, J. See Chiang, A.
 Simon, M. C. See Pevny, L.
 Simon, M. C. See Soudais, C.
 Sinowatz, F. See Moser, M.
 Skarnes, W. C. See Wilson, V.
 Slack, J. M. W. Developmental biology of the pancreas 121, 1569
 Slack, J. M. W. See Tucker, A. S.
 Small, K. See Hsieh-Li, H. M.
 Smith, A. J. H. See Dear, T. N.
 Smith, C. L., Giordano, H., Schwartz, M. and DeLotto, R. Spatial regulation of *Drosophila* Snake protease activity in the generation of dorsal-ventral polarity 121, 4127
 Smith, G. H. See Robinson, G. W.
 Smith, J. C. See Jones, C. M.
 Smith, J. C. See O'Reilly, M.-A. J.
 Smith, K. M. See Rauskolb, C.
 Smith, S. T. See John, A.
 Sofroniew, M. V. See Dear, T. N.
 Sokol, S. Y. See Itoh, K.
 Sokol, S. Y., Klingensmith, J., Perrimon, N. and Itoh, K. Dorsalizing and neuralizing properties of Xdsh, a maternally expressed *Xenopus* homolog of *dishevelled* 121, 1637
 Sommer, R. See Wolf, C.
 Sonnenfeld, M. J. and Jacobs, J. R. Apoptosis of midline glia during *Drosophila* embryogenesis: a correlation with axon contact 121, 569
 Soriano, P. See MacGregor, G. R.
 Soudais, C., Bielinska, M., Heikkinheimo, M., MacArthur, C. A., Narita, N., Saffitz, J. E., Simon, M. C., Leiden, J. M. and Wilson, D. B. Targeted mutagenesis of the transcription factor GATA-4 gene in mouse embryonic stem cells disrupts visceral endoderm differentiation in vitro 121, 3877
 Souza, P., Kuliszewski, M., Wang, J., Tseu, L., Tanswell, A. K. and Post, M. PDGF-AA and its receptor influence early lung branching via an epithelial-mesenchymal interaction 121, 2559
 Spana, E. P. and Doe, C. Q. The prospero transcription factor is asymmetrically localized to the cell cortex during neuroblast mitosis in *Drosophila* 121, 3187
 Spana, E. P., Kocyzyński, C., Goodman, C. S. and Doe, C. Q. Asymmetric localization of numb autonomously determines sibling neuron identity in the *Drosophila* CNS 121, 3489
 Spradling, A. See Margolis, J.
 Staehling-Hampton, K., Laughon, A. S. and Hoffmann, F. M. A *Drosophila* protein related to the human zinc finger transcription factor PRDII/MBP1/HIV-EPI is required for *dpp* signaling 121, 3393
 Stainier, D. Y. R., Weinstein, B. M., Detrich III, H. W., Zon, L. I. and Fishman, M. C. *cloche*, an early acting zebrafish gene, is required by both the endothelial and hematopoietic lineages 121, 3141
 Stark, K. See Patapoutian, A.
 Steele-Perkins, V. See Ryan, G.
 Stein, R. See Gu, Y.
 Steingrimsson, E. See Cross, J. C.
 Steingrimsson, E. See Margolis, J. S.
 Steinmann-Zwicky, M. See Poirie, M.
 Stephens, R. E. See Norrander, J. M.
 Stern, C. D. See Storey, K. G.
 Stern, C. D. See Streit, A.
 Stern, H. M., Brown, A. M. C. and Hauschka, S. D. Myogenesis in paraxial mesoderm: preferential induction by dorsal neural tube and by cells expressing *Wnt-1* 121, 3675
 Sternberg, P. W. See Newman, A. P.
 Stevens, M. E. See Millar, S. E.
 Stewart, C. L. See Kwee, L.
 Stewart, R. A. See Xu, T.
 Stier, H. and Schlosshauer, B. Axonal guidance in the chicken retina 121, 1443
 Stockard, C. R. See Robinson, M. L.
 Stoker, A. W., Gehrig, B., Haj, F. and Bay, B.-H. Axonal localisation of the CAM-like tyrosine phosphatase CRYPO: a signalling molecule of embryonic growth cones 121, 1833
 Storb, U. See Weng, A.
 Storey, K. G., Selleck, M. A. J. and Stern, C. D. Neural induction and regionalisation by different subpopulations of cells in Hensen's node 121, 417
 Streit, A., Stern, C. D., Thery, C., Ireland, G. W., Aparicio, S., Sharpe, M. J. and Gherardi, E. A role for HGF/SF in neural induction and its expression in Hensen's node during gastrulation 121, 813
 Strome, S., Martin, P., Schierenberg, E. and Paulsen, J. Transformation of the germ line into muscle in *mes-1* mutant embryos of *Caenorhabditis elegans* 121, 2961
 Struhl, G. See Zecca, M.
 Strutt, D. I. and Mlodzik, M. Ommatidial polarity in the *Drosophila* eye is determined by the direction of furrow progression and local interactions 121, 4247
 Stuart, D. K. See Ramirez, F.-A.
 Stuart, E. T. See Yamada, G.
 Sturtevant, M. A. and Bier, E. Analysis of the genetic hierarchy guiding wing vein development in *Drosophila* 121, 785
 Sucov, H. M., Izpisua-Belmonte, J.-C., Ganan, Y. and Evans, R. M. Mouse embryos lacking RXR α are resistant to retinoic-acid-induced limb defects 121, 3997
 Sullivan, D. P. See O'Rourke, N. A.
 Sun, Y. See Jarman, A. P.
 Surani, M. A. See Sasaki, H.
 Sussex, I. M. See Laskowski, M. J.
 Svendsen, P. C. and McGhee, J. D. The *C. elegans* neuronally expressed homeobox gene *celh-10* is closely related to genes expressed in the vertebrate eye 121, 1253
 Sviderskaya, E. V., Wakeling, W. F. and Bennett, D. C. A cloned, immortal line of murine melanoblasts inducible to differentiate to melanocytes 121, 1547
 Swan, J. M. See Roseman, R. R.
 Swann, K. See Kono, T.
 Sweetser, D. A. See Kapur, R. P.
 Symes, K. See Atalio, P.
 Tabata, T., Schwartz, C., Gustavson, E., Ali, Z. and Kornberg, T. B. Creating a *Drosophila* wing de novo, the role of *engrailed*, and the compartment border hypothesis 121, 3359
 Tabin, C. See Burke, A. C.
 Tabin, C. See Chan, D. C.
 Tabin, C. See Roberts, D. J.
 Tagerud, S. See Sharp, R.
 Tajbakhsh, S. and Buckingham, M. E. Lineage restriction of the myogenic conversion factor *myf-5* in the brain 121, 4077
 Takada, R. See Marti, E.
 Takagi, H. See Sharp, R.
 Takeichi, M. See Nakagawa, S.
 Talbot, P. B., Adler, H. T., Parks, D. W. and Comai, L. The *REVOLUTA* gene is necessary for apical meristem development and for limiting cell divisions in the leaves and stems of *Arabidopsis thaliana* 121, 2723
 Tam, P. P. L. See Quinlan, G. A.
 Tam, P. P. L. See Trainor, P. A.
 Tan, S.-S. See Quinlan, G. A.

- Tan, S.-S., Faulkner-Jones, B., Breen, S. J., Walsh, M., Bertram, J. F. and Reese, B. E. Cell dispersion patterns in different cortical regions studied with an X-inactivated transgenic marker **121**, 1029
- Tang, T. L. See Itoh, K.
- Tanswell, A. K. See Souza, P.
- Tautz, D. See Schulz, C.
- Tautz, D. See Wolf, C.
- Taylor, B. J. and Knittel, L. M. Sex-specific differentiation of a male-specific abdominal muscle, the Muscle of Lawrence, is abnormal in hydroxyurea-treated and in *fruitless* male flies **121**, 3079
- Technau, G. M. See Halter, D. A.
- Technau, U. and Holstein, T. W. Head formation in *Hydra* is different at apical and basal levels **121**, 1273
- Teitelman, G. See Guz, Y.
- Tepass, U. and Hartenstein, V. Neurogenic and proneural genes control cell fate specification in the *Drosophila* endoderm **121**, 393
- Tertoolen, L. G. J. See Gutknecht, D. R.
- Tessarollo, L. See Wickramasinghe, D.
- Therianos, S. See Boyan, G.
- Therianos, S., Leuzinger, S., Hirth, F., Goodman, C. S. and Reichert, H. Embryonic development of the *Drosophila* brain: formation of commissural and descending pathways **121**, 3849
- Thery, C. See Streit, A.
- Thesleff, I. See Mitsiadis, T. A.
- Thisse, B. See Halpern, M. E.
- Thisse, C. See Halpern, M. E.
- Thoenen, H. See Berninger, B.
- Thoma, B. See Ware, C. B.
- Thomas, J. B. See Lundgren, S. E.
- Thompson, J. A. See Robinson, M. L.
- Thompson, C. B. See Masteller, E. L.
- Thompson, E. M. See Christians, E.
- Thompson, E. M., Legouy, E., Christians, E. and Renard, J.-P. Progressive maturation of chromatin structure regulates *HSP70.1* gene expression in the preimplantation mouse embryo **121**, 3425
- Thompson, J. A. See Robinson, M. L.
- Thompson, R. P. See Gourdier, R. G.
- Thor, S. See Appel, B.
- Thor, S. See Lundgren, S. E.
- Thummel, C. S. See Andres, A. J.
- Thummel, C. S. See Fletcher, J. C.
- Tiong, S. Y. K., Nash, D. and Bender, W. *Dorsal wing*, a locus that affects dorsoventral wing patterning in *Drosophila* **121**, 1649
- Tissier-Seta, J.-P. See Groves, A. K.
- Tomlinson, A. See Campbell, G.
- Tomlinson, A. See Wehrli, M.
- Torres, M. See Yamada, G.
- Torres, M., Gomez-Pardo, E., Dressler, G. R. and Gruss, P. *Pax-2* controls multiple steps of urogenital development **121**, 4057
- Tosti, E. See Yazaki, I.
- Toyama, R., O'Connell, M. L., Wright, C. V. E., Kuehn, M. R. and Dawid, I. B. Nodal induces ectopic *gooseoid* and *lim1* expression and axis duplication in zebrafish **121**, 383
- Trainor, P. A. and Tam, P. P. L. Cranial paraxial mesoderm and neural crest cells of the mouse embryo: co-distribution in the craniofacial mesenchyme but distinct segregation in branchial arches **121**, 2569
- Travers, A. A. See Halter, D. A.
- Treisman, J. E. and Rubin, G. M. *wingless* inhibits morphogenetic furrow movement in the *Drosophila* eye disc **121**, 3519
- Treisman, J. E., Lai, Z.-C. and Rubin, G. M. *shortsighted* acts in the decapentaplegic pathway in *Drosophila* eye development and has homology to a mouse TGF- β -responsive gene **121**, 2835
- Trevarrow, B. See Halpern, M. E.
- Trobner, W. See Zachgo, S.
- Tsai, C. and Gergen, P. Pair-rule expression of the *Drosophila fushi tarazu* gene: a nuclear receptor response element mediates the opposing regulatory effects of *run* and *hairy* **121**, 453
- Tseu, I. See Souza, P.
- Tsunoda, Y. See Kato, Y.
- Tucker, A. S. and Slack, J. M. W. The *Xenopus laevis* tail-forming region **121**, 249
- Turner, B. M. See Worrall, D. M.
- Turner, J. K. See Kelley, M. W.
- Tuttle, R. and Matthew, W. D. Neurotrophins affect the pattern of DRG neurite growth in a bioassay that presents a choice of CNS and PNS substrates **121**, 1301
- Urano, J. See Rogge, R.
- Urban, J. See Halter, D. A.
- Urban, J. See Hidalgo, A.
- Vani, K. See Mohler, J.
- Vaughan, L. See Landolt, R. M.
- Vazquez, E. See Minichiello, L.
- Vazquez, E. See Schimang, T.
- Verran, D. J. See Robinson, M. L.
- Vervoot, M., Zink, D., Pujol, N., Victoir, K., Dumont, N., Ghysen, A. and Dambly-Chaudiere, C. Genetic determinants of sense organ identity in *Drosophila*: regulatory interactions between *cut* and *poxn* **121**, 3111
- Victoir, K. See Vervoot, M.
- Vignali, R. See Pannese, M.
- Villano, J. L. and Katz, F. N. *four-jointed* is required for intermediate growth in the proximal-distal axis in *Drosophila* **121**, 2767
- Vincent, J.-P. See Lawrence, P. A.
- Visconti, P. E., Bailey, J. L., Moore, G. D., Pan, D., Olds-Clarke, P. and Kopf, G. S. Capacitation of mouse spermatozoa. I. Correlation between the capacitation state and protein tyrosine phosphorylation **121**, 1129
- Visconti, P. E., Moore, G. D., Bailey, J. L., Leclerc, P., Connors, S. A., Pan, D., Olds-Clarke, P. and Kopf, G. S. Capacitation of mouse spermatozoa. II. Protein tyrosine phosphorylation and capacitation are regulated by a cAMP-dependent pathway **121**, 1139
- Viviano, C. M., Horton, C. E., Maden, M. and Brockes, J. P. Synthesis and release of 9-*cis* retinoic acid by the urodele wound epidermis **121**, 3753
- Vodicka, M. A. and Gerhart, J. C. Blastomere derivation and domains of gene expression in the Spemann Organizer of *Xenopus laevis* **121**, 3505
- von Kalm, L. See Hodgetts, R. B.
- von Kessler, D. P. See Ekker, S. C.
- von Schack, D. See Brill, G.
- Voorn, L. v.d. See Begemann, G.
- Wada, S. See Katsuyama, Y.
- Waites, R. and Hudson, A. *phantastica*: a gene required for dorsoventrality of leaves in *Antirrhinum majus* **121**, 2143
- Wakeham, A. See Oka, C.
- Wakeling, W. F. See Sviderskaya, E. V.
- Walsh, M. See Tan, S.-S.
- Wang, D. G.-W., Kirchhamer, C. V., Britten, R. J. and Davidson, E. H. SpZ12-1, a negative regulator required for spatial control of the territory-specific *Cyfla* gene in the sea urchin embryo **121**, 1111
- Wang, J. C. H. See Shashikant, C. S.
- Wang, J. See Souza, P.
- Wang, S. See Moos Jr., M.
- Wang, S. See Patapoutian, A.
- Wang, T. C. See Sharp, R.
- Wang, W. See Xu, T.
- Wang, Y.-Q. See Reginelli, A. D.
- Ware, C. B., Horowitz, M. C., Renshaw, B. R., Hunt, J. S., Liggitt, D., Koblar, S. A., Gliniak, B. C., McKenna, H. J., Papayannopoulou, T., Thoma, B., Cheng, L., Donovan, P. J., Peschon, J. J., Bartlett, P. F., Willis, C. R., Wright, B. L., Carpenter, M. K., Davison, B. L. and Gearing, D. P. Targeted disruption of the low-affinity leukemia inhibitory factor receptor gene causes placental, skeletal, neural and metabolic defects and results in perinatal death **121**, 1283
- Warren, A. J. See Dear, T. N.
- Wasserman, S. A. See Eberhart, C. G.
- Wasserman, S. A. See Galindo, R. L.
- Watanabe, M. See Yin, X.
- Weaver, T. A. and White, R. A. H. *headcase*, an imaginal specific gene required for adult morphogenesis in *Drosophila melanogaster* **121**, 4149
- Wedeer, C. J. See Ramirez, F.-A.
- Wehr, R. See Oliver, G.
- Wehrle-Haller, B. and Weston, J. A. Soluble and cell-bound forms of steel factor activity play distinct roles in melanocyte precursor dispersal and survival on the lateral neural crest migration pathway **121**, 731
- Wehrli, M. and Tomlinson, A. Epithelial planar polarity in the developing *Drosophila* eye **121**, 2451
- Wehrli, M. See Brower, D. L.
- Weigmann, K. and Lehner, C. F. Cell fate specification by *even-skipped* expression in the *Drosophila* nervous system is coupled to cell cycle progression **121**, 3713
- Weil, M., Itin, A. and Keshet, E. A role for mesenchyme-derived tachykinins in tooth and mammary gland morphogenesis **121**, 2419
- Weinberg, E. S. See Halpern, M. E.
- Weinstein, B. M. See Stainier, D. Y. R.
- Weinstein, M. See Hsieh-Li, H. M.
- Weisbeek, P. See Scheres, B.
- Weisblat, D. A. See Ramirez, F.-A.
- Welsch, M. See Galliot, B.
- Wendling, C. See Lefebvre, O.
- Weng, A., Magnuson, T. and Storb, U. Strain-specific transgene methylation occurs early in mouse development and can be recapitulated in embryonic stem cells **121**, 2853
- Wepf, R. See Begemann, G.
- Werb, Z. See Behrendtsen, O.
- Werb, Z. See Cross, J. C.
- Werb, Z. See Newman-Smith, E. D.
- West, S. R. See Kramer, S.
- Westerfield, M. See Akimenko, M.-A.
- Weston, J. A. See Wehrle-Haller, B.
- Wheatley, S., Kulkarni, S. and Karess, R. *Drosophila* nonmuscle myosin II is required for rapid cytoplasmic transport during oogenesis and for axial nuclear migration in early embryos **121**, 1937
- White, J. G. See Newman, A. P.
- White, K. L. See Yue, C.

- White, R. A. H. See Weaver, T. A.
 Whitman, M. See LaBonne, C.
 Whittingham, D. G. See Jones, K. T.
 Whittingham, D. G. See Kono, T.
 Wickramasinghe, D., Becker, S., Ernst, M. K., Resnick, J. L., Centanni, J. M., Tessarollo, L., Grabel, L. B. and Donovan, P. J. Two CDC25 homologues are differentially expressed during mouse development 121, 2047
 Wieschaus, E. See Rauskolb, C.
 Wikramanayake, A. H., Brandhorst, B. P. and Klein, W. H. Autonomous and non-autonomous differentiation of ectoderm in different sea urchin species 121, 1497
 Wilder, E. L. and Perrimon, N. Dual functions of *wingless* in the *Drosophila* leg imaginal disc 121, 477
 Wilder, E. L. See Manoukian, A. S.
 Wiles, M. V. See Guimares, M. J.
 Wilkinson, D. G. See Xu, Q.
 Willemssen, V. See Scheres, B.
 Williams II, W. C. See Gard, A. L.
 Williams, E. A. See Quinlan, G. A.
 Williams, J. L. D. See Boyan, G.
 Williams, M. E. See Laskowski, M. J.
 Willis, C. R. See Ware, C. B.
 Wilson, D. B. See Soudais, C.
 Wilson, S. W. See Barth, K. A.
 Wilson, S. W. See Macdonald, R.
 Wilson, V., Manson, L., Skarnes, W. C. and Beddington, R. S. P. The *T* gene is necessary for normal mesodermal morphogenetic cell movements during gastrulation 121, 877
 Winston, R. M. L. See Chia, C. M.
 Winterhalter, K. H. See Landolt, R. M.
 Witta, S. E., Agarwal, V. R. and Sato, S. M. *XIPOU 2*, a noggin-inducible gene, has direct neuralizing activity 121, 721
 Witte, D. P. See Hsieh-Li, H. M.
 Wold, B. See Patapoutian, A.
 Wolff, C., Sommer, R., Schroder, R., Glaser, G. and Tautz, D. Conserved and divergent expression aspects of the *Drosophila* segmentation gene *hunchback* in the short germ band embryo of the flour beetle *Tribolium* 121, 4227
 Wolpert, L. See Hardy, A.
 Wong, L. L. See Krasnow, R. E.
 Woo, K. and Fraser, S. E. Order and coherence in the fate map of the zebrafish nervous system 121, 2595
 Worrall, D. M., Turner, B. M. and Schultz, R. M. Temporally restricted spatial localization of acetylated isoforms of histone H4 and RNA polymerase II in the 2-cell mouse embryo 121, 2949
 Wright, B. D. See Ware, C. B.
 Wright, C. V. E. See Guz, Y.
 Wright, C. V. E. See Jones, C. M.
 Wright, C. V. E. See Toyama, R.
 Wynshaw-Boris, A. See Chan, D. C.
 Wysolmerski, J. J., McCaughern-Carucci, J. F., Daifotis, A. G., Broadus, A. E. and Philbrick, W. M. Overexpression of parathyroid hormone-related protein or parathyroid hormone in transgenic mice impairs branching morphogenesis during mammary gland development 121, 3539
 Xu, J. See MacArthur, C. A.
 Xu, Q. See Macdonald, R.
 Xu, Q., Allard, G., Holder, N. and Wilkinson, D. G. Expression of truncated *Sek-1* receptor tyrosine kinase disrupts the segmental restriction of gene expression in the *Xenopus* and zebrafish hindbrain 121, 4005
 Xu, T., Wang, W., Zhang, S., Stewart, R. A. and Yu, W. Identifying tumor suppressors in genetic mosaics: the *Drosophila* *lats* gene encodes a putative protein kinase 121, 1053
 Xu, Y.-t. See Scherer, S. C.
 Xydias, S. See Schultheiss, T. M.
 Yamada, G., Mansouri, A., Torres, M., Stuart, E. T., Blum, M., Schultz, M., De Robertis, E. M. and Gruss, P. Targeted mutation of the murine *gooseoid* gene results in craniofacial defects and neonatal death 121, 2917
 Yamagata, M. and Sanes, J. R. Lamina-specific cues guide outgrowth and arborization of retinal axons in the optic tectum 121, 189
 Yamagata, M. and Sanes, J. R. Target-independent diversification and target-specific projection of chemically defined retinal ganglion cell subsets 121, 3763
 Yan, L., Pollock, G. H., Nagase, H. and Sarraz Jr., M. P. A 25.7×10³ M_r hydra metalloproteinase (HMP1), a member of the astacin family, localizes to the extracellular matrix of *Hydra vulgaris* in a head-specific manner and has a developmental function 121, 1591
 Yan, W. See Evans, S. M.
 Yanagimachi, R. See Kimura, Y.
 Yang, J. T., Rayburn, H., and Hynes, R. O. Cell adhesion events mediated by α_4 integrins are essential in placental and cardiac development 121, 549
 Yankaskas J. R. See Engelhardt, J. F.
 Yant, J. See Niranjana, B.
 Yasugi, S. See Katsuyama, Y.
 Yasuo, H. See Harada, Y.
 Yazaki, I., Tosti, E. and Dale, B. Cytoskeletal elements link calcium channel activity and the cell cycle in early sea urchin embryos 121, 1827
 Yin, X., Watanabe, M. and Rutishauser, U. Effect of polysialic acid on the behavior of retinal ganglion cell axons during growth into the optic tract and tectum 121, 3439
 Yoffe, K. B. See Manoukian, A. S.
 Yoon, J. K. See Patapoutian, A.
 Yost, H. J. See Danos, M. C.
 Young, K. E. See Chiang, C.
 Yu, K. See Paul, D. L.
 Yu, W. See Xu, T.
 Yue, C., White, K. L., Reed, W. A. and Bunch, T. D. The existence of inositol 1,4,5-trisphosphate and ryanodine receptors in mature bovine oocytes 121, 2645
 Zachgo, S., Silva, E. de A., Motte, P., Trobner, W., Saedler, H. and Schwarz-Sommer, Z. Functional analysis of the *Antirrhinum* floral homeotic *DEFICIENS* gene in vivo and in vitro by using a temperature-sensitive mutant 121, 2861
 Zafra, F. See Berninger, B.
 Zamanian, R. T. See Sechrist, J.
 Zambrowicz, B. P. See MacGregor, G. R.
 Zambrowski, P. C. See Sessions, R. A.
 Zaraisky, A. G., Ecochard, V., Kazanskaya, O. V., Lukyanov, S. A., Fesenko, I. V. and Duprat, A.-M. The homeobox-containing gene *XANF-1* may control development of the Spemann organizer 121, 3839
 Zecca, M., Basler, K. and Struhl, G. Sequential organizing activities of engrailed, hedgehog and decapentaplegic in the *Drosophila* wing 121, 2265
 Zeller, R. See Haramis, A. G.
 Zhang, J. See Zheng, L.
 Zhang, S. See Xu, T.
 Zhang, X. See Harvey, M. B.
 Zheng, L., Zhang, J. and Carthew, R. W. *frizzled* regulates mirror-symmetric pattern formation in the *Drosophila* eye 121, 3045
 Zhukareva, V. and Levitt, P. The limbic system-associated membrane protein (LAMP) selectively mediates interactions with specific central neuron populations 121, 1161
 Zimmermann, D. R. See Landolt, R. M.
 Zink, D. See Vervoort, M.
 Zipursky, S. L. See Oliver, G.
 Zlotnik, A. See Guimares, M. J.
 Zon, L. I. See Stainier, D. Y. R.
 Zusman, S. See Brower, D. L.



Subject Index

abdominal A

gonadal precursor cells in *Drosophila*: BOYLE AND DINARDO 121, 1815.

Abdominal B

gonadal precursor cells in *Drosophila*: BOYLE AND DINARDO 121, 1815.

Abdominal gap gene

caudal regulation and function: SCHULZ AND TAUTZ 121, 1023.

Abdominal histoblasts

role of *Awl* in imaginal development: CURTISS AND HEILIG 121, 3819.

AB13

late embryo development in *Arabidopsis*: NAMBARA, KEITH, MCCOURT AND NAITO 121, 629.

Ablation

genetic ablation of petal and stamen primordia: DAY, GALGOCI AND IRISH 121, 2887.

Abnormal morphogenesis

chimeric mice with excess neuropilin: KITSUKAWA, SHIMONO, KAWAKAMI, KONDOH AND FUJISAWA 121, 4309.

Acetylcholine receptors

development of ganglion cell subsets: YAMAGATA AND SANES 121, 3763.

achaete-scute complex

cell type specification in the *Drosophila* endoderm: TEPASS AND HARTENSTEIN 121, 393.

hydra *achaete-scute* homolog: GRENS, MASON, MARSH AND BODE 121, 4027.

regulation of gene expression in the CNS: CUI AND DOE 121, 3233.

requirements for *E(spl)bHLH* expression: JENNINGS, DE CELIS, DELIDAKIS, PREISS AND BRAY 121, 3745.

role of proneural genes in *Drosophila*: GIANGRANDE 121, 429.

Achlorhydria

TGF α alters differentiation in gastric mucosa: SHARP, BABYATSKY, TAKAGI, TAGERUD, WANG, BOCKMAN, BRAND AND MERLINO 121, 149.

Acidic FGF

branching of mesenchyme-free lung epithelium: NOGAWA AND ITO 121, 1015.

Acinar cells

developmental biology of the pancreas: SLACK 121, 1569.

Activation

nuclear Ca^{2+} -releasing activity in embryos: KONO, CARROLL, SWANN AND WHITTINGHAM 121, 1123.

Serrate activates *Notch*: GU, HUKRIEDE AND FLEMING 121, 855.

Active repression

an active repressor mimics a *ftc* mutant: JOHN, SMITH AND JAYNES 121, 1801.

Activin

alteration of mesoderm formation at MBT: KINOSHITA AND ASASHIMA 121, 1581.

MAP kinase in *Xenopus* mesoderm induction and axial patterning: LABONNE, BURKE AND WHITMAN 121, 1475.

mesoderm induction by soluble Vg1: KESSLER AND MELTON 121, 2155.

mesoderm patterning by FGF: CORNELL, MUSCI AND KIMELMAN 121, 2429.

Actomyosin-based contraction

fertilization and egg cytoplasmic reorganization: ROEGIERS, MCDUGALL AND SARDET 121, 3457.

Adhesion

early placental development in mouse embryos: DOWNS AND GARDNER 121, 407.

ADMP

anti-dorsalizing morphogenetic protein: MOOS JR., WANG AND KRINKS 121, 4293.

Adult morphogenesis

in *Drosophila*: WEAVER AND WHITE 121, 4149.

Aequori

patterns of free calcium in *Dictyostelium*: CUBITT, FIRTEL, FISCHER, JAFFE AND MILLER 121, 2291.

Afferent

peripheral projections and central neurogenesis: BECKER, BERLINER, NITABACH, GAN AND MACAGNO 121, 359.

agouti

embryonic expression of *agouti*: MILLAR, MILLER, STEVENS AND BARSH 121, 3223.

AIGF

Fgf8 expression in the mouse embryo: CROSSLEY AND MARTIN 121, 439.

Airway

submucosal gland development and morphogenesis: ENGELHARDT, SCHLOSSBERG AND YANKASKAS AND DUDUS 121, 2031.

Alkaline phosphatase

and PGCs: MACGREGOR, ZAMBROWICZ AND SORIANO 121, 1487.

Allantois

early placental development in mouse embryos: DOWNS AND GARDNER 121, 407.

Alternative splicing

FGF-8 isoforms activate FGFR2c, 3c, and 4: MACARTHUR, LAWSHE, XU, SANTOS-OCAMPO, HEIKINHEIMO, CHELLAIAH AND ORNITZ 121, 3603.

truncated *trkB* in the developing chick: BIFFO, OFFENHAUSER, CARTER AND BARDE 121, 2461.

Alveolar cells

differentiation of mammary alveolar cells: ROBINSON, MCKNIGHT, SMITH AND HENNIGHAUSEN 121, 2079.

Amphibian

RA in regenerating limb blastema: VIVIANO, HORTON, MADEN AND BROCKES 121, 3753.

Amphioxus

Brachyury genes: HOLLAND, KOSCHORZ, HOLLAND AND HERRMANN 121, 4283.

Amylase

developmental biology of the pancreas: SLACK 121, 1569.

Amylin

developmental biology of the pancreas: SLACK 121, 1569.

ana

activation of neuroblast proliferation: DATTA 121, 1173.

Anchor cell

uterine fate induction in *Caenorhabditis*: NEWMAN, WHITE AND STERNBERG 121, 263.

Androgenetic

H19 imprinting: SASAKI, FERGUSON-SMITH, SHUM, BARTON AND SURANI 121, 4195.

Androgens

prostatic induction by seminal vesicle: DONJACOUR AND CUNHA 121, 2199.

Angioblast

endothelial specific promoter: SCHLAEGER, QIN, FUJIWARA, MAGRAM AND SATO 121, 1089.

Animal cap

ectoderm differentiation in sea urchins: WIKRAMANAYAKE, BRANDHORST AND KLEIN 121, 1497.

Annelid

neurogenic sublineage required for CNS segmentation in Annelids: RAMIREZ, WEDEEN, STUART, LANS AND WEISBLAT 121, 2091.

Antennapedia

homeotic regulation of *cnm*: HEUER, LI AND KAUFMAN 121, 3861.

tsh regulation by homeotic genes: MCCORMICK, CORE, KERRIDGE AND SCOTT 121, 2799.

Anterior expression boundary

of *Hoxa-7*: KNITTEL, KESSEL, KIM AND GRUSS 121, 1077.

Anterior neural plate

mouse eye homeobox gene: OLIVER, MAILHOS, WEHR, COPELAND, JENKINS AND GRUSS 121, 4045.

Anterior neuroectoderm

Otx2 and neuroectoderm specification: ACAMPORA, MAZAN, LALLEMAND, AVANTAGGIATO, MAURY, SIMEONE AND BRULET 121, 3279.

Anterior region

Xotx2 and the fate of anterior regions: PANNESE, POLO, ANDREAZZOLI, VIGNALI, KABLAR, BARSACCHI AND BONCINELLI 121, 707.

Anterior specification

induction of anterior neuroectoderm: BLITZ AND CHO 121, 993.

Anteroposterior patterning

a polarising induction: HUTTER AND SCHNABEL 121, 1559.

evolutionary conservation of *nanos*: CURTIS, APFELD AND LEHMANN 121, 1899.

FGF signalling in *Xenopus*: KENGAKU AND OKAMOTO 121, 3121.

Hox genes and vertebral transposition: BURKE, NELSON, MORGAN AND TABIN 121, 333.

ptc overexpression in wing discs: JOHNSON, GRENIER AND SCOTT 121, 4161.

role of FGF activity in axis formation: GRIFFIN, PATIENT AND HOLDER 121, 2983.

Antirrhinum

chimeras show non-autonomy of *floricaula*: CARPENTER AND COEN 121, 19.

control of dorsoventrality in leaves: WAITES AND HUDSON 121, 2143.

floricaula in single cell layers activates

- downstream genes: HANTKE, CARPENTER AND COEN **121**, 27.
- in vivo and in vitro functions of the *DEFICIENS* gene: ZACHGO, SILVA, MOTTE, TROBNER, SAEDLER AND SCHWARZ-SOMMER **121**, 2861.
- Antisense RNA**
- GPA receptor function and expression: HELLER, FINN, HUBER, NISHI, GEISSEN, PUSCHEL AND ROHRER **121**, 2681.
- Antisense transcripts**
- Hoxa 11* structure, expression and function in fertility: HSIEH-LI, WITTE, WEINSTEIN, BRANFORD, LI, SMALL AND POTTER **121**, 1373.
- aop**
- yan function in division versus differentiation: ROGGE, GREEN, URANO, HORN-SABAN, MLODZIK, SHILO, HARTENSTEIN AND BANERJEE **121**, 3947.
- AP-1**
- analysis of DNA-binding proteins in O-2A differentiation: BARNETT, ROSARIO, DOYLE, KILBEY, LOVATT AND GILLESPIE **121**, 3969.
- AP-2**
- molecular cloning of AP-2: MOSER, IMHOF, PSCHERER, BAUER, AMSELGRUBER, SINOWATZ, HOFSTADTER, SCHULE AND BUETTNER **121**, 2779.
- Apical constriction**
- how do sea urchins invaginate: DAVIDSON, KOEHL, KELLER AND OSTER **121**, 2005.
- Apical ectodermal ridge**
- development of reaggregated mesenchyme: HARDY, RICHARDSON, FRANCIS-WEST, RODRIGUEZ, IZPISUA-BELMONTE, DUPEZ AND WOLPERT **121**, 4329.
- Isr^D* limbs contain ectopic ZPA: CHAN, LAUFER, TABIN AND LEDER **121**, 1971.
- relation of formins to AER and ZPA: CHAN, WYNshaw-BORIS AND LEDER **121**, 3151.
- Apicobasal contraction**
- how do sea urchins invaginate: DAVIDSON, KOEHL, KELLER AND OSTER **121**, 2005.
- Apoptosis**
- apoptotic death in lurcher Purkinje cells: NORMAN, FENG, CHENG, GUBBAY, CHAN AND HEINTZ **121**, 1183.
- asplenic *hox11* mice: DEAR, COLLEDGE, CARLTON, LAVENIR, LARSON, SMITH, WARREN, EVANS, SOFRONIEW AND RABBITTS **121**, 2909.
- FGF in lens development: CHOW, ROUX, ROGHANI, PALMER, RIFKIN, MOSCATELLI AND LANG **121**, 4383.
- midline glial cell death: SONNENFELD AND JACOBS **121**, 569.
- TGF α alters differentiation in gastric mucosa: SHARP, BABYATSKY, TAKAGI, TAGERUD, WANG, BOCKMAN, BRAND AND MERLINO **121**, 149.
- apterous**
- and neuronal pathfinding: LUNDGREN, CALLAHAN, THOR AND THOMAS **121**, 1769.
- Arabidopsis**
- Athb-8 expression in procambial cells: BAIMA, NOBILI, SESSA, LUCCHETTI, RUBERTI AND MORELLI **121**, 4171.
- CLV3* regulates meristem development: CLARK, RUNNING AND MEYEROWITZ **121**, 2057.
- conditional root expansion mutants: HAUSER, MORIKAMI AND BENFEY **121**, 1237.
- genetic ablation of petal and stamen primordia: DAY, GALGOCI AND IRISH **121**, 2887.
- gynoecium structure: SESSIONS AND ZAMBRYSKI **121**, 1519.
- late embryo development in *Arabidopsis*: NAMBARA, KEITH, MCCOURT AND NAITO **121**, 629.
- LEUNIG* regulates *AGAMOUS* expression: LIU AND MEYEROWITZ **121**, 975.
- meristem development in *Arabidopsis*: TALBERT, ADLER, PARKS AND COMAI **121**, 2723.
- meristem development in lateral roots: LASKOWSKI, WILLIAMS, NUSBAUM AND SUSSEX **121**, 3303.
- radial organisation of the *Arabidopsis* root: SCHERES, DI LAURENZIO, WILLEMSSEN, HAUSER, JANMAAT, WEISBEEK AND BENFEY **121**, 53.
- Ascidian**
- ascidian *labial* group Hox gene: KATSUYAMA, WADA, YASUGI AND SAIGA **121**, 3197.
- fertilization and egg cytoplasmic reorganisation: ROEGERS, MCDUGALL AND SARDET **121**, 3457.
- Ascorbic acid**
- maintenance of the quiescent center: KERK AND FELDMAN **121**, 2825.
- Asplenia**
- asplenic *hox11* mice: DEAR, COLLEDGE, CARLTON, LAVENIR, LARSON, SMITH, WARREN, EVANS, SOFRONIEW AND RABBITTS **121**, 2909.
- Astacin**
- HMP1: a developmental astacin proteinase: YAN, POLLOCK, NAGASE AND SARRAS JR. **121**, 1591.
- Astrocyte**
- astroglial oligodendroglial factors: GARD, BURRELL, PFEIFFER, RUDGE AND WILLIAMS II **121**, 2187.
- LIFR mutation results in perinatal death: WARE, HOROWITZ, RENSCHAW, HUNT, LIGGITT, KOBLAR, GLINIAK, MCKENNA, PAPAYANNOPOULOU, THOMA, CHENG, DONOVAN, PESCHON, BARTLETT, WILLIS **121**, 1283.
- atonal**
- the proneural gene for chordotonal organs and photoreceptors: JARMAN, SUN, JAN AND JAN **121**, 2019.
- Autonomy**
- duels in *Caenorhabditis* development: SCHNABEL **121**, 2219.
- Autoregulation**
- regulation of a gap gene stripe: MARGOLIS, BOROWSKY, STEINGRIMSSON, SHIM, LENGUEL AND POSAKONY **121**, 3067.
- Auxin**
- Arabidopsis* Athb-8 expression in procambial cells: BAIMA, NOBILI, SESSA, LUCCHETTI, RUBERTI AND MORELLI **121**, 4171.
- maintenance of the quiescent center: KERK AND FELDMAN **121**, 2825.
- Avian**
- only melanocytes migrate dorsolaterally: ERICKSON AND GOINS **121**, 915.
- role for PNA-binding molecules in migration of avian trunk neural crest: KRULL, COLLAZO, FRASER AND BRONNER-FRASER **121**, 3733.
- Avian B cell development**
- carbohydrate involvement in B cell development: MASTELLER, LARSEN, CARLSON, PICKEL, NICKOLOFF, LOWE, THOMPSON AND LEE **121**, 1657.
- Axial mesoderm**
- induction in chick Hensen's node: STOREY, SELLECK AND STERN **121**, 417.
- Nodal-related signaling in mesoderm patterning: JONES, KUEHN, HOGAN, SMITH AND WRIGHT **121**, 3651.
- production in mice: FAUST, SCHUMACHER, HOLDENER AND MAGNUSON **121**, 273.
- Axial patterning**
- MAP kinase in *Xenopus* mesoderm induction and axial patterning: LABONNE, BURKE AND WHITMAN **121**, 1475.
- zebrafish *nk2.2* gene: BARTH AND WILSON **121**, 1755.
- Axis**
- longitudinal organization of the brain: SHIMAMURA, HARTIGAN, MARTINEZ, PUELLES AND RUBENSTEIN **121**, 3923.
- role of *fj* in proximal-distal growth: VILLANO AND KATZ **121**, 2767.
- Axis duplication**
- gooseoid* and *lim1* expression and axis duplication in zebrafish: TOYAMA, O'CONNELL, WRIGHT, KUEHN AND DAWID **121**, 383.
- Axis formation**
- cardiac left-right development: DANOS AND YOST **121**, 1467.
- head formation in *Hydra*: TECHNAU AND HOLSTEIN **121**, 1273.
- homeobox control of Spemann organizer: ZARASKY, ECOCHARD, KAZANSKAYA, LUKYANOV, FESENKO AND DUPRAT **121**, 3839.
- initiation of the proximodistal axis in insect legs: CAMPBELL AND TOMLINSON **121**, 619.
- pH_i decrease important for axis formation in *Xenopus*: GUTKNECHT, KOSTER, TERTOOLEN, DE LAAT AND DURSTON **121**, 1911.
- two pathways for vegetal localization: KLOC AND ETKIN **121**, 287.
- Axogenesis**
- brain development in the grasshopper: BOYAN, THERIANOS, WILLIAMS AND REICHERT **121**, 75.
- Axolotl**
- homeobox genes and limb regeneration: GARDINER, BLUMBERG, KOMINE AND BRYANT **121**, 1731.
- Axon development**
- neurotrophins affect neurite patterns: TUTTLE AND MATTHEW **121**, 1301.
- Axon fasciculation**
- polysialic acid in the optic pathway: YIN, WATANABE AND RUTISHAUSER **121**, 3439.
- Axon guidance**
- expression pattern and function of Lazarillo:

- SANCHEZ, GANFORNINA AND BASTIANI **121**, 135.
 polysialic acid in the optic pathway: YIN, WATANABE AND RUTISHAUSER **121**, 3439.
 retinotectal interactions in vitro: YAMAGATA AND SANES **121**, 189.
 targeted ablation of CNS glia in *Drosophila*: HIDALGO, URBAN AND BRAND **121**, 3703.
- Axonal pathfinding**
 brain development in *Drosophila*: THERIANOS, LEUZINGER, HIRTH, GOODMAN AND REICHERT **121**, 3849.
- Axonogenesis**
 tyrosine phosphatases in axonogenesis: STOKER, GEHRIG, HAJ AND BAY **121**, 1833.
- Axotomy**
 periaxin in myelinating Schwann cells: SCHERER, XU, BANNERMAN, SHERMAN AND BROPHY **121**, 4265.
- β (=B) cells**
 developmental biology of the pancreas: SLACK **121**, 1569.
- bag of marbles**
 role of *Drosophila* Bag of marbles protein: MCKEARIN AND OHLSTEIN **121**, 2937.
- Basement membrane**
 HMP1: a developmental astacin proteinase: YAN, POLLOCK, NAGASE AND SARRAS JR. **121**, 1591.
- Basic helix-loop-helix factor**
 regulation of the *myoD* gene in mouse embryos: GOLDFAMER, BRUNK, FAERMAN, KING, SHANI AND EMERSON **121**, 637.
- Basic helix-loop-helix proteins**
 hydra *achaete-scute* homolog: GRENS, MASON, MARSH AND BODE **121**, 4027.
- BDNF**
 neurotrophins affect neurite patterns: TUTTLE AND MATTHEW **121**, 1301.
- Bergmann glia**
 epigenetic control of BLBP transcription: FENG AND HEINTZ **121**, 1719.
- bFGF**
 anteroposterior specification in the CNS: COX AND HEMMATI-BRIVANLOU **121**, 4349.
 FGF signalling in *Xenopus*: KENGAKU AND OKAMOTO **121**, 3121.
 induction of prospective neural crest: MAYOR, MORGAN AND SARGENT **121**, 767.
- bHLH protein**
 scleraxis and skeletal formation in mouse: CSERJESI, BROWN, LIGON, LYONS, COPELAND, GILBERT, JENKINS AND OLSON **121**, 1099.
- Bicaudal**
 eggshell defects and bicaudal embryos: RITTENHOUSE AND BERG **121**, 3023.
- Biogenesis**
 of the coiled body: FERREIRA AND CARMO-FONSECA **121**, 601.
- Biomechanics**
 how do sea urchins invaginate: DAVIDSON, KOEHL, KELLER AND OSTER **121**, 2005.
 IMZ stiffness in *Xenopus*: MOORE, KELLER AND KOEHL **121**, 3131.
- Bithorax complex**
 Hox genes and segment identity: CASTELLI-GAIR AND AKAM **121**, 2973.
 regulation by gap genes in *Drosophila*: CASARES AND SANCHEZ-HERRERO **121**, 1855.
- Blastema**
msx genes and zebrafish fin regeneration: AKIMENKO, JOHNSON, WESTERFIELD AND EKKER **121**, 347.
- Blastocyst**
 CSF-1 and preimplantation development: BHATNAGAR, PAPAIOANNOU AND BIGGERS **121**, 1333.
 desmocollin expression in mouse embryo: COLLINS, LORIMER, GARROD, PIDSLY, BUXTON AND FLEMING **121**, 743.
 ECM and PTHrP regulate parietal endoderm: BEHRENDTSEN, ALENANDER AND WERB **121**, 4137.
- Blastoderm**
 mitotic delay dependent survival: RUDEN AND JACKLE **121**, 63.
- Blastomere**
 a polarising induction: HUTTER AND SCHNABEL **121**, 1559.
 alteration of mesoderm formation at MBT: KINOSHITA AND ASASHIMA **121**, 1581.
 calcium channels and the cell cycle in blastomeres: YAZAKI, TOSTI AND DALE **121**, 1827.
 homeobox control of Spemann organizer: ZARAIISKY, ECOCHARD, KAZANSKAYA, LUKYANOV, FESENKO AND DUPRAT **121**, 3839.
 vegetal plate specification in sea urchins: RANSICK AND DAVIDSON **121**, 3215.
XIPOU 2 has direct neuralizing activity: WITTA, AGARWAL AND SATO **121**, 721.
- BMP**
 anti-dorsalizing morphogenetic protein: MOOS JR., WANG AND KRINKS **121**, 4293.
 mesoderm induction by soluble Vg1: KESSLER AND MELTON **121**, 2155.
- bmp-2**
 development of reaggregated mesenchyme: HARDY, RICHARDSON, FRANCIS-WEST, RODRIGUEZ, IZPISUA-BELMONTE, DUPREZ AND WOLPERT **121**, 4329.
- BMP-4**
sog induces an ectopic axis: SCHMIDT, FRANCOIS, BIER AND KIMELMAN **121**, 4319.
- bmp-4**
 signalling during gut development: ROBERTS, JOHNSON, BURKE, NELSON, MORGAN AND TABIN **121**, 3163.
- Border cells**
 FGFR regulation by C/EBP in cell migration: MURPHY, LEE, ANDREWS, SHILO AND MONTELL **121**, 2255.
- Boundary**
 zebrafish *nk2.2* gene: BARTH AND WILSON **121**, 1755.
- Bovine oocyte**
 IP3 and ryanodine receptors in bovine oocytes: YUE, WHITE, REED AND BUNCH **121**, 2645.
- Brachyury (T)**
 amphioxus *Brachyury* genes: HOLLAND, KOSCHORZ, HOLLAND AND HERRMANN **121**, 4283.
 mesodermal patterning by *Brachyury* and *Pintallavis*: O'REILLY, SMITH AND CUNLIFFE **121**, 1351.
 mesoderm production in mice: FAUST, SCHUMACHER, HOLDENER AND MAGNUSON **121**, 273.
 role of FGF activity in axis formation: GRIFFIN, PATIENT AND HOLDER **121**, 2983.
- Brain**
 development in the grasshopper: BOYAN, THERIANOS, WILLIAMS AND REICHERT **121**, 75.
 FGF and noggin neural induction and patterning: LAMB AND HARLAND **121**, 3627.
 FGF-8 isoforms activate FGFR2c, 3c, and 4: MACARTHUR, LAWSHE, XU, SANTOS-OCAMPO, HEIKINHEIMO, CHELLAIAH AND ORNITZ **121**, 3603.
Fgf8 expression in the mouse embryo: CROSSLEY AND MARTIN **121**, 439.
 lineage restriction of *myf-5* in the brain: TAJBAKHSI AND BUCKINGHAM **121**, 4077.
 longitudinal organization of the brain: SHIMAMURA, HARTIGAN, MARTINEZ, PUELLES AND RUBENSTEIN **121**, 3923.
- Brain lipid binding protein**
 epigenetic control of BLBP transcription: FENG AND HEINTZ **121**, 1719.
- Branchial arch**
 somitomere and neural crest cells: TRAINOR AND TAM **121**, 2569.
- Branchial arch defect**
 RA alters hindbrain crest cell migration: LEE, OSUMI-YAMASHITA, NINOMIYA, MOON, ERIKSSON AND ETO **121**, 825.
- Branching**
 meristem development in *Arabidopsis*: TALBERT, ADLER, PARKS AND COMAI **121**, 2723.
 sulphated proteoglycans in kidney development: DAVIES, LYON, GALLAGHER AND GARROD **121**, 1507.
- Branching morphogenesis**
 branching of mesenchyme-free lung epithelium: NOGAWA AND ITO **121**, 1015.
- breathless**
 FGFR regulation by C/EBP in cell migration: MURPHY, LEE, ANDREWS, SHILO AND MONTELL **121**, 2255.
- bric à brac**
 cell rearrangement in ovary development: GODT AND LASKI **121**, 173.
- Broad-Complex**
 hormonal induction of Dopa decarboxylase in *Drosophila*: HODGETTS, CLARK, O'KEEFE, SCHOULS, CROSSGROVE, GUILD AND VON KALM **121**, 3913.
- bullwinkle**
 eggshell defects and bicaudal embryos: RITTENHOUSE AND BERG **121**, 3023.
- Bursa of Fabricius**
 carbohydrate involvement in B cell development: MASTELLER, LARSEN, CARLSON, PICKEL, NICKOLOFF, LOWE, THOMPSON AND LEE **121**, 1657.

4412 Subject Index

BX-C

Polycarb-binding sites in the BX-C:
CHIANG, O'CONNOR, PARO, SIMON
AND BENDER **121**, 1681.

c-fos

BDNF regulation by GABA: BERNINGER,
MARTY, ZAFRA, DA PENHA
BERZAGHI, THOENEN AND
LINDHOLM **121**, 2327.

c-kit

roles of SIF in melanocyte dispersal and
survival: WEHRLE-HALLER AND
WESTON **121**, 731.

c-met

HGF/SF and chick neural induction: STREIT,
STERN, THERY, IRELAND, APARICIO,
SHARPE AND GHERARDI **121**, 813.

HGF/SF in mammary development:
NIRANJAN, BULUWELA, YANT,
PERUSINGHE, ATHERTON, PHIPPARD,
DALE, GUSTERSON AND KAMALATI
121, 2897.

C/EBP

FGFR regulation by C/EBP in cell migration:
MURPHY, LEE, ANDREWS, SHILO
AND MONTELL **121**, 2255.

Cadherin

LEU/NIG regulates AGAMOUS expression:
LIU AND MEYEROWITZ **121**, 975.

Cadherin

desmocalin expression in mouse embryo:
COLLINS, LORIMER, GARROD,
PIDSLEY, BUXTON AND FLEMING
121, 743.
neural crest cadherins: NAKAGAWA AND
TAKEICHI **121**, 1321.

Caenorhabditis elegans

a polarising induction: HUTTER AND
SCHNABEL **121**, 1559.
dosage compensation: HSU, CHUANG AND
MEYER **121**, 3323.

DSL protein structure/function:
FITZGERALD AND GREENWALD **121**,
4275.

duels in *Caenorhabditis* development:
SCHNABEL **121**, 2219.

left-right asymmetry in the *Caenorhabditis*
embryo: HUTTER AND SCHNABEL **121**,
3417.

mab-21 gene: CHOW, HALL AND
EMMONS **121**, 3615.

meiotic progression: CHURCH, GUAN AND
LAMBIE **121**, 2525.

mes-1 and germ-cell fate in *Caenorhabditis*:
STROME, MARTIN, SCHIERENBERG
AND PAULSEN **121**, 2961.

mosaic analysis of *let-23* gene function:
KOGA AND OHSHIMA **121**, 2655.

neural expression of *ceh-10*: SVENDSEN
AND MCGHEE **121**, 1253.

temporal control of collagen transcripts: LIU,
KIRCH AND AMBROS **121**, 2471.

terminal differentiation in *Caenorhabditis*:
ROUGVIE AND AMBROS **121**, 2491.

the EMS cell's response to induction:
GOLDSTEIN **121**, 1227.

TRA-2A directs hermaphrodite development:
KUWABARA AND KIMBLE **121**, 2995.

unc-4 control of VA motor neuron
development: MILLER III AND
NIEMEYER **121**, 2877.

uterine fate induction in *Caenorhabditis*:
NEWMAN, WHITE AND STERNBERG
121, 263.

Caffeine

IP3 and ryanodine receptors in bovine oocytes:
YUE, WHITE, REED AND BUNCH **121**,
2645.

Calcitropic hormone

PTHrP impairs breast development:
WYSOLMERSKI, MCCAUGHERN-
CARUCCI, DAIFOTIS, BROADUS AND
PHILBRICK **121**, 3539.

Calcium

calcium channels and the cell cycle in
blastomeres: YAZAKI, TOSTI AND DALE
121, 1827.

fertilization and egg cytoplasmic
reorganisation: ROEGIERS,
MCDUGALL AND SARDET **121**, 3457.

nuclear Ca²⁺-releasing activity in embryos:
KONO, CARROLL, SWANN AND
WHITTINGHAM **121**, 1123.

patterns of free calcium in *Dictyostelium*:
CUBITT, FIRTEL, FISCHER, JAFFE AND
MILLER **121**, 2291.

Calcium waves

patterns of free calcium in *Dictyostelium*:
CUBITT, FIRTEL, FISCHER, JAFFE AND
MILLER **121**, 2291.

cAMP pathway

head activator signal transduction: GALLIOT,
WELSCHOF, SCHUCKERT,
HOFFMEISTER AND SCHALLER **121**,
1205.

Campaniform sensilla

ptc overexpression in wing discs: JOHNSON,
GRENIER AND SCOTT **121**, 4161.

Cancer

asplenic *hox11* mice: DEAR, COLLEDGE,
CARLTON, LAVENIR, LARSON,
SMITH, WARREN, EVANS,
SOFRONIEW AND RABBITS **121**, 2909.

Capacitation

mouse sperm capacitation: VISCONTI,
BAILEY, MOORE, PAN, OLDS-CLARKE
AND KOPF **121**, 1129.

regulation of mouse sperm capacitation:
VISCONTI, MOORE, BAILEY,
LECLERC, CONNORS, PAN, OLDS-
CLARKE AND KOPF **121**, 1139.

cappuccino

gratuitous localization of *K10* mRNA:
SERANO AND COHEN **121**, 3013.

Carbohydrate

involvement in B cell development:
MASTELLER, LARSEN, CARLSON,
PICKEL, NICKOLOFF, LOWE,
THOMPSON AND LEE **121**, 1657.

Cardiac development

α_4 integrin-deficient mice: YANG,
RAYBURN AND HYNES **121**, 549.
left-right development: DANOS AND YOST
121, 1467.

Cardiac gene expression

cardiac differentiation without endoderm:
GANNON AND BADER **121**, 2439.

Cardiac specification/determination

XNkx-2.3, a second vertebrate homologue of
tinman: EVANS, YAN, MURILLO,
PONCE AND PAPALOPULU **121**, 3889.

Cardiogenesis

VCAM-1-deficient mice: KWEE, BALDWIN,
SHEN, STEWART, BUCK, BUCK AND
LABOW **121**, 489.

Cardiovascular system

chimeric mice with excess neuropilin:

KITSUKAWA, SHIMONO, KAWAKAMI,
KONDOH AND FUJISAWA **121**, 4309.

Cash-1

transcription factors in sympathetic
differentiation: GROVES, GEORGE,
TISSIER-SETA, ENGEL, BRUNET AND
ANDERSON **121**, 887.

β -catenin

and mouse development at gastrulation:
HAEGEL, LARUE, OHSUGI, FEDOROV,
HERRENKNECHT AND KEMLER **121**,
3529.

Catenins

neural crest cadherins: NAKAGAWA AND
TAKEICHI **121**, 1321.

caudal

regulation and function: SCHULZ AND
TAUTZ **121**, 1023.

Ca²⁺

mouse sperm capacitation: VISCONTI,
BAILEY, MOORE, PAN, OLDS-CLARKE
AND KOPF **121**, 1129.

Ca²⁺-binding protein

Drosophila E63 genes: ANDRES AND
THUMMEL **121**, 2667.

Ca²⁺ channels

BDNF regulation by GABA: BERNINGER,
MARTY, ZAFRA, DA PENHA
BERZAGHI, THOENEN AND
LINDHOLM **121**, 2327.

Ca²⁺ transients

sperm-induced Ca²⁺ rises at metaphase:
JONES, CARROLL, MERRIMAN,
WHITTINGHAM AND KONO **121**, 3259.

cdc25

pelota meiotic G₂/M arrest: EBERHART AND
WASSERMAN **121**, 3477.

two CDC25 homologues:
WICKRAMASINGHE, BECKER, ERNST,
RESNICK, CENTANNI, TESSAROLLO,
GRABEL AND DONOVAN **121**, 2047.

Cdc25 phosphatase

lineage-specific expression of *cdc25*: BISSEN
121, 3035.

cDNA amplification

desmocalin expression in mouse embryo:
COLLINS, LORIMER, GARROD,
PIDSLEY, BUXTON AND FLEMING
121, 743.

cDNA library

from gastrulating mouse embryos:
HARRISON, DUNWOODIE, ARKELL,
LEHRACH AND BEDDINGTON **121**,
2479.

ceh-10

neural expression of *ceh-10*: SVENDSEN
AND MCGHEE **121**, 1253.

Cell ablation

targeted ablation of CNS glia in *Drosophila*:
HIDALGO, URBAN AND BRAND **121**,
3703.

Cell adhesion

β -catenin and mouse development at
gastrulation: HAEGEL, LARUE, OHSUGI,
FEDOROV, HERRENKNECHT AND
KEMLER **121**, 3529.

desmocalin expression in mouse embryo:
COLLINS, LORIMER, GARROD,
PIDSLEY, BUXTON AND FLEMING
121, 743.

α_4 integrin-deficient mice: YANG,
RAYBURN AND HYNES **121**, 549.

neural crest cadherins: NAKAGAWA AND
TAKEICHI **121**, 1321.

- tyrosine phosphatases in axonogenesis:
STOKER, GEHRIG, HAJ AND BAY **121**, 1833.
- Cell-cell communication**
initiation of the proximodistal axis in insect legs: CAMPBELL AND TOMLINSON **121**, 619.
wingless and myogenesis: BAYLIES, MARTINEZ ARIAS AND BATE **121**, 3829.
- Cell-cell interaction**
clonal analysis of *Su(H)*: SCHWEISGUTH **121**, 1875.
Sek-1 and segmental patterning: XU, ALLDUS, HOLDER AND WILKINSON **121**, 4005.
seven-up requires Ras activation: BEGEMANN, MICHON, VOORN, WEPF AND MLODZIK **121**, 225.
- Cell-cell signalling**
TRA-2A directs hermaphrodite development: KUWABARA AND KIMBLE **121**, 2995.
- Cell culture**
immortal mouse melanoblasts: SVIDERSKAYA, WAKELING AND BENNETT **121**, 1547.
- Cell cycle**
Caenorhabditis meiotic progression: CHURCH, GUAN AND LAMBIE **121**, 2525.
calcium channels and the cell cycle in blastomeres: YAZAKI, TOSTI AND DALE **121**, 1827.
cell cycle dependence of *eve* expression: WEIGMANN AND LEHNER **121**, 3713.
dally, a putative integral membrane proteoglycan, affects cell division: NAKATO, FUTCH AND SELLECK **121**, 3687.
lineage-specific expression of *cdc25*: BISSEN **121**, 3035.
mouse egg activation: AYABE, KOPF AND SCHULTZ **121**, 2233.
multiple cell cycle events precede target-related neuronal death: HERRUP AND BUSSE **121**, 2385.
pelota meiotic G₂/M arrest: EBERHART AND WASSERMAN **121**, 3477.
regulation of gene expression in the CNS: CUI AND DOE **121**, 3233.
role of *Drosophila* Bag of marbles protein: MCKEARN AND OHLSTEIN **121**, 2937.
two CDC25 homologues: WICKRAMASINGHE, BECKER, ERNST, RESNICK, CENTANNI, TESSAROLLO, GRABEL AND DONOVAN **121**, 2047.
yan function in division versus differentiation: ROGGE, GREEN, URANO, HORN-SABAN, MLODZIK, SHILO, HARTENSTEIN AND BANERJEE **121**, 3947.
- Cell death**
multiple cell cycle events precede target-related neuronal death: HERRUP AND BUSSE **121**, 2385.
muscle sensory neurons require NT-3 to survive: OAKLEY, GARNER, LARGE AND FRANK **121**, 1341.
- Cell differentiation**
CLV3 regulates meristem development: CLARK, RUNNING AND MEYEROWITZ **121**, 2057.
differentiation of mammary alveolar cells: ROBINSON, MCKNIGHT, SMITH AND HENNIGHAUSEN **121**, 2079.
haematopoietic development: GUIMARES, BAZAN, ZLOTNIK, WILES, GRIMALDI, LEE AND MCCLANAHAN **121**, 3335.
molecular cloning of AP-2: MOSER, IMHOF, PSCHERER, BAUER, AMSELGRUBER, SINOWATZ, HOFSTADTER, SCHULE AND BUETTNER **121**, 2779.
XDCoH the cofactor of LFB1 in *Xenopus*: POGGE V. STRANDMANN AND RYFFEL **121**, 1217.
- Cell division**
CLV3 regulates meristem development: CLARK, RUNNING AND MEYEROWITZ **121**, 2057.
dally, a putative integral membrane proteoglycan, affects cell division: NAKATO, FUTCH AND SELLECK **121**, 3687.
- Cell expansion**
conditional root expansion mutants: HAUSER, MORIKAMI AND BENFEY **121**, 1237.
- Cell fate**
hydra *achaete-scute* homolog: GRENS, MASON, MARSH AND BODE **121**, 4027.
ligands of thyroid receptors induce cones: KELLEY, TURNER AND REH **121**, 3777.
mes-1 and germ-cell fate in *Caenorhabditis*: STROME, MARTIN, SCHIERENBERG AND PAULSEN **121**, 2961.
seven-up function and ras signaling: KRAMER, WEST AND HIROMI **121**, 1361.
wingless induces transdetermination: MAVES AND SCHUBIGER **121**, 1263.
XIPOU 2 has direct neuralizing activity: WITTA, AGARWAL AND SATO **121**, 721.
- Cell fusion**
founder cells and *Drosophila* myogenesis: RUSHTON, DRYSDALE, ABMAYR, MICHELSON AND BATE **121**, 1979.
- Cell growth**
ventral veinless in *Drosophila* development: DE CELIS, LLIMARGAS AND CASANOVA **121**, 3405.
- Cell induction**
the EMS cell's response to induction: GOLDSTEIN **121**, 1227.
- Cell interaction**
dynamics of thin filopodia during sea urchin gastrulation: MILLER, FRASER AND MCCLAY **121**, 2501.
ectoderm differentiation in sea urchins: WIKRAMANAYAKE, BRANDHORST AND KLEIN **121**, 1497.
vegetal plate specification in sea urchins: RANSICK AND DAVIDSON **121**, 3215.
- Cell lineage**
a polarising induction: HUTTER AND SCHNABEL **121**, 1559.
analysis of DNA-binding proteins in O-2A differentiation: BARNETT, ROSARIO, DOYLE, KILBEY, LOVATT AND GILLESPIE **121**, 3969.
composition of the Organizer: VODICKA AND GERHART **121**, 3505.
heart Purkinje fiber differentiation: GOURDIE, MIMA, THOMPSON AND MIKAWA **121**, 1423.
left-right asymmetry in the *Caenorhabditis* embryo: HUTTER AND SCHNABEL **121**, 3417.
- lineage-specific expression of *cdc25*: BISSEN **121**, 3035.
neural crest formation in the avian embryo: SELLECK AND BRONNER-FRASER **121**, 525.
spiral cell fate specification: MARTINDALE AND HENRY **121**, 3175.
tissue progenitors in zebrafish gastrula: SHIH AND FRASER **121**, 2755.
- Cell migration**
eggshell defects and bicaudal embryos: RITTENHOUSE AND BERG **121**, 3023.
FGFR regulation by C/EBP in cell migration: MURPHY, LEE, ANDREWS, SHILO AND MONTELL **121**, 2255.
migration of *Drosophila* primordial germ cells: JAGLARZ AND HOWARD **121**, 3495.
myogenic cell migration in chick embryos: HAYASHI AND OZAWA **121**, 661.
neural crest cell migration: BIRGBAUER, SECHRIST, BRONNER-FRASER AND FRASER **121**, 935.
neural crest regeneration: SECHRIST, NIETO, ZAMANIAN AND BRONNER-FRASER **121**, 4103.
TGF α induces migration of periostic mesenchymal cells in vivo: RENEKER, SILVERSIDES, PATEL AND OVERBEEK **121**, 1669.
tyrosine phosphatases in axonogenesis: STOKER, GEHRIG, HAJ AND BAY **121**, 1833.
- Cell motility**
myosin II in oogenesis and early cleavage: WHEATLEY, KULKARNI AND KARESS **121**, 1937.
- Cell polarity**
axonal guidance in chick retina: STIER AND SCHLOSSHAUER **121**, 1443.
components of the *frizzled* signaling pathway: KRASNOW, WONG AND ADLER **121**, 4095.
conditional root expansion mutants: HAUSER, MORIKAMI AND BENFEY **121**, 1237.
- Cell proliferation**
role of Awh in imaginal development: CURTISS AND HEILIG **121**, 3819.
- Cell selection**
positioning of SNS invagination centers: GONZALEZ-GAITAN AND JACKLE **121**, 2313.
- Cell shape**
Drosophila Rac genes: HARDEN, LOH, CHIA AND LIM **121**, 903.
- Cell signalling**
Caenorhabditis elegans mab-21 gene: CHOW, HALL AND EMMONS **121**, 3615.
dorsalization of the neural tube by non-neuronal ectoderm: DICKINSON, SELLECK, MCMAHON AND BRONNER-FRASER **121**, 2099.
DWnt-4, a novel *Drosophila Wnt* gene: GRABA, GIESELER, ARAGNOL, LAURENTI, MARIOL, BERENGER, SAGNIER AND PRADEL **121**, 209.
functional analysis of *Drosophila Deltex*: MATSUNO, DIEDERICH, GO, BLAUMUELLER AND ARTAVANIS-TSAKONAS **121**, 2633.
hedgehog in *Drosophila* imaginal discs: FELSENFELD AND KENNISON **121**, 1.
initiation of the proximodistal axis in insect legs: CAMPBELL AND TOMLINSON **121**, 619.

- mosaic analysis of *let-23* gene function:
KOGA AND OHSHIMA **121**, 2655.
- muscle induction in *Drosophila*: BAKER
AND SCHUBIGER **121**, 1387.
- Notch1 in somite segmentation: CONLON,
REAUME AND ROSSANT **121**, 1533.
- positioning of SNS invagination centers:
GONZALEZ-GAITAN AND JACKLE
121, 2313.
- Cell specification**
- cell cycle dependence of *eve* expression:
WEIGMANN AND LEHNER **121**, 3713.
- duels in *Caenorhabditis* development:
SCHNABEL **121**, 2219.
- spiral cell fate specification:
MARTINDALE AND HENRY **121**, 3175.
- Cell surface**
- chimeric mice with excess neuropilin:
KITSUKAWA, SHIMONO, KAWAKAMI,
KONDOH AND FUJISAWA **121**, 4309.
- LAMP interacts selectively with limbic
neurons: ZHUKAREVA AND LEVITT
121, 1161.
- Cell tractoring**
- how do sea urchins invaginate: DAVIDSON,
KOEHL, KELLER AND OSTER **121**,
2005.
- Cell type specification**
- in the *Drosophila* endoderm: TEPASS AND
HARTENSTEIN **121**, 393.
- Cement gland**
- GSK3 β and ectodermal cell fate determination:
ITOH, TANG, NEEL AND SOKOL **121**,
3979.
- hedgehog gene family of *Xenopus*: EKKER,
MCGREW, LAI, LEE, VON KESSLER,
MOON AND BEACHY **121**, 2337.
- induction of anterior neuroectoderm: BLITZ
AND CHO **121**, 993.
- Central nervous system**
- activation of neuroblast proliferation: DATTA
121, 1173.
- brain development in the grasshopper:
BOYAN, THERIANOS, WILLIAMS AND
REICHERT **121**, 75.
- peripheral projections and central
neurogenesis: BECKER, BERLINER,
NITABACH, GAN AND MACAGNO **121**,
359.
- Centrosome**
- homeotic regulation of *cnn*: HEUER, LI AND
KAUFMAN **121**, 3861.
- Cerebellum**
- genetic control of cerebellar patterning:
MILLEN, HUI AND JOYNER **121**, 3935.
- multiple cell cycle events precede target-
related neuronal death: HERRUP AND
BUSSE **121**, 2385.
- Cerebral cortex**
- cortex cell dispersion patterns in transgenic
mosaics: TAN, FAULKNER-JONES,
BREEN, WALSH, BERTRAM AND
REESE **121**, 1029.
- neuronal migration in the cerebral cortex:
O'ROURKE, SULLIVAN, KAZNOWSKI,
JACOBS AND MCCONNELL **121**, 2165.
- Chemospecificity**
- LAMP interacts selectively with limbic
neurons: ZHUKAREVA AND LEVITT
121, 1161.
- Chick**
- axonal guidance in chick retina: STIER AND
SCHLOSSHAUER **121**, 1443.
- carbohydrate involvement in B cell
development: MASTELLER, LARSEN,
CARLSON, PICKEL, NICKOLOFF,
LOWE, THOMPSON AND LEE **121**,
1657.
- cardiac differentiation without endoderm:
GANNON AND BADER **121**, 2439.
- CNTF promotes photoreceptor development:
FUHRMANN, KIRSCH AND HOFMANN
121, 2695.
- development of ganglion cell subsets:
YAMAGATA AND SANES **121**, 3763.
- development of reaggregated mesenchyme:
HARDY, RICHARDSON, FRANCIS-
WEST, RODRIGUEZ, IZPISUA-
BELMONTE, DUPREZ AND WOLPERT
121, 4329.
- dorsalization of the neural tube by non-neural
ectoderm: DICKINSON, SELLECK,
MCMAHON AND BRONNER-FRASER
121, 2099.
- FGF-3 in chick development: MAHMOOD,
KIEFER, GUTHRIE, DICKSON AND
MASON **121**, 1399.
- GPA receptor function and expression:
HELLER, FINN, HUBER, NISHI,
GEISSEN, PUSCHEL AND ROHRER **121**,
2681.
- HGF/SF and chick neural induction: STREIT,
STERN, THERY, IRELAND, APARICIO,
SHARPE AND GHERARDI **121**, 813.
- Hox* genes and vertebral transposition:
BURKE, NELSON, MORGAN AND
TABIN **121**, 333.
- induction in chick Hensen's node: STOREY,
SELLECK AND STERN **121**, 417.
- induction of cardiac myogenesis:
SCHULTHEISS, XYDAS AND LASSAR
121, 4203.
- muscle sensory neurons require NT-3 to
survive: OAKLEY, GARNER, LARGE
AND FRANK **121**, 1341.
- myogenic cell migration in chick embryos:
HAYASHI AND OZAWA **121**, 661.
- neural crest cell migration: BIRGBAUER,
SECHRIST, BRONNER-FRASER AND
FRASER **121**, 935.
- neural crest formation in the avian embryo:
SELLECK AND BRONNER-FRASER
121, 525.
- neural crest regeneration: SECHRIST, NIETO,
ZAMANIAN AND BRONNER-FRASER
121, 4103.
- NT-3 and dermis development: BRILL,
KAHANE, CARMELI, VON SCHACK,
BARDE AND KALCHEIM **121**, 2583.
- oligodendrocyte development in chick spinal
cord: ONO, BANSAL, PAYNE,
RUTISHAUSER AND MILLER **121**, 1743.
- paraxial mesoderm myogenic induction:
STERN, BROWN AND HAUSCHKA **121**,
3675.
- plasticity of transposed rhombomeres:
GRAPIN-BOTTON, BONNIN,
MCNAUGHTON, KRUMLAUF AND LE
DOUARIN **121**, 2707.
- polysialic acid in the optic pathway: YIN,
WATANABE AND RUTISHAUSER **121**,
3439.
- retinotectal interactions in vitro: YAMAGATA
AND SANES **121**, 189.
- Shh in chick and mouse embryo: MARTI,
TAKADA, BUMCROT, SASAKI AND
MCMAHON **121**, 2537.
- signalling during gut development:
ROBERTS, JOHNSON, BURKE,
NELSON, MORGAN AND TABIN **121**,
3163.
- truncated trkB in the developing chick: BIFFO,
OFFENHAUSER, CARTER AND BARDE
121, 2461.
- versican localization in barrier tissues:
LANDOLT, VAUGHAN,
WINTERHALTER AND ZIMMERMANN
121, 2303.
- Chick eye**
- CNTF promotes photoreceptor development:
FUHRMANN, KIRSCH AND HOFMANN
121, 2695.
- integrin $\alpha\beta_1$ in developing retina:
BRADSHAW, MCNAGNY, GERVIN,
CANN, GRAF AND CLEGG **121**, 3593.
- Chicken**
- heart Purkinje fiber differentiation: GOURDIE,
MIMA, THOMPSON AND MIKAWA **121**,
1423.
- neural crest cadherins: NAKAGAWA AND
TAKEICHI **121**, 1321.
- tyrosine phosphatases in axonogenesis:
STOKER, GEHRIG, HAJ AND BAY **121**,
1833.
- Chief cell**
- TGF α alters differentiation in gastric mucosa:
SHARP, BABYATSKY, TAKAGI,
TAGERUD, WANG, BOCKMAN,
BRAND AND MERLINO **121**, 149.
- Chimera**
- chimeras show non-autonomy of *floricaula*:
CARPENTER AND COEN **121**, 19.
- chimerism with mouse male fetal germ cells:
KATO AND TSUNODA **121**, 779.
- in ovo mouse somite transplantation:
FONTAINE-PERUS, JARNO, FOURNIER
LE RAY, LI AND PAULIN **121**, 1705.
- T* in morphogenetic movement: WILSON,
MANSON, SKARNES AND
BEDDINGTON **121**, 877.
- Chimeric mouse**
- development of *GATA-1*⁺ hematopoietic cells:
PEVNY, LIN, D'AGATI, SIMON, ORKIN
AND COSTANTINI **121**, 163.
- with excess neuropilin: KITSUKAWA,
SHIMONO, KAWAKAMI, KONDOH
AND FUJISAWA **121**, 4309.
- Chirality**
- planar polarity in *Drosophila*: WEHRLI AND
TOMLINSON **121**, 2451.
- Choline acetyltransferase**
- development of ganglion cell subsets:
YAMAGATA AND SANES **121**, 3763.
- Chondrogenesis**
- scleraxis and skeletal formation in mouse:
CSERJESI, BROWN, LIGON, LYONS,
COPELAND, GILBERT, JENKINS AND
OLSON **121**, 1099.
- Chondroitin sulfate proteoglycan**
- versican localization in barrier tissues:
LANDOLT, VAUGHAN,
WINTERHALTER AND ZIMMERMANN
121, 2303.
- Chordotonal organs**
- the proneural gene for chordotonal organs and
photoreceptors: JARMAN, SUN, JAN AND
JAN **121**, 2019.
- Chorion**
- early placental development in mouse
embryos: DOWNS AND GARDNER **121**,
407.

Chromatin

- gene expression in preimplantation mouse embryo: WORRAD, TURNER AND SCHULTZ **121**, 2949.
maturation in mouse embryos: THOMPSON, LEGOUY, CHRISTIANS AND RENARD **121**, 3425.

Chromosomal localization

- two CDC25 homologues:
WICKRAMASINGHE, BECKER, ERNST, RESNICK, CENTANNI, TESSAROLLO, GRABEL AND DONOVAN **121**, 2047.

Chromosome condensation

- pelota* meiotic G₂/M arrest: EBERHART AND WASSERMAN **121**, 3477.

Chromosome puff

- Drosophila* E63 genes: ANDRES AND THUMMEL **121**, 2667.

Cilia

- tektin mRNA and cilia length in sea urchins:
NORRANDER, LINCK AND STEPHENS **121**, 1615.

Ciliary neurotrophic factor

- astroglial oligodendroglial factors:
GARD, BURRELL, PFEIFFER, RUDGE AND WILLIAMS II **121**, 2187.
CNTF promotes photoreceptor development:
FUHRMANN, KIRSCH AND HOFMANN **121**, 2695.
GPA receptor function and expression:
HELLER, FINN, HUBER, NISHI, GEISSEN, PUSCHEL AND ROHRER **121**, 2681.

Ciliogenesis

- tektin mRNA and cilia length in sea urchins:
NORRANDER, LINCK AND STEPHENS **121**, 1615.

cis-acting elements

- Hoxc-8* early neural tube enhancer:
SHASHIKANT, BIEBERICH, BELTING, WANG, BORBELY AND RUDDLE **121**, 4339.

CLAVATA3

- CLV3* regulates meristem development:
CLARK, RUNNING AND MEYEROWITZ **121**, 2057.

cloche

- required by endothelial and blood lineages:
STAINIER, WEINSTEIN, DETRICH III, ZON AND FISHMAN **121**, 3141.

Clonal analysis

- adult requirements for *exd*: RAUSKOLB, SMITH, PEIFER AND WIESCHAUS **121**, 3663.
control of *Drosophila* adult pattern by *extradenticle*: GONZALEZ-CRESPO AND MORATA **121**, 2117.
cortex cell dispersion patterns in transgenic mosaics: TAN, FAULKNER-JONES, BREEN, WALSH, BERTRAM AND REESE **121**, 1029.
Drosophila engrailed and developmental compartments: TABATA, SCHWARTZ, GUSTAVSON, ALI AND KORNBERG **121**, 3359.

cnc

- homeotic gene in *Drosophila*: MOHLER, MAHAFFEY, DEUTSCH AND VANI **121**, 237.

cNkx-2.5

- induction of cardiac myogenesis:
SCHULTHEISS, XYDAS AND LASSAR **121**, 4203.

CNS

- brain development in *Drosophila*:
THERIANOS, LEUZINGER, HIRTH, GOODMAN AND REICHERT **121**, 3849.
cortical localization of pros at mitosis: SPANA AND DOE **121**, 3187.
evolution of the insect CNS: BROADUS AND DOE **121**, 3989.
FGF signalling in *Xenopus*: KENGAKU AND OKAMOTO **121**, 3121.
homeotic regulation of *cnn*: HEUER, LI AND KAUFMAN **121**, 3861.
hormonal induction of Dopa decarboxylase in *Drosophila*: HODGETTS, CLARK, O'KEEFE, SCHOULS, CROSSGROVE, GUILD AND VON KALM **121**, 3913.
neuronal migration in the cerebral cortex:
O'ROURKE, SULLIVAN, KAZNOWSKI, JACOBS AND MCCONNELL **121**, 2165.
neurotrophins affect neurite patterns: TUTTLE AND MATTHEW **121**, 1301.
repo and glia function: HALTER, URBAN, RICKERT, NER, ITO, TRAVERS AND TECHNAU **121**, 317.
Shh in chick and mouse embryo: MARTI, TAKADA, BUMCROT, SASAKI AND MCMAHON **121**, 2537.
targeted ablation of CNS glia in *Drosophila*: HIDALGO, URBAN AND BRAND **121**, 3703.

CNTF

- promotes photoreceptor development:
FUHRMANN, KIRSCH AND HOFMANN **121**, 2695.

CNTFR α

- GPA receptor function and expression:
HELLER, FINN, HUBER, NISHI, GEISSEN, PUSCHEL AND ROHRER **121**, 2681.

Coat color

- embryonic expression of *agouti*: MILLAR, MILLER, STEVENS AND BARSH **121**, 3223.

Cochlear ganglion

- inner ear defects of *trkB* and *trkC* mutant mice:
SCHIMMANG, MINICHELLO, VAZQUEZ, SAN JOSE, GIRALDEZ, KLEIN AND REPRESA **121**, 3381.

Cofactor

- control of *Drosophila* adult pattern by *extradenticle*: GONZALEZ-CRESPO AND MORATA **121**, 2117.
XDCoH the cofactor of LFB1 in *Xenopus*:
POGGE V. STRANDMANN AND RYFFEL **121**, 1217.

Coiled body

- biogenesis of the coiled body: FERREIRA AND CARMO-FONSECA **121**, 601.

Collagen

- integrin $\alpha_2\beta_1$ in developing retina:
BRADSHAW, MCNAGNY, GERVIN, CANN, GRAF AND CLEGG **121**, 3593.
temporal control of collagen transcripts: LIU, KIRCH AND AMBROS **121**, 2471.

commissureless

- brain development in *Drosophila*:
THERIANOS, LEUZINGER, HIRTH, GOODMAN AND REICHERT **121**, 3849.
midline glial cell death: SONNENFELD AND JACOBS **121**, 569.

Commitment

- LIM homeobox genes and motoneuronal fate:
APPEL, KORZH, GLASGOW, THOR,

EDLUND, DAWID AND EISEN **121**, 4117.

Community effect

- Sek-1* and segmental patterning: XU, ALLDUS, HOLDER AND WILKINSON **121**, 4005.

Comparative developmental studies

- Hox* genes and vertebral transposition:
BURKE, NELSON, MORGAN AND TABIN **121**, 333.

Compartment

- Dlw* specifies dorsal wing identity in *Drosophila*: TIONG, NASH AND BENDER **121**, 1649.
Drosophila engrailed and developmental compartments: TABATA, SCHWARTZ, GUSTAVSON, ALI AND KORNBERG **121**, 3359.
engrailed and wing morphogenesis:
GUILLÉN, MULLOR, CAPDEVILA, SANCHEZ-HERRERO, MORATA AND GUERRERO **121**, 3447.
Notch and *wingless* in the fly wing:
RULIFSON AND BLAIR **121**, 2813.
organizing activity in the *Drosophila* wing:
DIAZ-BENJUMEA AND COHEN **121**, 4215.
proximal-distal pattern in *Drosophila* wings:
NG, DIAZ-BENJUMEA AND COHEN **121**, 589.
regulation of the *ci* gene: SCHWARTZ, LOCKE, NISHIDA AND KORNBERG **121**, 1625.

Competence factor

- mesoderm patterning by FGF: CORNELL, MUSCI AND KIMELMAN **121**, 2429.

Compound eye

- morphogenetic furrow and tissue polarity: MA AND MOSES **121**, 2279.
role of *Awh* in imaginal development:
CURTISS AND HEILIG **121**, 3819.

Confocal microscopy

- neuronal migration in the cerebral cortex:
O'ROURKE, SULLIVAN, KAZNOWSKI, JACOBS AND MCCONNELL **121**, 2165.

Connective tissue

- homeobox genes: OLIVER, WEHR, JENKINS, COPELAND, CHEYETTE, HARTENSTEIN, ZIPURSKY AND GRUSS **121**, 693.

Connexin

- gap junctional blockade in early *Xenopus* embryos: PAUL, YU, BRUZZONE, GIMLICH AND GOODENOUGH **121**, 371.
heart Purkinje fiber differentiation: GOURDIE, MIMA, THOMPSON AND MIKAWA **121**, 1423.

Convergence

- cell rearrangement in ovary development:
GODT AND LASKI **121**, 173.

Convergent extension

- IMZ stiffness in *Xenopus*: MOORE, KELLER AND KOEHL **121**, 3131.

CORE mutant

- conditional root expansion mutants: HAUSER, MORIKAMI AND BENFEY **121**, 1237.

Cortex

- fertilization and egg cytoplasmic reorganization: ROEGIERS, MCDUGALL AND SARDET **121**, 3457.

Cortical specification

- control of cortical neuronal phenotype: FERRI AND LEVITT **121**, 1151.

CRABP-II

- CRABPI and CRABPII knockout:
LAMPRON, ROCHETTE-EGLY, GORRY,
DOLLE, MARK, LUFKIN, LEMEUR
AND CHAMON 121, 539.
polydactyly in *CRABP-II* mutant mice:
FAWCETT, PASCERI, FRASER,
COLBERT, ROSSANT AND GIGUERE
121, 671.

Craniofacial development

- goosecoid*-null mice: RIVERA-PEREZ,
MALLO, GENDRON-MAGUIRE,
GRIDLEY AND BEHRINGER 121, 3005.
goosecoid knockout: YAMADA,
MANSOURI, TORRES, STUART, BLUM,
SCHULTZ, DE ROBERTIS AND GRUSS
121, 2917.
Pax-6 in eye and nasal development:
GRINDLEY, DAVIDSON AND HILL 121,
1433.
RA alters hindbrain crest cell migration: LEE,
OSUMI-YAMASHITA, NINOMIYA,
MOON, ERIKSSON AND ETO 121, 825.
somitome and neural crest cells: TRAINOR
AND TAM 121, 2569.

CREB transcription factor

- head activator signal transduction: GALLIOT,
WELSCHOF, SCHUCKERT,
HOFFMEISTER AND SCHALLER 121,
1205.

Cryoculture

- axonal guidance in chick retina: STIER AND
SCHLOSSHAUER 121, 1443.

Cryptocephalic pupa

- functions of *E74* during *Drosophila*
metamorphosis: FLETCHER, BURTIS,
HOGNESS AND THUMMEL 121, 1455.

CSF-1

- and preimplantation development:
BHATNAGAR, PAPAIOANNOU AND
BIGGERS 121, 1333.

cubitus interruptus

- ptc* overexpression in wing discs: JOHNSON,
GRENIER AND SCOTT 121, 4161.
regulation of the *ci* gene: SCHWARTZ,
LOCKE, NISHIDA AND KORNBERG
121, 1625.

curly tail

- RA and RA receptors in neural tube defects:
CHEN, MORRIS-KAY AND COPP 121,
681.

Cutaneous afferent

- muscle sensory neurons require NT-3 to
survive: OAKLEY, GARNER, LARGE
AND FRANK 121, 1341.

cut

- PNS lineages in *Drosophila*: BREWSTER
AND BODMER 121, 2923.
regulatory interactions between *cut* and *poxn*:
VERVOORT, ZINK, PUJOL, VICTOIR,
DUMONT, GHYSEN AND DAMBLY-
CHAUDIERE 121, 3111.

Cyclic ADP ribose

- IP3 and ryanodine receptors in bovine oocytes:
YUE, WHITE, REED AND BUNCH 121,
2645.
mouse egg activation: AYABE, KOPF AND
SCHULTZ 121, 2233.

Cyclic AMP

- regulation of mouse sperm capacitation:
VISCONTI, MOORE, BAILEY,
LECLERC, CONNORS, PAN, OLDS-
CLARKE AND KOPF 121, 1139.

cyclin A mutant

- mitotic delay dependent survival: RUDEN
AND JACKLE 121, 63.

Cyclin B

- metaphase I arrest in maturing oocytes:
HAMPL AND EPPIG 121, 925.

cyclin B mutant

- mitotic delay dependent survival: RUDEN
AND JACKLE 121, 63.

Cyclin E

- regulation of S phase by cyclin E:
RICHARDSON, O'KEEFE, MARTY AND
SAINT 121, 3371.

Cycloheximide

- sperm-induced Ca^{2+} rises at metaphase:
JONES, CARROLL, MERRIMAN,
WHITTINGHAM AND KONO 121, 3259.

cyclops

- Pax proteins and eye development:
MACDONALD, BARTH, XU, HOLDER,
MIKKOLA AND WILSON 121, 3267.
wnt8 and *wnt8b* expression in zebrafish
embryos: KELLY, GREENSTEIN,
EREZYILMAZ AND MOON 121, 1787.

CyIIa

- spatial gene regulation by Zn finger factor:
WANG, KIRCHHAMER, BRITTEN AND
DAVIDSON 121, 1111.

Cytoblast

- role of *Drosophila* Bag of marbles protein:
MCKEERIN AND OHLSTEIN 121, 2937.

Cytokine

- proteinase expression in mouse implantation:
HARVEY, LECO, ARCELLANA-
PANILIO, ZHANG, EDWARDS AND
SCHULTZ 121, 1005.

Cytokinesis

- regulation of gene expression in the CNS: CUI
AND DOE 121, 3233.

Cytoplasmic determinant

- dorsal activity in *Xenopus* eggs: HOLOWACZ
AND ELINSON 121, 2789.

Cytoskeleton

- Drosophila* Rac genes: HARDEN, LOH,
CHIA AND LIM 121, 903.
eggshell defects and bicardal embryos:
RITTENHOUSE AND BERG 121, 3023.
translational control of *oskar*: MARKUSSEN,
MICHON, BREITWIESER AND
EPHRUSSI 121, 3723.
two RNA localization patterns in oocytes:
FORRISTALL, PONDEL, CHEN AND
KING 121, 201.

dally

- a putative integral membrane proteoglycan,
affects cell division: NAKATO, FUTCH
AND SELLECK 121, 3687.

Danio (See Zebrafish)**daughterless**

- cell type specification in the *Drosophila*
endoderm: TEPASS AND HARTENSTEIN
121, 393.

deadpan (dnp)

- CNS- and PNS-specific subelements of pan-
neural enhancers: EMERY AND BIER 121,
3549.

decapentaplegic

- cell signalling and adhesion in the foregut:
PANKRATZ AND HOCH 121, 1885.
dorsal gradients and mesoderm induction in
Drosophila: MAGGERT, LEVINE AND
FRASCH 121, 2107.
dpp signaling requires schnurri: STAHLING-

HAMPTON, LAUGHON AND

- HOFFMANN 121, 3393.
en, hh and dpp in *Drosophila* wing
development: ZECCA, BASLER AND
STRUHL 121, 2265.
shs acts in *Drosophila* eye development:
TREISMAN, LAI AND RUBIN 121, 2835.
wg inhibits the morphogenetic furrow:
TREISMAN AND RUBIN 121, 3519.

Defifferentiation

- homeobox genes and limb regeneration:
GARDINER, BLUMBERG, KOMINE
AND BRYANT 121, 1731.

DEFICIENS

- in vivo and in vitro functions of the
DEFICIENS gene: ZACHGO, SILVA,
MOTTE, TROBNER, SAEDLER AND
SCHWARZ-SOMMER 121, 2861.

Delta

- DSL protein structure/function:
FITZGERALD AND GREENWALD 121,
4275.

Delta

- mouse delta-like gene: BETTENHAUSEN,
HRABE DE ANGELIS, SIMON, GUENET
AND GOSSLER 121, 2407.
Serrate activates *Notch*: GU, HUKRIEDE
AND FLEMING 121, 855.

Deltex

- functional analysis of *Drosophila* Deltex:
MATSUNO, DIEDERICH, GO,
BLAUMUELLER AND ARTAVANIS-
TSAKONAS 121, 2633.

Dermis

- NT-3 and dermis development: BRILL,
KAHANE, CARMELI, VON SCHACK,
BARDE AND KALCHEIM 121, 2583.

Dermomyotome

- NT-3 and dermis development: BRILL,
KAHANE, CARMELI, VON SCHACK,
BARDE AND KALCHEIM 121, 2583.

Desiccation tolerance

- late embryo development in *Arabidopsis*:
NAMBARA, KEITH, MCCOURT AND
NAITO 121, 629.

Desmin

- in ovo mouse somite transplantation:
FONTAINE-PERUS, JARNO, FOURNIER
LE RAY, LI AND PAULIN 121, 1705.

Desmocollin

- expression in mouse embryo: COLLINS,
LORIMER, GARROD, PIDSLEY,
BUXTON AND FLEMING 121, 743.

Desmosome

- desmocollin expression in mouse embryo:
COLLINS, LORIMER, GARROD,
PIDSLEY, BUXTON AND FLEMING
121, 743.

Determination

- function of Polycomb in mice and flies:
MULLER, GAUNT AND LAWRENCE
121, 2847.
regulatory interactions between *cut* and *poxn*:
VERVOORT, ZINK, PUJOL, VICTOIR,
DUMONT, GHYSEN AND DAMBLY-
CHAUDIERE 121, 3111.

Development

- heart Purkinje fiber differentiation: GOURDIE,
MIMA, THOMPSON AND MIKAWA 121,
1423.
ligands of thyroid receptors induce cones:
KELLEY, TURNER AND REH 121, 3777.

Developmental patterning

- msx* genes and zebrafish fin regeneration:

- AKIMENKO, JOHNSON, WESTERFIELD AND EKKER 121, 347.
- Developmental regulation**
of the *ci* gene: SCHWARTZ, LOCKE, NISHIDA AND KORNBERG 121, 1625.
- DHR39**
regulation of *ftz* by *runt* and *hairy*: TSAI AND GERGEN 121, 453.
- Dictyostelium**
patterns of free calcium in *Dictyostelium*: CUBITT, FIRTEL, FISCHER, JAFFE AND MILLER 121, 2291.
- Differential splicing**
Fgf8 expression in the mouse embryo: CROSSLEY AND MARTIN 121, 439.
- differentiation**
analysis of DNA-binding proteins in O-2A differentiation: BARNETT, ROSARIO, DOYLE, KILBEY, LOVATT AND GILLESPIE 121, 3969.
- FGF-induced lens differentiation in vivo: ROBINSON, OVERBEEK, VERRAN, GRIZZLE, STOCKARD, FRIESEL, MACIAG AND THOMPSON 121, 505.
- immortal mouse melanoblasts: SVIDERSKAYA, WAKELING AND BENNETT 121, 1547.
- DiGeorge syndrome**
Hoxa-3⁻ mutant mice: MANLEY AND CAPECCHI 121, 1989.
- Digit tip**
expression of *Msx* genes in mouse.
regeneration: REGINELLI, WANG, SASSOON AND MUNEOKA 121, 1065.
- Dil**
timing of topographic cues: CHIEN, CORNEL AND HOLT 121, 2621.
- Dimerization**
XDCoH the cofactor of LFB1 in *Xenopus*: POGGE V. STRANDMANN AND RYFFEL 121, 1217.
- Diphtheria toxin**
genetic ablation of petal and stamen primordia: DAY, GALGOCI AND IRISH 121, 2887.
- Diptera**
evolutionary conservation of *nanos*: CURTIS, APFELD AND LEHMANN 121, 1899.
- dishevelled**
components of the *frizzled* signaling pathway: KRASNOW, WONG AND ADLER 121, 4095.
properties of *Xenopus dishevelled*: SOKOL, KLINGENSMITH, PERRIMON AND ITOH 121, 1637.
- Distal cap**
neural fate of distal epiblast: QUINLAN, WILLIAMS, TAN AND TAM 121, 87.
- Dll1**
mouse delta-like gene: BETTENHAUSEN, HRABE DE ANGELIS, SIMON, GUENET AND GOSSLER 121, 2407.
- DNA binding**
regulation of dosage compensation: BASHAW AND BAKER 121, 3245.
- DNA methylation**
demethylation of a muscle-specific transgene: GRIESHAMMER, MCGREW AND ROSENTHAL 121, 2245.
- H19* imprinting: SASAKI, FERGUSON-SMITH, SHUM, BARTON AND SURANI 121, 4195.
- transgene methylation in embryos and ES cells: WENG, MAGNUSON AND STORB 121, 2853.
- DNA-mobility shift assay**
analysis of DNA-binding proteins in O-2A differentiation: BARNETT, ROSARIO, DOYLE, KILBEY, LOVATT AND GILLESPIE 121, 3969.
- Domain boundary**
su(Hw) protein and dosage compensation: ROSEMAN, SWAN AND GEYER 121, 3573.
- Dominant negative**
FGFR1 in the lens: ROBINSON, MACMILLAN-CROW, THOMPSON AND OVERBEEK 121, 3959.
- gap junctional blockade in early *Xenopus* embryos: PAUL, YU, BRUZZONE, GIMLICH AND GOODENOUGH 121, 371.
- PDGF in *Xenopus* gastrulation: ATALIOTIS, SYMES, CHOU, HO AND MERCOLA 121, 3099.
- role of FGF activity in axis formation: GRIFFIN, PATIENT AND HOLDER 121, 2983.
- Dopa decarboxylase**
hormonal induction of Dopa decarboxylase in *Drosophila*: HODGETTS, CLARK, O'KEEFE, SCHOULS, CROSSGROVE, GUILD AND VON KALM 121, 3913.
- dorsal**
dorsal gradients and mesoderm induction in *Drosophila*: MAGGETT, LEVINE AND FRASCH 121, 2107.
- Dorsal axis**
dorsal activity in *Xenopus* eggs: HOLOWACZ AND ELINSON 121, 2789.
properties of *Xenopus dishevelled*: SOKOL, KLINGENSMITH, PERRIMON AND ITOH 121, 1637.
regulation of axial pattern by Xgsk-3: PIERCE AND KIMELMAN 121, 755.
- Dorsal closure**
Drosophila Rac genes: HARDEN, LOH, CHIA AND LIM 121, 903.
- Dorsal mesoderm**
composition of the Organizer: VODICKA AND GERHART 121, 3505.
- Dorsal wing**
Dlw specifies dorsal wing identity in *Drosophila*: TIONG, NASH AND BENDER 121, 1649.
- Dorsalization**
Nodal-related signaling in mesoderm patterning: JONES, KUEHN, HOGAN, SMITH AND WRIGHT 121, 3651.
- Dorsomedial lip**
NT-3 and dermis development: BRILL, KAHANE, CARMELI, VON SCHACK, BARDE AND KALCHEIM 121, 2583.
- Dorsoventral axis**
alteration of mesoderm formation at MBT: KINOSHITA AND ASASHIMA 121, 1581.
embryonic expression of *agouti*: MILLAR, MILLER, STEVENS AND BARSH 121, 3223.
fertilization and egg cytoplasmic reorganisation: ROEGIERS, MCDUGALL AND SARDET 121, 3457.
gratuitous localization of *K10* mRNA: SERANO AND COHEN 121, 3013.
maternal *Xwnt-8b* in axial patterning: CUI, BROWN, MOON AND CHRISTIAN 121, 2177.
pattern in noggin-induced neural tissue: KNECHT, GOOD, DAWID AND HARLAND 121, 1927.
- Snake zymogen and activated forms: SMITH, GIORDANO, SCHWARTZ AND DELOTTO 121, 4127.
- sog* induces an ectopic axis: SCHMIDT, FRANCOIS, BIER AND KIMELMAN 121, 4319.
- spiral cell fate specification: MARTINDALE AND HENRY 121, 3175.
- Dorsoventral wing**
Dlw specifies dorsal wing identity in *Drosophila*: TIONG, NASH AND BENDER 121, 1649.
- Dorsoventrality**
control of dorsoventrality in leaves: WAITES AND HUDSON 121, 2143.
- Dosage compensation**
Caenorhabditis dosage compensation: HSU, CHUANG AND MEYER 121, 3323.
male-specific lethal-3 gene and dosage compensation in *Drosophila*: GORMAN, FRANKE AND BAKER 121, 463.
regulation of dosage compensation: BASHAW AND BAKER 121, 3245.
su(Hw) protein and dosage compensation: ROSEMAN, SWAN AND GEYER 121, 3573.
- Drosophila**
a sex-specific number of germ cells in embryos: POIRIE, NIEDERER AND STEINMANN-ZWICKY 121, 1867.
abnormal MOL genesis in *fruitless* flies: TAYLOR AND KNITTEL 121, 3079.
activation of neuroblast proliferation: DATTA 121, 1173.
adult morphogenesis in *Drosophila*: WEAVER AND WHITE 121, 4149.
adult requirements for *exd*: RAUSKOLB, SMITH, PEIFER AND WIESCHAUS 121, 3663.
an active repressor mimics a *ftz* mutant: JOHN, SMITH AND JAYNES 121, 1801.
apterous and neuronal pathfinding: LUNDGREN, CALLAHAN, THOR AND THOMAS 121, 1769.
bithorax regulation by gap genes in *Drosophila*: CASARES AND SANCHEZ-HERRERO 121, 1855.
brain development in *Drosophila*: THERIANOS, LEUZINGER, HIRTH, GOODMAN AND REICHERT 121, 3849.
caudal regulation and function: SCHULZ AND TAUTZ 121, 1023.
cell cycle dependence of *eve* expression: WEIGMANN AND LEHNER 121, 3713.
cell rearrangement in ovary development: GODT AND LASKI 121, 173.
cell type specification in the *Drosophila* endoderm: TEPASS AND HARTENSTEIN 121, 393.
cnc homeotic gene in *Drosophila*: MOHLER, MAHAFFEY, DEUTSCH AND VANI 121, 237.
CNS- and PNS-specific subelements of pan-neural enhancers: EMERY AND BIER 121, 3549.
components of the *frizzled* signaling pathway: KRASNOW, WONG AND ADLER 121, 4095.
control of *Drosophila* adult pattern by *extradenticle*: GONZALEZ-CRESPO AND MORATA 121, 2117.

- cortical localization of pros at mitosis: SPANA AND DOE 121, 3187.
- dally*, a putative integral membrane proteoglycan, affects cell division: NAKATO, FUTCH AND SELLECK 121, 3687.
- Dlw* specifies dorsal wing identity in *Drosophila*: TIONG, NASH AND BENDER 121, 1649.
- dorsal gradients and mesoderm induction in *Drosophila*: MAGGERT, LEVINE AND FRASCH 121, 2107.
- dpp signaling requires *schurri*: STAEHLING-HAMPTON, LAUGHON AND HOFFMANN 121, 3393.
- dual hermaphrodite role in *Drosophila*: PULTZ AND BAKER 121, 99.
- DWnt-4*, a novel *Drosophila Wnt* gene: GRABA, GIESELER, ARAGNOL, LAURENTI, MARIOL, BERENGER, SAGNIER AND PRADEL 121, 209.
- E63 genes: ANDRES AND THUMMEL 121, 2667.
- eggshell defects and bicaudal embryos: RITTENHOUSE AND BERG 121, 3023.
- en, hh and dpp in *Drosophila* wing development: ZECCA, BASLER AND STRUHL 121, 2265.
- engrailed* and developmental compartments: TABATA, SCHWARTZ, GUSTAVSON, ALI AND KORNBERG 121, 3359.
- engrailed* and wing morphogenesis: GUILLEN, MULLOR, CAPDEVILA, SANCHEZ-HERRERO, MORATA AND GUERRERO 121, 3447.
- eve as a morphogen for single cell rows: FUJIOKA, JAYNES AND 121, 4371.
- evolution of the insect CNS: BROADUS AND DOE 121, 3989.
- evolutionary conservation of *nanos*: CURTIS, APFELD AND LEHMANN 121, 1899.
- expression of orphan nuclear receptor *tailless* in mouse forebrain: MONAGHAN, GRAU, BOCK AND SCHUTZ 121, 839.
- FGFR regulation by C/EBP in cell migration: MURPHY, LEE, ANDREWS, SHILO AND MONTELL 121, 2255.
- founder cells and *Drosophila* myogenesis: RUSHTON, DRYSDALE, ABMAYR, MICHELSON AND BATE 121, 1979.
- frizzled* and pattern formation in *Drosophila* eye: ZHENG, ZHANG AND CARTHEW 121, 3045.
- function of Polycomb in mice and flies: MULLER, GAUNT AND LAWRENCE 121, 2847.
- functional analysis of *Drosophila* Deltex: MATSUNO, DIEDERICH, GO, BLAUMUELLER AND ARTAVANIS-TSAKONAS 121, 2633.
- functions of *E74* during *Drosophila* metamorphosis: FLETCHER, BURTIS, HOGNESS AND THUMMEL 121, 1455.
- furrow progression and ommatidial polarity: STRUTT AND MLODZIK 121, 4247.
- genetic analysis of $\alpha\beta\gamma$: BROWER, BUNCH, MUKAI, ADAMSON, WEHLI, LAM, FRIEDLANDER, ROOTE AND ZUSMAN 121, 1311.
- genetic hierarchy of *Drosophila* wing vein development: STURTEVANT AND BIER 121, 785.
- gonadal precursor cells in *Drosophila*: BOYLE AND DINARDO 121, 1815.
- groucho* and *hedgehog* regulate *engrailed*: DE CELIS AND RUIZ-GOMEZ 121, 3467.
- hedgehog* in *Drosophila* imaginal discs: FELSENFELD AND KENNISON 121, 1.
- homeotic gene regulation of tracheal development: CHIANG, YOUNG AND BEACHY 121, 3901.
- homeotic regulation of *cnn*: HEUER, LI AND KAUFMAN 121, 3861.
- hormonal induction of Dopa decarboxylase in *Drosophila*: HODGETTS, CLARK, O'KEEFE, SCHOULS, CROSSGROVE, GUILD AND VON KALM 121, 3913.
- Hox* gene enhancers in mice and *Drosophila*: FRASCH, CHEN AND LUFKIN 121, 957.
- Hox* genes and segment identity: CASTELLI-GAIR AND AKAM 121, 2973.
- innervation is essential for male muscle: CURRIE AND BATE 121, 2549.
- K10* mRNA localization: SERANO AND COHEN 121, 3809.
- lats* gene encodes a putative protein kinase: XU, WANG, ZHANG, STEWART AND YU 121, 1053.
- male-specific lethal-3* gene and dosage compensation in *Drosophila*: GORMAN, FRANKE AND BAKER 121, 463.
- mesodermal patterning in *Drosophila*: BORKOWSKI, BROWN AND BATE 121, 4183.
- midline glial cell death: SONNENFELD AND JACOBS 121, 569.
- migration of *Drosophila* primordial germ cells: JAGLARZ AND HOWARD 121, 3495.
- mitotic delay dependent survival: RUDEN AND JACKLE 121, 63.
- molecular phenotypes of *E74* phenotypes: FLETCHER AND THUMMEL 121, 1411.
- morphogenetic furrow and polarity in *Drosophila* eye: CHANUT AND HEBERLEIN 121, 4085.
- morphogenetic furrow and tissue polarity: MA AND MOSES 121, 2279.
- muscle induction in *Drosophila*: BAKER AND SCHUBIGER 121, 1387.
- myoblast fusion and *rosc* gene expression in *Drosophila*: PAULULAT, BURCHARD AND RENKAWITZ-POHL 121, 2611.
- myosin II in oogenesis and early cleavage: WHEATLEY, KULKARNI AND KARESS 121, 1937.
- neural patterning by hedgehog: LAI, EKKER, BEACHY AND MOON 121, 2349.
- neurogenic genes control *l'sc* and mesectoderm: MARTIN-BERMUDO, CARMENA AND JIMENEZ 121, 219.
- Notch* and *wingless* in the fly wing: RULIFSON AND BLAIR 121, 2813.
- numb autonomously specifies cell fate: SPANA, KOPCZYNSKI, GOODMAN AND DOE 121, 3489.
- orthodenticle in *Drosophila* head development: ROYET AND FINKELSTEIN 121, 3561.
- ovarian follicle stem cells: MARGOLIS AND SPRADLING 121, 3797.
- pelle activation at the plasma membrane: GALINDO, EDWARDS, GILLESPIE AND WASSERMAN 121, 2209.
- pelota* meiotic G₂/M arrest: EBERHART AND WASSERMAN 121, 3477.
- planar polarity in *Drosophila*: WEHLI AND TOMLINSON 121, 2451.
- PNS lineages in *Drosophila*: BREWSTER AND BODMER 121, 2923.
- Polycomb-binding sites in the BX-C: CHIANG, O'CONNOR, PARO, SIMON AND BENDER 121, 1681.
- polyhomeotic as a target of *engrailed*: SERRANO, BROCK, DEMERET, DURA, RANDSHOLT, KORNBERG AND MASCHAT 121, 1691.
- positioning of SNS invagination centers: GONZALEZ-GAITAN AND JACKLE 121, 2313.
- proximal-distal pattern in *Drosophila* wings: NG, DIAZ-BENJUMEA AND COHEN 121, 589.
- Rac genes: HARDEN, LOH, CHIA AND LIM 121, 903.
- regulation of *fz* by *run* and *hairy*: TSAI AND GERGEN 121, 453.
- regulation of a gap gene stripe: MARGOLIS, BOROWSKY, STEINGRIMSSON, SHIM, LENGUEL AND POSAKONY 121, 3067.
- regulation of dosage compensation: BASHAW AND BAKER 121, 3245.
- regulation of gene expression in the CNS: CUI AND DOE 121, 3233.
- regulation of *oskar* translation: RONGO, GAVIS AND LEHMANN 121, 2737.
- regulation of S phase by cyclin E: RICHARDSON, O'KEEFE, MARTY AND SAINT 121, 3371.
- regulation of the *ci* gene: SCHWARTZ, LOCKE, NISHIDA AND KORNBERG 121, 1625.
- regulatory interactions between *cut* and *poxn*: VERVOORT, ZINK, PUJOL, VICTOIR, DUMONT, GHYSEN AND DAMBLY-CHAUDIERE 121, 3111.
- repo* and glia function: HALTER, URBAN, RICKERT, NER, ITO, TRAVERS AND TECHNAN 121, 317.
- requirements for *El(spl)bHLH* expression: JENNINGS, DE CELIS, DELIDAKIS, PREISS AND BRAY 121, 3745.
- rhabdomere assembly requires rhodopsin: KUMAR AND READY 121, 4359.
- role of *Aw* in imaginal development: CURTISS AND HEILIG 121, 3819.
- role of *Drosophila* Bag of marbles protein: MCKEARIN AND OHLSTEIN 121, 2937.
- role of *fj* in proximal-distal growth: VILLANO AND KATZ 121, 2767.
- role of proneural genes in *Drosophila*: GIANGRANDE 121, 429.
- segmental patterning of the mesoderm: LAWRENCE, BODMER AND VINCENT 121, 4303.
- sequential gene activation by ecdysone: HUET, RUIZ AND RICHARDS 121, 1195.
- Serrate* activates *Notch*: GU, HUKRIEDE AND FLEMING 121, 855.
- seven-up function and ras signaling: KRAMER, WEST AND HIROMI 121, 1361.
- seven-up requires Ras activation: BEGEMANN, MICHON, VOORN, WEPF AND MLODZIK 121, 225.
- shs* acts in *Drosophila* eye development: TREISMAN, LAI AND RUBIN 121, 2835.
- Snake zymogen and activated forms: SMITH, GIORDANO, SCHWARTZ AND DELOTTO 121, 4127.
- soma-germline interactions in oogenesis: NAGOSHI, PATTON, BAE AND GEYER 121, 579.
- su(Hw)* protein and dosage compensation:

- ROSEMAN, SWAN AND GEYER **121**, 3573.
- targeted ablation of CNS glia in *Drosophila*: HIDALGO, URBAN AND BRAND **121**, 3703.
- the proneural gene for chordotonal organs and photoreceptors: JARMAN, SUN, JAN AND JAN **121**, 2019.
- translational control of *oskar*: MARKUSSEN, MICHON, BREITWIESER AND EPHRUSSI **121**, 3723.
- tsh* regulation by homeotic genes: MCCORMICK, CORE, KERRIDGE AND SCOTT **121**, 2799.
- ventral veinless in *Drosophila* development: DE CELIS, LLIMARGAS AND CASANOVA **121**, 3405.
- vir* is a regulator of *Sxl* in *Drosophila*: HILFIKER, AMREIN, DUBENDORFER, SCHNEITER AND NOTHIGER **121**, 4017.
- wg* inhibits the morphogenetic furrow: TREISMAN AND RUBIN **121**, 3519.
- Wingless function in the leg disc: WILDER AND PERRIMON **121**, 477.
- wingless and myogenesis: BAYLIES, MARTINEZ ARIAS AND BATE **121**, 3829.
- wingless induces transdetermination: MAVES AND SCHUBIGER **121**, 1263.
- Wingless regulation in *Drosophila*: MANOUKIAN, YOFFE, WILDER AND PERRIMON **121**, 4037.
- XNkx-2.3*, a second vertebrate homologue of *tinman*: EVANS, YAN, MURILLO, PONCE AND PAPALOPULU **121**, 3889.
- yan* function in division versus differentiation: ROGGE, GREEN, URANO, HORN-SABAN, MLODZIK, SHILO, HARTENSTEIN AND BANERJEE **121**, 3947.
- Drosophila K10 gene**
K10 mRNA localization: SERANO AND COHEN **121**, 3809.
- Drosophila oogenesis**
gratuitous localization of K10 mRNA: SERANO AND COHEN **121**, 3013.
- Drosophila short gastrulation**
sog induces an ectopic axis: SCHMIDT, FRANCOIS, BIER AND KIMELMAN **121**, 4319.
- Ducts**
developmental biology of the pancreas: SLACK **121**, 1569.
- Duodenum**
homeoprotein expression in pancreas: GUZ, MONTMINY, STEIN, LEONARD, GAMER, WRIGHT AND TEITELMAN **121**, 11.
- Dye microinjection**
zebrafish neural fate maps: WOO AND FRASER **121**, 2595.
- E(spl)**
requirements for *E(spl)* *bHLH* expression: JENNINGS, DE CELIS, DELIDAKIS, PREISS AND BAY **121**, 3745.
- E-cadherin**
 β -catenin and mouse development at gastrulation: HAEGEL, LARUE, OHSUGI, FEDOROV, HERRENKNECHT AND KEMLER **121**, 3529.
- E74**
functions of E74 during *Drosophila* metamorphosis: FLETCHER, BURTIS, HOGNESS AND THUMMEL **121**, 1455.
- molecular phenotypes of E74 phenotypes: FLETCHER AND THUMMEL **121**, 1411.
- Early-late gene**
sequential gene activation by ecdysone: HUET, RUIZ AND RICHARDS **121**, 1195.
- Ecdysone**
Drosophila E63 genes: ANDRES AND THUMMEL **121**, 2667.
functions of E74 during *Drosophila* metamorphosis: FLETCHER, BURTIS, HOGNESS AND THUMMEL **121**, 1455.
molecular phenotypes of E74 phenotypes: FLETCHER AND THUMMEL **121**, 1411.
sequential gene activation by ecdysone: HUET, RUIZ AND RICHARDS **121**, 1195.
- ECM remodeling**
developmental expression of mouse stromelysin-3 RNA: LEFEBVRE, REGNIER, CHENARD, WENDLING, CHAMBON, BASSET AND P. **121**, 947.
- Ectoderm**
cDNA libraries from gastrulating mouse embryos: HARRISON, DUNWOODIE, ARKELL, LEHRACH AND BEDDINGTON **121**, 2479.
ectoderm differentiation in sea urchins: WIKRAMANAYAKE, BRANDHORST AND KLEIN **121**, 1497.
neural crest formation in the avian embryo: SELLECK AND BRONNER-FRASER **121**, 525.
- eed**
mesoderm production in mice: FAUST, SCHUMACHER, HOLDENER AND MAGNUSON **121**, 273.
- Efferent**
peripheral projections and central neurogenesis: BECKER, BERLINER, NITABACH, GAN AND MACAGNO **121**, 359.
- EGF**
EGF, TGF- α and EGFR in human embryos: CHIA, WINSTON AND HANDYSIDE **121**, 299.
Notch and *wingless* in the fly wing: RULIFSON AND BLAIR **121**, 2813.
proteinase expression in mouse implantation: HARVEY, LECO, ARCELLANA-PANLILIO, ZHANG, EDWARDS AND SCHULTZ **121**, 1005.
TGF α induces migration of periostic mesenchymal cells in vivo: RENEKER, SILVERSIDES, PATEL AND OVERBEEK **121**, 1669.
- EGF-like repeats**
mouse delta-like gene: BETTENHAUSEN, HRABE DE ANGELIS, SIMON, GUENET AND GOSSLER **121**, 2407.
- EGFR**
EGF, TGF- α and EGFR in human embryos: CHIA, WINSTON AND HANDYSIDE **121**, 299.
genetic hierarchy of *Drosophila* wing vein development: STURTEVANT AND BIER **121**, 785.
- Egg activation**
mouse egg activation: AYABE, KOPF AND SCHULTZ **121**, 2233.
- Egg cylinder**
neural fate of distal epiblast: QUINLAN, WILLIAMS, TAN AND TAM **121**, 87.
- Eggshell defects**
and bicardal embryos: RITTENHOUSE AND BERG **121**, 3023.
- Embryo culture**
CSF-1 and preimplantation development: BHATNAGAR, PAPAIOANNOU AND BIGGERS **121**, 1333.
- Embryogenesis**
an active repressor mimics a *ftz* mutant: JOHN, SMITH AND JAYNES **121**, 1801.
brain development in the grasshopper: BOYAN, THERIANOS, WILLIAMS AND REICHERT **121**, 75.
connective tissue homeobox genes: OLIVER, WEHR, JENKINS, COPELAND, CHEYETTE, HARTENSTEIN, ZIPURSKY AND GRUSS **121**, 693.
FGF-3 in chick development: MAHMOOD, KIEFER, GUTHRIE, DICKSON AND MASON **121**, 1399.
founder cells and *Drosophila* myogenesis: RUSHTON, DRYSDALE, ABMAYR, MICHELSON AND BATE **121**, 1979.
mesodermal patterning in *Drosophila*: BORKOWSKI, BROWN AND BATE **121**, 4183.
midkine and HB-GAM in mouse embryos: MITSIADES, SALMIVIRTA, MURAMATSU, MURAMATSU, RAUVALA, LEHTONEN, JALKANEN AND THESLEFF **121**, 37.
radial organisation of the *Arabidopsis* root: SCHERES, DI LAURENZIO, WILLEMSSEN, HAUSER, JANMAAT, WEISBEEK AND BENFEY **121**, 53.
TGF β 1 controls endothelial differentiation and haematopoiesis: DICKSON, MARTIN, COUSINS, KULKARNI, KARLSSON AND AKHURST **121**, 1845.
yan function in division versus differentiation: ROGGE, GREEN, URANO, HORN-SABAN, MLODZIK, SHILO, HARTENSTEIN AND BANERJEE **121**, 3947.
- Embryonic axis**
cell autonomy of *flh* in axial mesoderm: HALPERN, THISSE, HO, THISSE, RIGGLEMAN, TREVARROW, WEINBERG, POSTLETHWAIT AND KIMMEL **121**, 4257.
- Embryonic implantation**
developmental expression of mouse stromelysin-3 RNA: LEFEBVRE, REGNIER, CHENARD, WENDLING, CHAMBON, BASSET AND P. **121**, 947.
- Embryonic lung development**
inhibition of PDGF-A translation: SOUZA, KULISZEWSKI, WANG, TSEU, TANSWELL AND POST **121**, 2559.
- Embryonic pattern formation**
hunchback expression in *Tribolium*: WOLF, SOMMER, SCHRODER, GLASER AND TAUTZ **121**, 4227.
- Embryonic stem (ES) cell**
 β -catenin and mouse development at gastrulation: HAEGEL, LARUE, OHSUGI, FEDOROV, HERRENKNECHT AND KEMLER **121**, 3529.
chimeric mice with excess neuropilin: KITSUKAWA, SHIMONO, KAWAKAMI, KONDOH AND FUJISAWA **121**, 4309.
transgene methylation in embryos and ES cells: WENG, MAGNUSON AND STORB **121**, 2853.
- EMS cell**
response to induction: GOLDSTEIN **121**, 1227.

Endo16

vegetal plate specification in sea urchins:
RANSICK AND DAVIDSON 121, 3215.

Endocardium

cloche required by endothelial and blood lineages: STAINIER, WEINSTEIN, DETRICH III, ZON AND FISHMAN 121, 3141.

Endoderm

cDNA libraries from gastrulating mouse embryos: HARRISON, DUNWOODIE, ARKELL, LEHRACH AND BEDDINGTON 121, 2479.

cell type specification in the *Drosophila* endoderm: TEPASS AND HARTENSTEIN 121, 393.

in *Xenopus* cardiogenesis: NASCONE AND MERCOLA 121, 515.

induction of cardiac myogenesis: SCHULTHEISS, XYDAS AND LASSAR 121, 4203.

Endosperm

gametic imprinting and endosperm development: CHARLTON, KEEN, MERRIMAN, LYNCH, GREENLAND AND DICKINSON 121, 3089.

Endothelial cell

endothelial specific promoter: SCHLAEGER, QIN, FUJIWARA, MAGRAM AND SATO 121, 1089.

Endothelial differentiation

TGF β 1 controls endothelial differentiation and haematopoiesis: DICKSON, MARTIN, COUSINS, KULKARNI, KARLSSON AND AKHURST 121, 1845.

Endothelin

downstream effects of *ET-B* deletion: KAPUR, SWEETSER, DOGGETT, SIEBERT AND PALMITER 121, 3787.

engrailed

an active repressor mimics a *ftz* mutant: JOHN, SMITH AND JAYNES 121, 1801.

and wing morphogenesis: GUILLEN, MULLOR, CAPDEVILA, SANCHEZ-HERRERO, MORATA AND GUERRERO 121, 3447.

Drosophila engrailed and developmental compartments: TABATA, SCHWARTZ, GUSTAVSON, ALI AND KORNBERG 121, 3359.

en, hh and dpp in *Drosophila* wing development: ZECCA, BASLER AND STRUHL 121, 2265.

genetic control of cerebellar patterning: MILLEN, HUI AND JOYNER 121, 3935.

groucho and *hedgehog* regulate *engrailed*: DE CELIS AND RUIZ-GOMEZ 121, 3467.

neurogenic sublineage required for CNS segmentation in Annelids: RAMIREZ, WEDEEN, STUART, LANS AND WEISBLAT 121, 2091.

orthodenticle in *Drosophila* head development: ROYET AND FINKELSTEIN 121, 3561.

polyhomeotic as a target of *engrailed*: SERRANO, BROCK, DEMERET, DURA, RANDSHOLT, KORNBERG AND MASCHAT 121, 1691.

regulation of the *ci* gene: SCHWARTZ, LOCKE, NISHIDA AND KORNBERG 121, 1625.

Enhancer

anterior expression boundary of *Hoxa-7*: KNITTEL, KESSEL, KIM AND GRUSS 121, 1077.

demethylation of a muscle-specific transgene: GRIESHAMMER, MCGREW AND ROSENTHAL 121, 2245.

epigenetic control of *BLBP* transcription: FENG AND HEINTZ 121, 1719.

Hox gene enhancers in mice and *Drosophila*: FRASCH, CHEN AND LUFKIN 121, 957.

Hoxc-8 early neural tube enhancer: SHASHIKANT, BIEBERICH, BELTING, WANG, BORBELY AND RUDDLE 121, 4339.

regulatory sequences of *proboscipedia*: KAPOUN AND KAUFMAN 121, 2127.

Enteric nervous system

downstream effects of *ET-B* deletion: KAPUR, SWEETSER, DOGGETT, SIEBERT AND PALMITER 121, 3787.

Eph

Sek-1 and segmental patterning: XU, ALLDUS, HOLDER AND WILKINSON 121, 4005.

Epiblast

neural fate of distal epiblast: QUINLAN, WILLIAMS, TAN AND TAM 121, 87.

Epigenetic regulation

control of *BLBP* transcription: FENG AND HEINTZ 121, 1719.

Epithelial buckling

how do sea urchins invaginate: DAVIDSON, KOEHL, KELLER AND OSTER 121, 2005.

Epithelial-mesenchymal interaction

inhibition of PDGF-A translation: SOUZA, KULISZEWSKI, WANG, TSEU, TANSWELL AND POST 121, 2559.
ld disrupts the SHH/FGF-4 feedback loop: HARAMIS, BROWN AND ZELLER 121, 4237.

midline and HB-GAM in mouse embryos: MITSIADES, SALMIVIRTA, MURAMATSU, MURAMATSU, RAUVALA, LEHTONEN, JALKANEN AND THESLEFF 121, 37.

PTHrP impairs breast development: WYSOLMERSKI, MCCAUGHERN-CARUCCI, DAIFOTIS, BROADUS AND PHILBRICK 121, 3539.

Epithelium

desmocollin expression in mouse embryo: COLLINS, LORIMER, GARROD, PIDSLEY, BUXTON AND FLEMING 121, 743.

Drosophila ovarian follicle stem cells: MARGOLIS AND SPRADLING 121, 3797.

planar polarity in *Drosophila*: WEHRLI AND TOMLINSON 121, 2451.

RA in regenerating limb blastema: VIVIANO, HORTON, MADEN AND BROCKES 121, 3753.

Equator

furrow progression and ommatidial polarity: STRUTT AND MLODZIK 121, 4247.

Equivalence group

retinal determination by Notch selection: AUSTIN, FELDMAN, IDA JR. AND CEPKO 121, 3637.

Erythropoiesis

development of *GATA-1*^{-/-} hematopoietic cells: PEVNY, LIN, D'AGATI, SIMON, ORKIN AND COSTANTINI 121, 163.

ES cell

T in morphogenetic movement: WILSON,

MANSON, SKARNES AND BEDDINGTON 121, 877.

ETS

functions of *E74* during *Drosophila* metamorphosis: FLETCHER, BURTIS, HOGNESS AND THUMMEL 121, 1455.
molecular phenotypes of *E74* phenotypes: FLETCHER AND THUMMEL 121, 1411.

ETTIN

Arabidopsis gynoceium structure: SESSIONS AND ZAMBRYSKI 121, 1519.

even-skipped

cell cycle dependence of *eve* expression: WEIGMANN AND LEHNER 121, 3713.
eve as a morphogen for single cell rows: FUJIOKA, JAYNES AND 121, 4371.
regulation of gene expression in the CNS: CUI AND DOE 121, 3233.
segmental patterning of the mesoderm: LAWRENCE, BODMER AND VINCENT 121, 4303.

Evolution

amphioxus *Brachyury* genes: HOLLAND, KOSCHORZ, HOLLAND AND HERRMANN 121, 4283.
duels in *Caenorhabditis* development: SCHNABEL 121, 2219.
evolutionary conservation of *nanos*: CURTIS, APFELD AND LEHMANN 121, 1899.
Hox gene enhancers in mice and *Drosophila*: FRASCH, CHEN AND LUFKIN 121, 957.
spiral cell fate specification: MARTINDALE AND HENRY 121, 3175.

Evx1

mesoderm production in mice: FAUST, SCHUMACHER, HOLDENER AND MAGNUSON 121, 273.

Explant culture

role for PNA-binding molecules in migration of avian trunk neural crest: KRULL, COLLAZO, FRASER AND BRONNER-FRASER 121, 3733.

Expression pattern

alkaline phosphatase and PGCs: MACGREGOR, ZAMBROWICZ AND SORIANO 121, 1487.

Extension

cell rearrangement in ovary development: GODT AND LASKI 121, 173.

External feature modeling

developmental expression of mouse stromelysin-3 RNA: LEFEBVRE, REGNIER, CHENARD, WENDLING, CHAMBON, BASSET AND P. 121, 947.

Extracellular matrix

control of cortical neuronal phenotype: FERRI AND LEVITT 121, 1151.

ECM and PTHrP regulate parietal endoderm: BEHRENDTSEN, ALENANDER AND WERB 121, 4137.

HMP1: a developmental astacin proteinase: YAN, POLLOCK, NAGASE AND SARRAS JR. 121, 1591.

integrin $\alpha_2\beta_1$ in developing retina: BRADSHAW, MCNAGNY, GERVIN, CANN, GRAF AND CLEGG 121, 3593.

extradenticle

control of *Drosophila* adult pattern by *extradenticle*: GONZALEZ-CRESPO AND MORATA 121, 2117.

adult requirements for *exd*: RAUSKOLB, SMITH, PEIFER AND WIESCHAUS 121, 3663.

Extraembryonic development

alkaline phosphatase and PGCs:
MACGREGOR, ZAMBROWICZ AND
SORIANO 121, 1487.

Extraembryonic tissue

H19 imprinting: SASAKI, FERGUSON-
SMITH, SHUM, BARTON AND SURANI
121, 4195.

Eye

expression of orphan nuclear receptor *tailless*
in mouse forebrain: MONAGHAN, GRAU,
BOCK AND SCHUTZ 121, 839.

FGF-induced lens differentiation in vivo:
ROBINSON, OVERBEEK, VERRAN,
GRIZZLE, STOCKARD, FRIESEL,
MACIAG AND THOMPSON 121, 505.

frizzled and pattern formation in *Drosophila*
eye: ZHENG, ZHANG AND CARTHEW
121, 3045.

GSK3 β and ectodermal cell fate determination:
ITO, TANG, NEEL AND SOKOL 121,
3979.

morphogenetic furrow and polarity in
Drosophila eye: CHANUT AND
HEBERLEIN 121, 4085.

mouse eye homeobox gene: OLIVER,
MAILHOS, WEHR, COPELAND,
JENKINS AND GRUSS 121, 4045.

Pax proteins and eye development:
MACDONALD, BARTH, XU, HOLDER,
MIKKOLA AND WILSON 121, 3267.

planar polarity in *Drosophila*: WEHRLI AND
TOMLINSON 121, 2451.

rhabdomere assembly requires rhodopsin:
KUMAR AND READY 121, 4359.

seven-up requires Ras activation:
BEGEMANN, MICHON, VOORN, WEPF
AND MLODZIK 121, 225.

shs acts in *Drosophila* eye development:
TREISMAN, LAI AND RUBIN 121, 2835.

TGF α induces migration of periostic
mesenchymal cells in vivo: RENEKER,
SILVERSIDES, PATEL AND
OVERBEEK 121, 1669.

wg inhibits the morphogenetic furrow:
TREISMAN AND RUBIN 121, 3519.

yan function in division versus differentiation:
ROGGE, GREEN, URANO, HORN-
SABAN, MLODZIK, SHILO,
HARTENSTEIN AND BANERJEE 121,
3947.

Eye imaginal disc

regulation of S phase by cyclin E:
RICHARDSON, O'KEEFE, MARTY AND
SAINT 121, 3371.

Eye morphogenesis

genetic analysis of $\alpha\psi$ 1: BROWER, BUNCH,
MUKAI, ADAMSON, WEHRLI, LAM,
FRIEDLANDER, ROOTE AND ZUSMAN
121, 1311.

Fasciculation

brain development in the grasshopper:
BOYAN, THERIANOS, WILLIAMS AND
REICHERT 121, 75.

fass

radial organisation of the *Arabidopsis* root:
SCHERES, DI LAURENZIO,
WILLEMSSEN, HAUSER, JANMAAT,
WEISBEEK AND BENFEY 121, 53.

Fate map

composition of the Organizer: VODICKA
AND GERHART 121, 3505.
the *Xenopus laevis* tail-forming region:
TUCKER AND SLACK 121, 249.

tissue progenitors in zebrafish gastrula: SHIH
AND FRASER 121, 2755.

zebrafish neural fate maps: WOO AND
FRASER 121, 2595.

Feedback regulation

TRA-2A directs hermaphrodite development:
KUWABARA AND KIMBLE 121, 2995.

Ferret

neuronal migration in the cerebral cortex:
O'ROURKE, SULLIVAN, KAZNOWSKI,
JACOBS AND MCCONNELL 121, 2165.

Fertilization

and egg cytoplasmic reorganisation:
ROEGIER, MCDUGALL AND
SARDET 121, 3457.

mouse egg activation: AYABE, KOPF AND
SCHULTZ 121, 2233.

mouse sperm capacitation: VISCONTI,
BAILEY, MOORE, PAN, OLDS-CLARKE
AND KOPF 121, 1129.

nuclear Ca²⁺-releasing activity in embryos:
KONO, CARROLL, SWANN AND
WHITTINGHAM 121, 1123.

regulation of mouse sperm capacitation:
VISCONTI, MOORE, BAILEY,
LECLERC, CONNORS, PAN, OLDS-
CLARKE AND KOPF 121, 1139.

sperm injection: KIMURA AND
YANAGIMACHI 121, 2397.

sperm-induced Ca²⁺ rises at metaphase:
JONES, CARROLL, MERRIMAN,
WHITTINGHAM AND KONO 121, 3259.

eFGF

role of FGF activity in axis formation:
GRIFFIN, PATIENT AND HOLDER 121,
2983.

FGF

and noggin neural induction and patterning:
LAMB AND HARLAND 121, 3627.

dominant negative FGFR1 in the lens:
ROBINSON, MACMILLAN-CROW,
THOMPSON AND OVERBEEK 121,
3959.

dorsal activity in *Xenopus* eggs: HOLOWACZ
AND ELINSON 121, 2789.

FGF receptor

dominant negative FGFR1 in the lens:
ROBINSON, MACMILLAN-CROW,
THOMPSON AND OVERBEEK 121,
3959.

FGF-8 isoforms activate FGFR2c, 3c, and 4:
MACARTHUR, LAWSHE, XU, SANTOS-
OCAMPO, HEIKINHEIMO, CHELLAIAH
AND ORNITZ 121, 3603.

FGFR regulation by C/EBP in cell migration:
MURPHY, LEE, ANDREWS, SHILO
AND MONTELL 121, 2255.

mesoderm induction by soluble Vg1:
KESSLER AND MELTON 121, 2155.

translational control of *Xenopus* FGF receptor:
ROBBIE, PETERSON, AMAYA AND
MUSCI 121, 1775.

FGF-1

FGF-induced lens differentiation in vivo:
ROBINSON, OVERBEEK, VERRAN,
GRIZZLE, STOCKARD, FRIESEL,
MACIAG AND THOMPSON 121, 505.

Fgf-3

in chick development: MAHMOOD, KIEFER,
GUTHRIE, DICKSON AND MASON 121,
1399.

FGF-4

ld disrupts the SHH/FGF-4 feedback loop:

HARAMIS, BROWN AND ZELLER 121,
4237.

Fgf-4

development of reaggregated mesenchyme:
HARDY, RICHARDSON, FRANCIS-
WEST, RODRIGUEZ, IZPISUA-
BELMONTE, DUPREZ AND WOLPERT
121, 4329.

fjg-4

relation of formins to AER and ZPA: CHAN,
WYNHAW-BORIS AND LEDER 121,
3151.

FGF-6

MRF4 disruption causes myotome and rib
defects: PATAPOUTIAN, YOON, MINER,
WANG, STARK AND WOLD 121, 3347.

FGF-8

ld disrupts the SHH/FGF-4 feedback loop:
HARAMIS, BROWN AND ZELLER 121,
4237.

Fgf8

expression in the mouse embryo: CROSSLEY
AND MARTIN 121, 439.

isoforms activate FGFR2c, 3c, and 4:
MACARTHUR, LAWSHE, XU, SANTOS-
OCAMPO, HEIKINHEIMO, CHELLAIAH
AND ORNITZ 121, 3603.

Fibroblast

in neurofibromatosis type 1 (NF1):

ROSENBAUM, BOISSY, KOMBRINCK,
BRANNAN, JENKINS, COPELAND AND
RATNER 121, 3583.

Fibroblast growth factor

-induced lens differentiation in vivo:

ROBINSON, OVERBEEK, VERRAN,
GRIZZLE, STOCKARD, FRIESEL,
MACIAG AND THOMPSON 121, 505.
FGF-8 isoforms activate FGFR2c, 3c, and 4:
MACARTHUR, LAWSHE, XU, SANTOS-
OCAMPO, HEIKINHEIMO, CHELLAIAH
AND ORNITZ 121, 3603.

Fgf8 expression in the mouse embryo:
CROSSLEY AND MARTIN 121, 439.

in lens development: CHOW, ROUX,
ROGHANI, PALMER, RIFKIN,
MOSCATELLI AND LANG 121, 4383.

Fibronectin

ECM and PTHrP regulate parietal endoderm:
BEHRENDTSEN, ALENANDER AND
WERB 121, 4137.

Finite element methods

how do sea urchins invaginate: DAVIDSON,
KOEHL, KELLER AND OSTER 121,
2005.

floating head

cell autonomy of *flh* in axial mesoderm:
HALPERN, THISSE, HO, THISSE,
RIGGLEMAN, TREVARROW,
WEINBERG, POSTLETHWAIT AND
KIMMEL 121, 4257.

Floor plate

axial tissues induce myogenic bHLH genes:
MUNSTERBERG AND LASSAR 121,
651.

Floral homeotic mutant

LEUNIG regulates *AGAMOUS* expression:
LIU AND MEYEROWITZ 121, 975.

Flower development

Arabidopsis gynoecium structure: SESSIONS
AND ZAMBRYSKI 121, 1519.

floricaula in single cell layers activates
downstream genes: HANTKE,
CARPENTER AND COEN 121, 27.

in vivo and in vitro functions of the

- DEFICIENS** gene: ZACHGO, SILVA, MOTTE, TROBNER, SAEDLER AND SCHWARZ-SOMMER 121, 2861.
- Follicle**
Drosophila ovarian follicle stem cells: MARGOLIS AND SPRADLING 121, 3797.
- Forebrain**
 expression of orphan nuclear receptor *tailless* in mouse forebrain: MONAGHAN, GRAU, BOCK AND SCHUTZ 121, 839.
 longitudinal organization of the brain: SHIMAMURA, HARTIGAN, MARTINEZ, PUELLES AND RUBENSTEIN 121, 3923.
 maternal *Xwn1-8b* in axial patterning: CUI, BROWN, MOON AND CHRISTIAN 121, 2177.
 mouse eye homeobox gene: OLIVER, MAILHOS, WEHR, COPELAND, JENKINS AND GRUSS 121, 4045.
 zebrafish *nk2.2* gene: BARTH AND WILSON 121, 1755.
- Founder cell**
 and *Drosophila* myogenesis: RUSHTON, DRYSDALE, ABMAYR, MICHELSON AND BATE 121, 1979.
 wingless and myogenesis: BAYLIES, MARTINEZ ARIAS AND BATE 121, 3829.
- four-jointed**
 role of *jj* in proximal-distal growth: VILLANO AND KATZ 121, 2767.
- frizzled**
 and pattern formation in *Drosophila* eye: ZHENG, ZHANG AND CARTHEW 121, 3045.
 components of the *frizzled* signaling pathway: KRASNOW, WONG AND ADLER 121, 4095.
- fruitless**
 abnormal MOL genesis in *fruitless* flies: TAYLOR AND KNITTEL 121, 3079.
- FTZ-F1**
 regulation of *ftz* by *runt* and *hairy*: TSAI AND GERGEN 121, 453.
- fura-2**
 BDNF regulation by GABA: BERNINGER, MARTY, ZAFRA, DA PENHA BERZAGHI, THOENEN AND LINDHOLM 121, 2327.
- Furrow progression**
 and ommatidial polarity: STRUTT AND MLODZIK 121, 4247.
- fushi tarazu**
 an active repressor mimics a *ftz* mutant: JOHN, SMITH AND JAYNES 121, 1801.
 regulation of *ftz* by *runt* and *hairy*: TSAI AND GERGEN 121, 453.
- Fusion defects in mutants**
 myoblast fusion and *rost* gene expression in *Drosophila*: PAULULAT, BURCHARD AND RENKAWITZ-POHL 121, 2611.
- Fusome**
 role of *Drosophila* Bag of marbles protein: MCKEARNIN AND OHLSTEIN 121, 2937.
- GABA_A receptors**
 BDNF regulation by GABA: BERNINGER, MARTY, ZAFRA, DA PENHA BERZAGHI, THOENEN AND LINDHOLM 121, 2327.
- GAL4**
 targeted ablation of CNS glia in *Drosophila*: HIDALGO, URBAN AND BRAND 121, 3703.
- Galactocerebroside**
 astroglial oligodendroglial factors: GARD, BURRELL, PFEIFFER, RUDGE AND WILLIAMS II 121, 2187.
- β-Galactosidase**
 alkaline phosphatase and PGCs: MACGREGOR, ZAMBROWICZ AND SORIANO 121, 1487.
- Gametic imprinting**
 and endosperm development: CHARLTON, KEEN, MERRIMAN, LYNCH, GREENLAND AND DICKINSON 121, 3089.
 parthenote stem cell defects: NEWMAN-SMITH AND WERB 121, 2069.
- Gangliogenesis**
 neurogenic sublineage required for CNS segmentation in Annelids: RAMIREZ, WEDEEN, STUART, LANS AND WEISBLAT 121, 2091.
- Ganglion cell**
 retinal determination by Notch selection: AUSTIN, FELDMAN, IDA JR. AND CEPKO 121, 3637.
- Gap gene**
 bithorax regulation by gap genes in *Drosophila*: CASARES AND SANCHEZ-HERRERO 121, 1855.
 caudal regulation and function: SCHULZ AND TAUTZ 121, 1023.
 regulation of a gap gene stripe: MARGOLIS, BOROWSKY, STEINGRIMSSON, SHIM, LENGUEL AND POSAKONY 121, 3067.
- Gap junction**
 blockade in early *Xenopus* embryos: PAUL, YU, BRUZZONE, GIMLICH AND GOODENOUGH 121, 371.
- Gastrula**
 composition of the Organizer: VODICKA AND GERHART 121, 3505.
- Gastrulation**
 cDNA libraries from gastrulating mouse embryos: HARRISON, DUNWOODIE, ARKELL, LEHRACH AND BEDDINGTON 121, 2479.
 cell autonomy of *flh* in axial mesoderm: HALPERN, THISSE, HO, THISSE, RIGGLEMAN, TREVARROW, WEINBERG, POSTLETHWAIT AND KIMMEL 121, 4257.
 early placental development in mouse embryos: DOWNS AND GARDNER 121, 407.
Fgf8 expression in the mouse embryo: CROSSLEY AND MARTIN 121, 439.
goosecoid-null mice: RIVERA-PEREZ, MALLO, GENDRON-MAGUIRE, GRIDLEY AND BEHRINGER 121, 3005.
 how do sea urchins invaginate: DAVIDSON, KOEHL, KELLER AND OSTER 121, 2005.
 IMZ stiffness in *Xenopus*: MOORE, KELLER AND KOEHL 121, 3131.
 induction of notochord behavior and differentiation: DOMINGO AND KELLER 121, 3311.
- mesoderm production in mice: FAUST, SCHUMACHER, HOLDENER AND MAGNUSON 121, 273.
 neural fate of distal epiblast: QUINLAN, WILLIAMS, TAN AND TAM 121, 87.
 Nodal-related signaling in mesoderm patterning: JONES, KUEHN, HOGAN, SMITH AND WRIGHT 121, 3651.
Otx2 and neuroectoderm specification: ACAMPORA, MAZAN, LALLEMAND, AVANTAGGIATO, MAURY, SIMEONE AND BRULET 121, 3279.
 PDGF in *Xenopus* gastrulation: ATALIOTIS, SYMES, CHOU, HO AND MERCOLA 121, 3099.
 role of GGF activity in axis formation: GRIFFIN, PATIENT AND HOLDER 121, 2983.
T in morphogenetic movement: WILSON, MANSON, SKARNES AND BEDDINGTON 121, 877.
 tissue progenitors in zebrafish gastrula: SHIH AND FRASER 121, 2755.
 zebrafish neural fate maps: WOO AND FRASER 121, 2595.
- GATA factors**
 development of *GATA-1*⁺ hematopoietic cells: PEVNY, LIN, D'AGATI, SIMON, ORKIN AND COSTANTINI 121, 163.
GATA-4 and endoderm differentiation: SOUDAIS, BIELINSKA, HEIKINHEIMO, MACARTHUR, NARITA, SAFFITZ, SIMON, LEIDEN AND WILSON 121, 3877.
 transcription factors in sympathetic differentiation: GROVES, GEORGE, TISSIER-SETA, ENGEL, BRUNET AND ANDERSON 121, 887.
- Gel swelling**
 how do sea urchins invaginate: DAVIDSON, KOEHL, KELLER AND OSTER 121, 2005.
- Gene activation**
 sequential gene activation by ecdysone: HUET, RUIZ AND RICHARDS 121, 1195.
- Gene conversion**
 transcriptional repression in germ cells: O'NEILL AND ARTZT 121, 561.
- Gene dosage**
 resistance to RA induced limb defects in *RXRα*^{-/-} mice: SUCOV, IZPISUA-BELMONTE, GANAN AND EVANS 121, 3997.
- Gene expression**
 apoptotic death in lurcher Purkinje cells: NORMAN, FENG, CHENG, GUBBAY, CHAN AND HEINTZ 121, 1183.
 ascidian *labial* group Hox gene: KATSUYAMA, WADA, YASUGI AND SAIGA 121, 3197.
Caenorhabditis dosage compensation: HSU, CHUANG AND MEYER 121, 3323.
 CNS- and PNS-specific subelements of pan-neural enhancers: EMERY AND BIER 121, 3549.
 genetic control of cerebellar patterning: MILLEN, HUI AND JOYNER 121, 3935.
goosecoid and *lim1* expression and axis duplication in zebrafish: TOYAMA, O'CONNELL, WRIGHT, KUEHN AND DAWID 121, 383.
 haematopoietic development: GUIMARES,

- BAZAN, ZLOTNIK, WILES, GRIMALDI, LEE AND MCCLANAHAN **121**, 3335.
 in preimplantation mouse embryo: WORRAD, TURNER AND SCHULTZ **121**, 2949.
 in vivo and in vitro functions of the *DEFICIENS* gene: ZACHGO, SILVA, MOTTE, TROBNER, SAEDLER AND SCHWARZ-SOMMER **121**, 2861.
 LIM homeobox genes and motoneuronal fate: APPEL, KORZH, GLASGOW, THOR, EDLUND, DAWID AND EISEN **121**, 4117.
male-specific lethal-3 gene and dosage compensation in *Drosophila*: GORMAN, FRANKE AND BAKER **121**, 463.
 molecular cloning of AP-2: MOSER, IMHOF, PSCHERER, BAUER, AMSELGRUBER, SINOWATZ, HOFSTADTER, SCHULE AND BUETTNER **121**, 2779.
 su(Hw) protein and dosage compensation: ROSEMAN, SWAN AND GEYER **121**, 3573.
 transcription factors in sympathetic differentiation: GROVES, GEORGE, TISSIER-SÉTA, ENGEL, BRUNET AND ANDERSON **121**, 887.
- Gene knock-out**
 alkaline phosphatase and PGCs: MACGREGOR, ZAMBROWICZ AND SORIANO **121**, 1487.
- Gene regulation**
Cis-regulatory control of the *SM50* gene: MAKABE, KIRCHHAMER, BRITTEN AND DAVIDSON **121**, 1957.
groucho and *hedgehog* regulate *engrailed*: DE CELIS AND RUIZ-GÓMEZ **121**, 3467.
 homeotic gene regulation of tracheal development: CHIANG, YOUNG AND BEACHY **121**, 3901.
 molecular phenotypes of *E74* phenotypes: FLETCHER AND THUMMEL **121**, 1411.
- Gene targeting**
 CRABPI and CRABPII knockout: LAMPRON, ROCHETTE-EGLY, GORRY, DOLLE, MARK, LUFKIN, LEMEUR AND CHAMBON **121**, 539.
Pax-2 required for urogenital development: TORRES, GÓMEZ-PARDO, DRESSLER AND GRUSS **121**, 4057.
- Genetic mosaics**
 cortex cell dispersion patterns in transgenic mosaics: TAN, FAULKNER-JONES, BREEN, WALSH, BERTRAM AND REESE **121**, 1029.
vir is a regulator of *Sxl* in *Drosophila*: HILFIKER, AMREIN, DUBENDORFER, SCHNEIDER AND NOTHIGER **121**, 4017.
- Genital ridge**
 expression of *Sry*: HACKER, CAPEL, GOODFELLOW AND LOVELL-BADGE **121**, 1603.
- Genomic imprinting**
 gametic imprinting and endosperm development: CHARLTON, KEEN, MERRIMAN, LYNCH, GREENLAND AND DICKINSON **121**, 3089.
- Germ cell**
 a sex-specific number of germ cells in embryos: POIRIE, NIEDERER AND STEINMANN-ZWICKY **121**, 1867.
 chimerism with mouse male fetal germ cells: KATO AND TSUNODA **121**, 779.
 mesoderm production in mice: FAUST, SCHUMACHER, HOLDENER AND MAGNUSON **121**, 273.
 role of *Drosophila* Bag of marbles protein: MCKEARIN AND OHLSTEIN **121**, 2937.
 transcriptional repression in germ cells: O'NEILL AND ARTZT **121**, 561.
- Germline**
 a sex-specific number of germ cells in embryos: POIRIE, NIEDERER AND STEINMANN-ZWICKY **121**, 1867.
mes-1 and germ-cell fate in *Caenorhabditis*: STROME, MARTIN, SCHIERENBERG AND PAULSEN **121**, 2961.
- Germ plasm**
 regulation of *oskar* translation: RONGO, GAVIS AND LEHMANN **121**, 2737.
 translational control of *oskar*: MARKUSSEN, MICHON, BREITWIESER AND EPHRUSSI **121**, 3723.
- Glands**
 submucosal gland development and morphogenesis: ENGELHARDT, SCHLOSSBERG AND YANKASKAS AND DUDUS **121**, 2031.
- Glia**
 brain development in *Drosophila*: THERIANOS, LEUZINGER, HIRTH, GOODMAN AND REICHERT **121**, 3849.
 brain development in the grasshopper: BOYAN, THERIANOS, WILLIAMS AND REICHERT **121**, 75.
repo and glia function: HALTER, URBAN, RICKERT, NER, ITO, TRAVERS AND TECHNAU **121**, 317.
 targeted ablation of CNS glia in *Drosophila*: HIDALGO, URBAN AND BRAND **121**, 3703.
- Gliogenesis**
 role of proneural genes in *Drosophila*: GIANGRANDE **121**, 429.
- glp-1**
 DSL protein structure/function: FITZGERALD AND GREENWALD **121**, 4275.
- Glucagon**
 developmental biology of the pancreas: SLACK **121**, 1569.
- Glycogen store**
 LIFR mutation results in perinatal death: WARE, HOROWITZ, RENSCHAW, HUNT, LIGGITT, KOBLAR, GLINIAK, MCKENNA, PAPAYANNOPOULOU, THOMA, CHENG, DONOVAN, PESCHON, BARTLETT, WILLIS **121**, 1283.
- Glycogen synthase kinase**
 GSK3 β and ectodermal cell fate determination: ITOH, TANG, NEEL AND SOKOL **121**, 3979.
- Glycosaminoglycans**
 sulphated proteoglycans in kidney development: DAVIES, LYON, GALLAGHER AND GARROD **121**, 1507.
- GMC**
 cortical localization of pros at mitosis: SPANA AND DOE **121**, 3187.
- Godzilla mutant**
 mitotic delay dependent survival: RUDEN AND JACKLE **121**, 63.
- gollum**
 radial organisation of the *Arabidopsis* root: SCHERES, DI LAURENZIO, WILLEMSSEN, HAUSER, JANMAAT, WEISBEEK AND BENFEY **121**, 53.
- Gonad formation**
 gonadal precursor cells in *Drosophila*: BOYLE AND DINARDO **121**, 1815.
- Gonadogenesis**
 migration of *Drosophila* primordial germ cells: JAGLARZ AND HOWARD **121**, 3495.
- goosecoid**
 and *lim1* expression and axis duplication in zebrafish: TOYAMA, O'CONNELL, WRIGHT, KUEHN AND DAWID **121**, 383.
 induction of anterior neurectoderm: BLITZ AND CHO **121**, 993.
 knockout: YAMADA, MANSOURI, TORRES, STUART, BLUM, SCHULTZ, DE ROBERTIS AND GRUSS **121**, 2917.
 mesodermal patterning by *Brachyury* and *Pintallavis*: O'REILLY, SMITH AND CUNLIFFE **121**, 1351.
 -null mice: RIVERA-PEREZ, MALLO, GENDRON-MAGUIRE, GRIDLEY AND BEHRINGER **121**, 3005.
- GPI**
 Lazarillo: a neuronal GPI-linked lipocalin: GANFORNINA, SANCHEZ AND BASTIANI **121**, 123.
- Gradient**
 dorsal gradients and mesoderm induction in *Drosophila*: MAGGERT, LEVINE AND FRASCH **121**, 2107.
 head formation in *Hydra*: TECHNAU AND HOLSTEIN **121**, 1273.
 orthodenticle in *Drosophila* head development: ROYET AND FINKELSTEIN **121**, 3561.
- Grasshopper**
 brain development in the grasshopper: BOYAN, THERIANOS, WILLIAMS AND REICHERT **121**, 75.
 expression pattern and function of Lazarillo: SANCHEZ, GANFORNINA AND BASTIANI **121**, 135.
 Lazarillo: a neuronal GPI-linked lipocalin: GANFORNINA, SANCHEZ AND BASTIANI **121**, 123.
- groucho**
 and *hedgehog* regulate *engrailed*: DE CELIS AND RUIZ-GÓMEZ **121**, 3467.
- Growth**
 HGF/SF in mammary development: NIRANJAN, BULUWELA, YANT, PERUSINGHE, ATHERTON, PHIPPARD, DALE, GUSTERSON AND KAMALATI **121**, 2897.
- Growth cone**
 tyrosine phosphatases in axonogenesis: STOKER, GEHRIG, HAJ AND BAY **121**, 1833.
- Growth control**
 proximal-distal pattern in *Drosophila* wings: NG, DIAZ-BENJUMEA AND COHEN **121**, 589.
- Growth factor**
 anti-dorsalizing morphogenetic protein: MOOS JR., WANG AND KRINKS **121**, 4293.
 control of cortical neuronal phenotype: FERRI AND LEVITT **121**, 1151.
 EGF, TGF- α and EGFR in human embryos: CHIA, WINSTON AND HANDYSIDE **121**, 299.
 HMPI: a developmental astacin proteinase: YAN, POLLOCK, NAGASE AND SARRAS JR. **121**, 1591.

- mesoderm patterning by FGF: CORNELL, MUSCI AND KIMELMAN **121**, 2429.
- proteinase expression in mouse implantation: HARVEY, LECO, ARCELLANA-PANLILIO, ZHANG, EDWARDS AND SCHULTZ **121**, 1005.
- Growth promoting activity**
- GPA receptor function and expression: HELLER, FINN, HUBER, NISHI, GEISSEN, PUSCHEL AND ROHRER **121**, 2681.
- gsc**
- wnt8* and *wnt8b* expression in zebrafish embryos: KELLY, GREENSTEIN, EREZYILMAZ AND MOON **121**, 1787.
- Gut**
- cell signalling and adhesion in the foregut: PANKRATZ AND HOCH **121**, 1885.
- homeotic regulation of *cnn*: HEUER, LI AND KAUFMAN **121**, 3861.
- signalling during gut development: ROBERTS, JOHNSON, BURKE, NELSON, MORGAN AND TABIN **121**, 3163.
- Gut differentiation**
- the EMS cell's response to induction: GOLDSTEIN **121**, 1227.
- Gut morphogenesis**
- genetic analysis of α ps1: BROWER, BUNCH, MUKAI, ADAMSON, WEHRLI, LAM, FRIEDLANDER, ROOTE AND ZUSMAN **121**, 1311.
- Gynoeceum**
- Arabidopsis* gynoeceum structure: SESSIONS AND ZAMBRYSKI **121**, 1519.
- G₁ phase**
- regulation of S phase by cyclin E: RICHARDSON, O'KEEFE, MARTY AND SAINT **121**, 3371.
- G₂/M transition**
- lineage-specific expression of *cdc25*: BISSEN **121**, 3035.
- H19**
- imprinting: SASAKI, FERGUSON-SMITH, SHUM, BARTON AND SURANI **121**, 4195.
- Haematopoiesis**
- haematopoietic development: GUIMARES, BAZAN, ZLOTNIK, WILES, GRIMALDI, LEE AND MCCLANAHAN **121**, 3335.
- TGF β 1 controls endothelial differentiation and haematopoiesis: DICKSON, MARTIN, COUSINS, KULKARNI, KARLSSON AND AKHURST **121**, 1845.
- Haematopoietic stem cells**
- haematopoietic development: GUIMARES, BAZAN, ZLOTNIK, WILES, GRIMALDI, LEE AND MCCLANAHAN **121**, 3335.
- Hair cell**
- inner ear defects of *trkB* and *trkC* mutant mice: SCHIMMANG, MINICHIELLO, VAZQUEZ, SAN JOSE, GIRALDEZ, KLEIN AND REPRESA **121**, 3381.
- hairy**
- regulation of *ftz* by *runt* and *hairy*: TSAI AND GERGEN **121**, 453.
- HB-GAM**
- midline and HB-GAM in mouse embryos: MITSIADES, SALMIVIRTA, MURAMATSU, MURAMATSU, RAUVALA, LEHTONEN, JALKANEN AND THESLEFF **121**, 37.
- HD-Zip motif**
- Arabidopsis* Athb-8 expression in procambial cells: BAIMA, NOBILI, SESSA, LUCCHETTI, RUBERTI AND MORELLI **121**, 4171.
- Head**
- Xotx2* and the fate of anterior regions: PANNESSE, POLO, ANDREAZZOLI, VIGNALI, KABLAR, BARSACCHI AND BONCINELLI **121**, 707.
- Head activator neuroepithelium**
- signal transduction: GALLIOT, WELSCHOF, SCHUCKERT, HOFFMEISTER AND SCHALLER **121**, 1205.
- Head segment**
- cnc* homeotic gene in *Drosophila*: MOHLER, MAHAFFEY, DEUTSCH AND VANI **121**, 237.
- headcase**
- adult morphogenesis in *Drosophila*: WEAVER AND WHITE **121**, 4149.
- Heart**
- cloche* required by endothelial and blood lineages: STAINIER, WEINSTEIN, DETRICH III, ZON AND FISHMAN **121**, 3141.
- induction of cardiac myogenesis: SCHULTHEISS, XYDAS AND LASSAR **121**, 4203.
- Purkinje fiber differentiation: GOURDIE, MIMA, THOMPSON AND MIKAWA **121**, 1423.
- Heart development**
- cardiac differentiation without endoderm: GANNON AND BADER **121**, 2439.
- Heart induction**
- endoderm in *Xenopus* cardiogenesis: NASCONE AND MERCOLA **121**, 515.
- Heart precursor**
- segmental patterning of the mesoderm: LAWRENCE, BODMER AND VINCENT **121**, 4303.
- hedgehog**
- cell signalling and adhesion in the foregut: PANKRATZ AND HOCH **121**, 1885.
- en, hh and dpp in *Drosophila* wing development: ZECCA, BASLER AND STRUHL **121**, 2265.
- engrailed* and wing morphogenesis: GUILLIN, MULLOR, CAPDEVILA, SANCHEZ-HERRERO, MORATA AND GUERRERO **121**, 3447.
- gene family of *Xenopus*: EKKER, MCGREW, LAI, LEE, VON KESSLER, MOON AND BEACHY **121**, 2337.
- in *Drosophila* imaginal discs: FELSENFELD AND KENNISON **121**, 1.
- longitudinal organization of the brain: SHIMAMURA, HARTIGAN, MARTINEZ, PUELLES AND RUBENSTEIN **121**, 3923.
- morphogenetic furrow and polarity in *Drosophila* eye: CHANUT AND HEBERLEIN **121**, 4085.
- neural patterning by hedgehog: LAI, EKKER, BEACHY AND MOON **121**, 2349.
- Pax proteins and eye development: MACDONALD, BARTH, XU, HOLDER, MIKKOLA AND WILSON **121**, 3267.
- ptc* overexpression in wing discs: JOHNSON, GRENIER AND SCOTT **121**, 4161.
- zebrafish *nk2.2* gene: BARTH AND WILSON **121**, 1755.
- Helix-loop-helix**
- Hxt is a bHLH regulator of trophoblast: CROSS, FLANNERY, BLANAR, STEINGRIMSSON, JENKINS, COPELAND, RUTTER AND WERB **121**, 2513.
- Hematopoiesis**
- cloche* required by endothelial and blood lineages: STAINIER, WEINSTEIN, DETRICH III, ZON AND FISHMAN **121**, 3141.
- development of *GATA-1*⁺ hematopoietic cells: PEVNY, LIN, D'AGATI, SIMON, ORKIN AND COSTANTINI **121**, 163.
- Hensen's node**
- HGF/SF and chick neural induction: STREIT, STERN, THERY, IRELAND, APARICIO, SHARPE AND GHERARDI **121**, 813.
- induction in chick Hensen's node: STOREY, SELLECK AND STERN **121**, 417.
- Hepatocyte growth factor**
- HGF/SF and chick neural induction: STREIT, STERN, THERY, IRELAND, APARICIO, SHARPE AND GHERARDI **121**, 813.
- sulphated proteoglycans in kidney development: DAVIES, LYON, GALLAGHER AND GARROD **121**, 1507.
- Hermaphrodite**
- dual hermaphrodite role in *Drosophila*: PULTZ AND BAKER **121**, 99.
- Heterochronic gene**
- temporal control of collagen transcripts: LIU, KIRCH AND AMBROS **121**, 2471.
- terminal differentiation in *Caenorhabditis*: ROUVIE AND AMBROS **121**, 2491.
- Heterochronic transplant**
- timing of topographic cues: CHIEN, CORNEL AND HOLT **121**, 2621.
- Heterotopic transplant**
- regionalization of mammalian forebrain: FISHELL **121**, 803.
- HGF/SF**
- in mammary development: NIRANJAN, BULUWELA, YANT, PERUSINGHE, ATHERTON, PHIPPARD, DALE, GUSTERSON AND KAMALATI **121**, 2897.
- Hindbrain**
- anteroposterior specification in the CNS: COX AND HEMMATI-BRIVANLOU **121**, 4349.
- FGF-3 in chick development: MAHMOOD, KIEFER, GUTHRIE, DICKSON AND MASON **121**, 1399.
- plasticity of transposed rhombomeres: GRAPIN-BOTTON, BONNIN, MCNAUGHTON, KRUMLAUF AND LE DOUARIN **121**, 2707.
- RA alters hindbrain crest cell migration: LEE, OSUMI-YAMASHITA, NINOMIYA, MOON, ERIKSSON AND ETO **121**, 825.
- Hindgut**
- signalling during gut development: ROBERTS, JOHNSON, BURKE, NELSON, MORGAN AND TABIN **121**, 3163.
- Hirudo medicinalis**
- peripheral projections and central neurogenesis: BECKER, BERLINER, NITABACH, GAN AND MACAGNO **121**, 359.
- Histone acetylation**
- gene expression in preimplantation mouse embryo: WORRAD, TURNER AND SCHULTZ **121**, 2949.
- Histone H4**
- chromatin maturation in mouse embryos:

- THOMPSON, LEGOUY, CHRISTIANS AND RENARD **121**, 3425.
gene expression in preimplantation mouse embryo: WORRAD, TURNER AND SCHULTZ **121**, 2949.
- HMG-I(Y)**
chromatin maturation in mouse embryos: THOMPSON, LEGOUY, CHRISTIANS AND RENARD **121**, 3425.
- hnRNPs**
biogenesis of the coiled body: FERREIRA AND CARMO-FONSECA **121**, 601.
- HOM-C gene**
Caenorhabditis elegans mab-21 gene: CHOW, HALL AND EMMONS **121**, 3615.
- Homeobox**
Arabidopsis Athb-8 expression in procambial cells: BAIMA, NOBILI, SESSA, LUCCHETTI, RUBERTI AND MORELLI **121**, 4171.
connective tissue homeobox genes: OLIVER, WEHR, JENKINS, COPELAND, CHEYETTE, HARTENSTEIN, ZIPURSKY AND GRUSS **121**, 693.
control of Spemann organizer: ZARAIISKY, ECOCHARD, KAZANSKAYA, LUKYANOV, FESENKO AND DUPRAT **121**, 3839.
genes and limb regeneration: GARDINER, BLUMBERG, KOMINE AND BRYANT **121**, 1731.
Hox gene enhancers in mice and *Drosophila*: FRASCH, CHEN AND LUFKIN **121**, 957.
Hoxa 11 structure, expression and function in fertility: HSIEH-LI, WITTE, WEINSTEIN, BRANFORD, LI, SMALL AND POTTER **121**, 1373.
Hoxa-3⁻ mutant mice: MANLEY AND CAPECCHI **121**, 1989.
Hoxc-8 early neural tube enhancer: SHASHIKANT, BIEBERICH, BELTING, WANG, BORBELY AND RUDDLE **121**, 4339.
LIM homeobox genes and motoneuronal fate: APPEL, KORZH, GLASGOW, THOR, EDLUND, DAWID AND EISEN **121**, 4117.
longitudinal organization of the brain: SHIMAMURA, HARTIGAN, MARTINEZ, PUELLES AND RUBENSTEIN **121**, 3923.
mouse eye homeobox gene: OLIVER, MAILHOS, WEHR, COPELAND, JENKINS AND GRUSS **121**, 4045.
msx genes and zebrafish fin regeneration: AKIMENKO, JOHNSON, WESTERFIELD AND EKKER **121**, 347.
neural expression of *ceh-10*: SVENDSEN AND MCGHEE **121**, 1253.
Xotx2 and the fate of anterior regions: PANNESE, POLO, ANDREAZZOLI, VIGNALI, KABLAR, BARSACCHI AND BONCINELLI **121**, 707.
- Homeodomain**
an active repressor mimics a *ftz* mutant: JOHN, SMITH AND JAYNES **121**, 1801.
apterous and neuronal pathfinding: LUNDGREN, CALLAHAN, THOR AND THOMAS **121**, 1769.
asplenic *hox11* mice: DEAR, COLLEDGE, CARLTON, LAVENIR, LARSON, SMITH, WARREN, EVANS, SOFRONIEW AND RABBITTS **121**, 2909.
eve as a morphogen for single cell rows: FUJIOKA, JAYNES AND **121**, 4371.
- homeotic gene regulation of tracheal development: CHIANG, YOUNG AND BEACHY **121**, 3901.
- Homeoprotein**
expression in pancreas: GUZ, MONTMINY, STEIN, LEONARD, GAMER, WRIGHT AND TEITELMAN **121**, 11.
unc-4 control of VA motor neuron development: MILLER III AND NIEMEYER **121**, 2877.
XDCoH the cofactor of LFB1 in *Xenopus*: POGGE V. STRANDMANN AND RYFFEL **121**, 1217.
- Homeotic gene**
Caenorhabditis elegans mab-21 gene: CHOW, HALL AND EMMONS **121**, 3615.
cnc homeotic gene in *Drosophila*: MOHLER, MAHAFFEY, DEUTSCH AND VANI **121**, 237.
control of *Drosophila* adult pattern by *extradenticle*: GONZALEZ-CRESPO AND MORATA **121**, 2117.
Dlw specifies dorsal wing identity in *Drosophila*: TIONG, NASH AND BENDER **121**, 1649.
floricaula in single cell layers activates downstream genes: HANTKE, CARPENTER AND COEN **121**, 27.
homeotic regulation of *cnn*: HEUER, LI AND KAUFMAN **121**, 3861.
Polycomb-binding sites in the BX-C: CHIANG, O'CONNOR, PARO, SIMON AND BENDER **121**, 1681.
regulation of tracheal development: CHIANG, YOUNG AND BEACHY **121**, 3901.
regulatory sequences of *proboscipedia*: KAPOUN AND KAUFMAN **121**, 2127.
tsh regulation by homeotic genes: MCCORMICK, CORE, KERRIDGE AND SCOTT **121**, 2799.
- Homeotic transformation**
adult requirements for *exd*: RAUSKOLB, SMITH, PEIFER AND WIESCHAUS **121**, 3663.
- Homologous recombination**
gooseoid knockout: YAMADA, MANSOURI, TORRES, STUART, BLUM, SCHULTZ, DE ROBERTIS AND GRUSS **121**, 2917.
lineage restriction of *myf5* in the brain: TAJBAKSH AND BUCKINGHAM **121**, 4077.
RBP-Jk gene knock-out mice: OKA, NAKANO, WAKEHAM, LUIS DE LA POMPA, MORI, SAKAI, OKAZAKI, KAWAICHI, SHIOTA, MAK AND HONJO **121**, 3291.
- Hormone**
adult morphogenesis in *Drosophila*: WEAVER AND WHITE **121**, 4149.
- Hox genes**
and vertebral transposition: BURKE, NELSON, MORGAN AND TABIN **121**, 333.
ascidian *labial* group *Hox* gene: KATSUYAMA, WADA, YASUGI AND SAIGA **121**, 3197.
Caenorhabditis elegans mab-21 gene: CHOW, HALL AND EMMONS **121**, 3615.
Hoxa-3⁻ mutant mice: MANLEY AND CAPECCHI **121**, 1989.
plasticity of transposed rhombomeres: GRAPIN-BOTTON, BONNIN, MCNAUGHTON, KRUMLAUF AND LE DOUARIN **121**, 2707.
plasticity of transposed rhombomeres: GRAPIN-BOTTON, BONNIN, MCNAUGHTON, KRUMLAUF AND LE DOUARIN **121**, 2707.
signalling during gut development: ROBERTS, JOHNSON, BURKE, NELSON, MORGAN AND TABIN **121**, 3163.
- Hoxa-1**
Hox gene enhancers in mice and *Drosophila*: FRASCH, CHEN AND LUFKIN **121**, 957.
- Hoxa-3**
Hoxa-3⁻ mutant mice: MANLEY AND CAPECCHI **121**, 1989.
- Hoxa-7**
anterior expression boundary of *Hoxa-7*: KNITTEL, KESSEL, KIM AND GRUSS **121**, 1077.
- HoxA9**
homeobox genes and limb regeneration: GARDINER, BLUMBERG, KOMINE AND BRYANT **121**, 1731.
- Hox11**
asplenic *hox11* mice: DEAR, COLLEDGE, CARLTON, LAVENIR, LARSON, SMITH, WARREN, EVANS, SOFRONIEW AND RABBITTS **121**, 2909.
- HoxA13**
homeobox genes and limb regeneration: GARDINER, BLUMBERG, KOMINE AND BRYANT **121**, 1731.
- HoxD**
development of reaggregated mesenchyme: HARDY, RICHARDSON, FRANCIS-WEST, RODRIGUEZ, IZPISUA-BELMONTE, DUPREZ AND WOLPERT **121**, 4329.
ld disrupts the SHH/FGF-4 feedback loop: HARAMIS, BROWN AND ZELLER **121**, 4237.
- HSP 70.1**
transcriptional activation of the mouse zygotic genome: CHRISTIANS, CAMPION, THOMPSON AND RENARD **121**, 113.
- huckebein**
regulation of a gap gene stripe: MARGOLIS, BOROWSKY, STEINGRIMSSON, SHIM, LENGUEL AND POSAKONY **121**, 3067.
- Human**
asplenic *hox11* mice: DEAR, COLLEDGE, CARLTON, LAVENIR, LARSON, SMITH, WARREN, EVANS, SOFRONIEW AND RABBITTS **121**, 2909.
dpp signaling requires *schnurri*: STAEHLING-HAMPTON, LAUGHON AND HOFFMANN **121**, 3393.
EGF, TGF- α and EGFR in human embryos: CHIA, WINSTON AND HANDYSIDE **121**, 299.
fibroblasts in neurofibromatosis type 1 (NF1): ROSENBAUM, BOISSY, KOMBRINCK, BRANNAN, JENKINS, COPELAND AND RATNER **121**, 3583.
plasticity of IGF2 imprinting status: EKSTROM, CUI, LI AND OHLSSON **121**, 309.
submucosal gland development and morphogenesis: ENGELHARDT, SCHLOSSBERG AND YANKASKAS AND DUDUS **121**, 2031.
- Human bone morphogenetic protein 1 (BMP1)**
HMP1: a developmental astacin proteinase:

- YAN, POLLOCK, NAGASE AND SARRAS JR. **121**, 1591.
- hunchback**
 bithorax regulation by gap genes in *Drosophila*: CASARES AND SANCHEZ-HERRERO **121**, 1855.
 caudal regulation and function: SCHULZ AND TAUTZ **121**, 1023.
 expression in *Tribolium*: WOLF, SOMMER, SCHRODER, GLASER AND TAUTZ **121**, 4227.
 regulation of a gap gene stripe: MARGOLIS, BOROWSKY, STEINGRIMSSON, SHIM, LENGUEL AND POSAKONY **121**, 3067.
- Hxt**
 a bHLH regulator of trophoblast: CROSS, FLANNERY, BLANAR, STEINGRIMSSON, JENKINS, COPELAND, RUTTER AND WERB **121**, 2513.
- Hydra**
achaete-scute homolog: GRENS, MASON, MARSH AND BODE **121**, 4027.
 head activator signal transduction: GALLIOT, WELSCHOF, SCHUCKERT, HOFFMEISTER AND SCHALLER **121**, 1205.
 head formation in *Hydra*: TECHNAU AND HOLSTEIN **121**, 1273.
 HMP1: a developmental astacin proteinase: YAN, POLLOCK, NAGASE AND SARRAS JR. **121**, 1591.
- Hypocampus**
 BDNF regulation by GABA: BERNINGER, MARTY, ZAFRA, DA PENHA, BERZAGHI, THOENEN AND LINDHOLM **121**, 2327.
- ICM**
 desmocollin expression in mouse embryo: COLLINS, LORIMER, GARROD, PIDSELY, BUXTON AND FLEMING **121**, 743.
- IGF2**
 plasticity of IGF2 imprinting status: EKSTROM, CUI, LI AND OHLSSON **121**, 309.
- Imaginal disc**
 control of *Drosophila* adult pattern by *extradenticle*: GONZALEZ-CRESPO AND MORATA **121**, 2117.
 genetic hierarchy of *Drosophila* wing vein development: STURTEVANT AND BIER **121**, 785.
hedgehog in *Drosophila* imaginal discs: FELSENFELD AND KENNISON **121**, 1.
 orthodenticle in *Drosophila* head development: ROYET AND FINKELSTEIN **121**, 3561.
 proximal-distal pattern in *Drosophila* wings: NG, DIAZ-BENJUMEA AND COHEN **121**, 589.
ptc overexpression in wing discs: JOHNSON, GRENIER AND SCOTT **121**, 4161.
 regulation of the *ci* gene: SCHWARTZ, LOCKE, NISHIDA AND KORNBERG **121**, 1625.
 role of *ff* in proximal-distal growth: VILLANO AND KATZ **121**, 2767.
shs acts in *Drosophila* eye development: TREISMAN, LAI AND RUBIN **121**, 2835.
 the proneural gene for chordotonal organs and photoreceptors: JARMAN, SUN, JAN AND JAN **121**, 2019.
 wg inhibits the morphogenetic furrow: TREISMAN AND RUBIN **121**, 3519.
- Imaginal precursors**
 role of *Awh* in imaginal development: CURTISS AND HEILIG **121**, 3819.
- Imaginal primordia**
 adult morphogenesis in *Drosophila*: WEAVER AND WHITE **121**, 4149.
- Immunocytochemistry**
 EGF, TGF- α and EGFR in human embryos: CHIA, WINSTON AND HANDYSIDE **121**, 299.
- Implantation**
H19 imprinting: SASAKI, FERGUSON-SMITH, SHUM, BARTON AND SURANI **121**, 4195.
 plasticity of IGF2 imprinting status: EKSTROM, CUI, LI AND OHLSSON **121**, 309.
 proteinase expression in mouse implantation: HARVEY, LECO, ARCELLANA-PANLILIO, ZHANG, EDWARDS AND SCHULTZ **121**, 1005.
 sperm injection: KIMURA AND YANAGIMACHI **121**, 2397.
- In ovo transplantation**
 mouse somite transplantation: FONTAINE-PERUS, JARNO, FOURNIER LE RAY, LI AND PAULIN **121**, 1705.
- In situ hybridization**
 composition of the Organizer: VODICKA AND GERHART **121**, 3505.
 coordinate expression of the zona genes: EPIFANO, LIANG, FAMILARI, MOOS JR. AND DEAN **121**, 1947.
 differentiation of mammary alveolar cells: ROBINSON, MCKNIGHT, SMITH AND HENNIGHAUSEN **121**, 2079.
 genetic control of cerebellar patterning: MILLEN, HUI AND JOYNER **121**, 3935.
 RA and RA receptors in neural tube defects: CHEN, MORRIS-KAY AND COPP **121**, 681.
RBP-J κ gene knock-out mice: OKA, NAKANO, WAKEHAM, LUIS DE LA POMPA, MORI, SAKAI, OKAZAKI, KAWAICHI, SHIOTA, MAK AND HONJO **121**, 3291.
 TGF α alters differentiation in gastric mucosa: SHARP, BABYATSKY, TAKAGI, TAGERUD, WANG, BOCKMAN, BRAND AND MERLINO **121**, 149.
- In vitro DNA binding**
 in vivo and in vitro functions of the *DEFICIENS* gene: ZACHGO, SILVA, MOTTE, TROBNER, SAEDLER AND SCHWARZ-SOMMER **121**, 2861.
- In vitro fertilization**
 mouse sperm capacitation: VISCONTI, BAILEY, MOORE, PAN, OLDS-CLARKE AND KOPF **121**, 1129.
 regulation of mouse sperm capacitation: VISCONTI, MOORE, BAILEY, LECLERC, CONNORS, PAN, OLDS-CLARKE AND KOPF **121**, 1139.
- Inducer**
en, *hh* and *dpp* in *Drosophila* wing development: ZECCA, BASLER AND STRUHL **121**, 2265.
- Induction**
 anteroposterior specification in the CNS: COX AND HEMMATI-BRIVANLOU **121**, 4349.
 cardiac differentiation without endoderm: GANNON AND BADER **121**, 2439.
 dorsalization of the neural tube by non-neural ectoderm: DICKINSON, SELLECK, MCMAHON AND BRONNER-FRASER **121**, 2099.
 dorsal gradients and mesoderm induction in *Drosophila*: MAGGERT, LEVINE AND FRASCH **121**, 2107.
 duels in *Caenorhabditis* development: SCHNABEL **121**, 2219.
 in chick Hensen's node: STOREY, SELLECK AND STERN **121**, 417.
 mesoderm patterning by FGF: CORNELL, MUSCI AND KIMELMAN **121**, 2429.
 muscle induction in *Drosophila*: BAKER AND SCHUBIGER **121**, 1387.
 neural crest formation in the avian embryo: SELLECK AND BRONNER-FRASER **121**, 525.
 of notochord behavior and differentiation: DOMINGO AND KELLER **121**, 3311.
 paraxial mesoderm myogenic induction: STERN, BROWN AND HAUSCHKA **121**, 3675.
 prostatic induction by seminal vesicle: DONJACOUR AND CUNHA **121**, 2199.
 segmental patterning of the mesoderm: LAWRENCE, BODMER AND VINCENT **121**, 4303.
 signalling during gut development: ROBERTS, JOHNSON, BURKE, NELSON, MORGAN AND TABIN **121**, 3163.
 uterine fate induction in *Caenorhabditis*: NEWMAN, WHITE AND STERNBERG **121**, 263.
- Inflorescence**
 chimeras show non-autonomy of *floricaula*: CARPENTER AND COEN **121**, 19.
- Inner cell mass**
 ECM and PTHrP regulate parietal endoderm: BEHRENDTSEN, ALENANDER AND WERB **121**, 4137.
- Inner ear**
 defects of *trkB* and *trkC* mutant mice: SCHIMMANG, MINICHELLO, VAZQUEZ, SAN JOSE, GIRALDEZ, KLEIN AND REPRESA **121**, 3381.
- Innervation**
 is essential for male muscle: CURRIE AND BATE **121**, 2549.
- Inositol**
 IP3 and ryanodine receptors in bovine oocytes: YUE, WHITE, REED AND BUNCH **121**, 2645.
- Insect leg**
 initiation of the proximodistal axis in insect legs: CAMPBELL AND TOMLINSON **121**, 619.
- Insulin**
 developmental biology of the pancreas: SLACK **121**, 1569.
- Insulin gene**
 homeoprotein expression in pancreas: GUZ, MONTMINY, STEIN, LEONARD, GAMER, WRIGHT AND TEITELMAN **121**, 11.
- Insulin promoter factor-1 (IPF-1)**
 developmental biology of the pancreas: SLACK **121**, 1569.
- Insulin-like growth factor-1 receptor**
 parthenote stem cell defects: NEWMAN-SMITH AND WERB **121**, 2069.
- Integrin**
 α_4 integrin-deficient mice: YANG, RAYBURN AND HYNES **121**, 549.

- $\alpha_2\beta_1$ in developing retina: BRADSHAW, MCNAGNY, GERVIN, CANN, GRAF AND CLEGG 121, 3593.
cell signalling and adhesion in the foregut: PANKRATZ AND HOCH 121, 1885.
- Intercellular communication**
gap junctional blockade in early *Xenopus* embryos: PAUL, YU, BRUZZONE, GIMLICH AND GOODENOUGH 121, 371.
- Intermediate filament**
desmin and myofibril-membrane attachment: CARY AND KLYMKOWSKY 121, 1041.
- Intersomite junction**
desmin and myofibril-membrane attachment: CARY AND KLYMKOWSKY 121, 1041.
- Intestine**
downstream effects of *ET-B* deletion: KAPUR, SWEETSER, DOGGETT, SIEBERT AND PALMITER 121, 3787.
- Intracellular calcium**
IP3 and ryanodine receptors in bovine oocytes: YUE, WHITE, REED AND BUNCH 121, 2645.
- Intracellular pH**
pH_i decrease important for axis formation in *Xenopus*: GUTKNECHT, KOSTER, TERTOOLEN, DE LAAT AND DURSTON 121, 1911.
- Intracellular signalling**
neural crest cadherins: NAKAGAWA AND TAKEICHI 121, 1321.
- Intravital microscopy**
neural crest cell migration: BIRGBAUER, SECHRIST, BRÖNNER-FRASER AND FRASER 121, 935.
- Invagination**
how do sea urchins invaginate: DAVIDSON, KOEHL, KELLER AND OSTER 121, 2005.
- invected**
Drosophila engrailed and developmental compartments: TABATA, SCHWARTZ, GUSTAVSON, ALI AND KORNBERG 121, 3359.
engrailed and wing morphogenesis: GUILLEN, MULLOR, CAPDEVILA, SANCHEZ-HERRERO, MORATA AND GUERRERO 121, 3447.
- Islet cells**
developmental biology of the pancreas: SLACK 121, 1569.
- islet1**
LIM homeobox genes and motoneuronal fate: APPEL, KORZH, GLASGOW, THOR, EDLUND, DAWID AND EISEN 121, 4117.
- islet2**
LIM homeobox genes and motoneuronal fate: APPEL, KORZH, GLASGOW, THOR, EDLUND, DAWID AND EISEN 121, 4117.
- K10**
gratuitous localization of *K10* mRNA: SERANO AND COHEN 121, 3013.
- Keratinocyte**
RA in regenerating limb blastema: VIVIANO, HORTON, MADEN AND BROCKES 121, 3753.
- Kidney**
cell commitment in kidney development: QIAO, COHEN AND HERZLINGER 121, 3207.
repression of *Pax-2* by *Wt1*: RYAN, STEELE-PERKINS, MORRIS, RAUSCHER III AND DRESSLER 121, 867.
sulphated proteoglycans in kidney development: DAVIES, LYON, GALLAGHER AND GARROD 121, 1507.
- Kinase XGSK-3**
regulation of axial pattern by Xgsk-3: PIERCE AND KIMELMAN 121, 755.
- Knock-out mutant**
 β -catenin and mouse development at gastrulation: HAEGEL, LARUE, OHSUGI, FEDOROV, HERRENKNECHT AND KEMLER 121, 3529.
GATA-4 and endoderm differentiation: SOUDAIS, BIELINSKA, HEIKINHEIMO, MACARTHUR, NARITA, SAFFITZ, SIMON, LEIDEN AND WILSON 121, 3877.
- krox20**
wnt8 and *wnt8b* expression in zebrafish embryos: KELLY, GREENSTEIN, EREZYILMAZ AND MOON 121, 1787.
- L-type calcium channel**
calcium channels and the cell cycle in blastomeres: YAZAKI, TOSTI AND DALE 121, 1827.
- L5**
HGF/SF and chick neural induction: STREIT, STERN, THERY, IRELAND, APARICIO, SHARPE AND GHERARDI 121, 813.
- labial group gene**
ascidian *labial* group Hox gene: KATSUYAMA, WADA, YASUGI AND SAIGA 121, 3197.
- lacZ**
anterior expression boundary of *Hoxa-7*: KNITTEL, KESSEL, KIM AND GRUSS 121, 1077.
Hoxc-8 early neural tube enhancer: SHASHIKANT, BIEBERICH, BELTING, WANG, BORBELY AND RUDDLE 121, 4339.
- lag-2**
DSL protein structure/function: FITZGERALD AND GREENWALD 121, 4275.
- Lamina**
retinotectal interactions in vitro: YAMAGATA AND SANES 121, 189.
- Laminin**
ECM and PTHrP regulate parietal endoderm: BEHRENDTSEN, ALENANDER AND WERB 121, 4137.
- Late embryo development**
in *Arabidopsis*: NAMBARA, KEITH, MCCOURT AND NAITO 121, 629.
- Lateral inhibition**
clonal analysis of *Su(H)*: SCHWEISGUTH 121, 1875.
Notch and *wingless* in the fly wing: RULIFSON AND BLAIR 121, 2813.
- Lateral root**
meristem development in lateral roots: LASKOWSKI, WILLIAMS, NUSBAUM AND SUSSEX 121, 3303.
- LATS**
Drosophila lats gene encodes a putative protein kinase: XU, WANG, ZHANG, STEWART AND YU 121, 1053.
- Leaf development**
control of dorsoventrality in leaves: WAITES AND HUDSON 121, 2143.
- Leaf growth**
meristem development in *Arabidopsis*: TALBERT, ADLER, PARKS AND COMAI 121, 2723.
- Leech**
neurogenic sublineage required for CNS segmentation in Annelids: RAMIREZ, WEDEEN, STUART, LANS AND WEISBLAT 121, 2091.
- Left-right asymmetry**
cardiac left-right development: DANOS AND YOST 121, 1467.
in the *Caenorhabditis* embryo: HUTTER AND SCHNABEL 121, 3417.
- Leg development**
adult requirements for *exd*: RAUSKOLB, SMITH, PEIFER AND WIESCHAUS 121, 3663.
- Leg disc**
Wingless function in the leg disc: WILDER AND PERRIMON 121, 477.
- Leg imaginal disc**
wingless induces transdetermination: MAVES AND SCHUBIGER 121, 1263.
- Length regulation**
tektin mRNA and cilia length in sea urchins: NORRANDER, LINCK AND STEPHENS 121, 1615.
- Lens**
dominant negative FGFR1 in the lens: ROBINSON, MACMILLAN-CROW, THOMPSON AND OVERBEEK 121, 3959.
FGF in lens development: CHOW, ROUX, ROGHANI, PALMER, RIFKIN, MOSCATELLI AND LANG 121, 4383.
FGF-induced lens differentiation in vivo: ROBINSON, OVERBEEK, VERRAN, GRIZZLE, STOCKARD, FRIESEL, MACIAG AND THOMPSON 121, 505.
- Lens placode**
Pax-6 in eye and nasal development: GRINDLEY, DAVIDSON AND HILL 121, 1433.
- Leptomeningi**
truncated *trkB* in the developing chick: BIFFO, OFFENHAUSER, CARTER AND BARDE 121, 2461.
- let-23**
mosaic analysis of *let-23* gene function: KOGA AND OHSHIMA 121, 2655.
- lethal of scute**
neurogenic genes control *l'sc* and mesectoderm: MARTIN-BERMUDO, CARMENA AND JIMENEZ 121, 219.
- Leucine zipper**
shs acts in *Drosophila* eye development: TREISMAN, LAI AND RUBIN 121, 2835.
- Leukaemia**
asplenic *hox11* mice: DEAR, COLLEDGE, CARLTON, LAVENIR, LARSON, SMITH, WARREN, EVANS, SOFRONIEW AND RABBITTS 121, 2909.
- Leukemia inhibitory factor**
astroglial oligodendroglial factors: GARD, BURRELL, PFEIFFER, RUDGE AND WILLIAMS II 121, 2187.
- leunig**
LEUNIG regulates *AGAMOUS* expression: LIU AND MEYEROWITZ 121, 975.
- LIF**
immortal mouse melanoblasts: SVIDERSKAYA, WAKELING AND BENNETT 121, 1547.

- proteinase expression in mouse implantation:
HARVEY, LECO, ARCELLANA-
PANLILIO, ZHANG, EDWARDS AND
SCHULTZ **121**, 1005.
- ligand**
DSL protein structure/function:
FITZGERALD AND GREENWALD **121**,
4275.
- LIM**
apterous and neuronal pathfinding:
LUNDGREN, CALLAHAN, THOR AND
THOMAS **121**, 1769.
homeobox genes and motoneuronal fate:
APPEL, KORZH, GLASGOW, THOR,
EDLUND, DAWID AND EISEN **121**,
4117.
- lim 1**
goosecoid and *lim1* expression and axis
duplication in zebrafish: TOYAMA,
O'CONNELL, WRIGHT, KUEHN AND
DAWID **121**, 383.
- lim3**
LIM homeobox genes and motoneuronal fate:
APPEL, KORZH, GLASGOW, THOR,
EDLUND, DAWID AND EISEN **121**,
4117.
- Limb**
chimeric mice with excess neuropilin:
KITSUKAWA, SHIMONO, KAWAKAMI,
KONDOH AND FUJISAWA **121**, 4309.
connective tissue homeobox genes: OLIVER,
WEHR, JENKINS, COPELAND,
CHEYETTE, HARTENSTEIN,
ZIPURSKY AND GRUSS **121**, 693.
development of reaggregated mesenchyme:
HARDY, RICHARDSON, FRANCIES-
WEST, RODRIGUEZ, IZPISUA-
BELMONTE, DUPREZ AND WOLPERT
121, 4329.
expression of *Msx* genes in mouse
regeneration: REGINELLI, WANG,
SASSOON AND MUNEOKA **121**, 1065.
FGF-8 isoforms activate FGFR2c, 3c, and 4:
MACARTHUR, LAWSHE, XU, SANTOS-
OCAMPO, HEIKINHEIMO, CHELLAIAH
AND ORNITZ **121**, 3603.
Fgf8 expression in the mouse embryo:
CROSSLEY AND MARTIN **121**, 439.
homeobox genes and limb regeneration:
GARDINER, BLUMBERG, KOMINE
AND BRYANT **121**, 1731.
Hoxa 11 structure, expression and function in
fertility: HSIEH-LI, WITTE, WEINSTEIN,
BRANFORD, LI, SMALL AND POTTER
121, 1373.
ld disrupts the SHH/FGF-4 feedback loop:
HARAMIS, BROWN AND ZELLER **121**,
4237.
ltd limbs contain ectopic ZPA: CHAN,
LAUFER, TABIN AND LEDER **121**, 1971.
polydactyly in *CRABP-II* mutant mice:
FAWCETT, PASCERI, FRASER,
COLBERT, ROSSANT AND GIGUERE
121, 671.
relation of formins to AER and ZPA: CHAN,
WYNSHAW-BORIS AND LEDER **121**,
3151.
- Limb bud**
myogenic cell migration in chick embryos:
HAYASHI AND OZAWA **121**, 661.
- Limb defects**
resistance to RA induced limb defects in
RXRα^{-/-} mice: SUCOV, IZPISUA-
BELMONTE, GANAN AND EVANS **121**,
3997.
- limb deformity**
relation of formins to AER and ZPA: CHAN,
WYNSHAW-BORIS AND LEDER **121**,
3151.
- limb deformity (ld)**
ld disrupts the SHH/FGF-4 feedback loop:
HARAMIS, BROWN AND ZELLER **121**,
4237.
- Limb mutant**
ltd limbs contain ectopic ZPA: CHAN,
LAUFER, TABIN AND LEDER **121**, 1971.
relation of formins to AER and ZPA: CHAN,
WYNSHAW-BORIS AND LEDER **121**,
3151.
- Limb patterning**
Shh in chick and mouse embryo: MARTI,
TAKADA, BUMCROT, SASAKI AND
MCMAHON **121**, 2537.
- Limb regeneration**
expression of *Msx* genes in mouse
regeneration: REGINELLI, WANG,
SASSOON AND MUNEOKA **121**, 1065.
homeobox genes and limb regeneration:
GARDINER, BLUMBERG, KOMINE
AND BRYANT **121**, 1731.
msx genes and zebrafish fin regeneration:
AKIMENKO, JOHNSON, WESTERFIELD
AND EKKER **121**, 347.
- Limbic system-associated membrane protei**
control of cortical neuronal phenotype: FERRI
AND LEVITT **121**, 1151.
- lin-12**
DSL protein structure/function:
FITZGERALD AND GREENWALD **121**,
4275.
- lin-12**
uterine fate induction in *Caenorhabditis*:
NEWMAN, WHITE AND STERNBERG
121, 263.
- lin-29**
temporal control of collagen transcripts: LIU,
KIRCH AND AMBROS **121**, 2471.
terminal differentiation in *Caenorhabditis*:
ROUVIE AND AMBROS **121**, 2491.
- Lineage**
NPY expression and cell lineage: HALL AND
MACPHERDAN **121**, 2361.
submucosal gland development and
morphogenesis: ENGELHARDT,
SCHLOSSBERG AND YANKASKAS
AND DUDUS **121**, 2031.
- Lipid-binding protein**
expression pattern and function of Lazarillo:
SANCHEZ, GANFORNINA AND
BASTIANI **121**, 135.
Lazarillo: a neuronal GPI-linked lipocalin:
GANFORNINA, SANCHEZ AND
BASTIANI **121**, 123.
- Lipocalin**
expression pattern and function of Lazarillo:
SANCHEZ, GANFORNINA AND
BASTIANI **121**, 135.
Lazarillo: a neuronal GPI-linked lipocalin:
GANFORNINA, SANCHEZ AND
BASTIANI **121**, 123.
pattern in noggin-induced neural tissue:
KNECHT, GOOD, DAWID AND
HARLAND **121**, 1927.
- Lithium**
alteration of mesoderm formation at MBT:
KINOSHITA AND ASASHIMA **121**, 1581.
- Liver**
plasticity of IGF2 imprinting status:
EKSTROM, CUI, LI AND OHLSSON **121**,
309.
- LMPER**
demethylation of a muscle-specific transgene:
GRIESHAMMER, MCGREW AND
ROSENTHAL **121**, 2245.
- Localization**
translational control of *oskar*: MARKUSSEN,
MICHON, BREITWIESER AND
EPHRUSI **121**, 3723.
- Localized determinant**
numb autonomously specifies cell fate:
SPANNA, KOPCZYNSKI, GOODMAN
AND DOE **121**, 3489.
- Localized maternal RNA**
two RNA localization patterns in oocytes:
FORRISTALL, PONDEL, CHEN AND
KING **121**, 201.
- Locator element**
Cis-regulatory control of the *SM50* gene:
MAKABE, KIRCHHAMER, BRITTEN
AND DAVIDSON **121**, 1957.
- Luciferase**
transcriptional activation of the mouse zygotic
genome: CHRISTIANS, CAMPION,
THOMPSON AND RENARD **121**, 113.
- Luminal cell**
HGF/SF in mammary development:
NIRANJAN, BULUWELA, YANT,
PERUSINGHE, ATHERTON, PHIPPARD,
DALE, GUSTERSON AND KAMALATI
121, 2897.
- Lung development**
branching of mesenchyme-free lung
epithelium: NOGAWA AND ITO **121**,
1015.
- Lung organ culture**
pRb in regulation of N-myc expression by
TGF-β: SERRA AND MOSES **121**, 3057.
- Lurcher**
apoptotic death in lurcher Purkinje cells:
NORMAN, FENG, CHENG, GUBBAY,
CHAN AND HEINTZ **121**, 1183.
- lurcher**
multiple cell cycle events precede target-
related neuronal death: HERRUP AND
BUSSER **121**, 2385.
- Lymphocyte migration**
carbohydrate involvement in B cell
development: MASTELLER, LARSEN,
CARLSON, PICKEL, NICKOLOFF,
LOWE, THOMPSON AND LEE **121**,
1657.
- M33**
function of Polycomb in mice and flies:
MULLER, GAUNT AND LAWRENCE
121, 2847.
- mab-21**
Caenorhabditis elegans mab-21 gene: CHOW,
HALL AND EMMONS **121**, 3615.
- Macrophage colony-stimulating factor**
CSF-1 and preimplantation development:
BHATNAGAR, PAPAIOANNOU AND
BIGGERS **121**, 1333.
- MADS-box**
in vivo and in vitro functions of the
DEFICIENS gene: ZACHGO, SILVA,
MOTTE, TROBNER, SAEDLER AND
SCHWARZ-SOMMER **121**, 2861.
- Maintenance element**
Polycomb-binding sites in the BX-C:

- CHIANG, O'CONNOR, PARO, SIMON AND BENDER **121**, 1681.
- Male-specific lethal**
regulation of dosage compensation: BASHAW AND BAKER **121**, 3245.
- male-specific lethal-3**
male-specific lethal-3 gene and dosage compensation in *Drosophila*: GORMAN, FRANKE AND BAKER **121**, 463.
- Male-specific muscle**
innervation is essential for male muscle: CURRIE AND BATE **121**, 2549.
- Mammal**
epigenetic control of BLBP transcription: FENG AND HEINTZ **121**, 1719.
- Mammalian CNS**
multiple cell cycle events precede target-related neuronal death: HERRUP AND BUSSER **121**, 2385.
- Mammalian embryogenesis**
mesoderm production in mice: FAUST, SCHUMACHER, HOLDENER AND MAGNUSON **121**, 273.
- Mammary fibroblast**
HGF/SF in mammary development: NIRANJAN, BULUWELA, YANT, PERUSINGHE, ATHERTON, PHIPPARD, DALE, GUSTERSON AND KAMALATI **121**, 2897.
- Mammary gland**
differentiation of mammary alveolar cells: ROBINSON, MCKNIGHT, SMITH AND HENNIGHAUSEN **121**, 2079.
tachykinins in morphogenetic processes: WEIL, ITIN AND KESHET **121**, 2419.
- MAP kinase**
Caenorhabditis meiotic progression: CHURCH, GUAN AND LAMBIE **121**, 2525.
MAP kinase in *Xenopus* mesoderm induction and axial patterning: LABONNE, BURKE AND WHITMAN **121**, 1475.
- Maternal effect**
eggshell defects and bicaudal embryos: RITTENHOUSE AND BERG **121**, 3023.
- Maternal FGF**
mesoderm patterning by FGF: CORNELL, MUSCI AND KIMELMAN **121**, 2429.
- Maternal mRNA**
translational control of *Xenopus* FGF receptor: ROBBIE, PETERSON, AMAYA AND MUSCI **121**, 1775.
- Matrigel**
branching of mesenchyme-free lung epithelium: NOGAWA AND ITO **121**, 1015.
- Matrix metalloproteinase**
developmental expression of mouse stromelysin-3 RNA: LEFEBVRE, REGNIER, CHENARD, WENDLING, CHAMBON, BASSET AND P. **121**, 947.
proteinase expression in mouse implantation: HARVEY, LECO, ARCELLANA-PANLILIO, ZHANG, EDWARDS AND SCHULTZ **121**, 1005.
- Meiosis**
Caenorhabditis meiotic progression: CHURCH, GUAN AND LAMBIE **121**, 2525.
pelota meiotic G₂/M arrest: EBERHART AND WASSERMAN **121**, 3477.
sperm-induced Ca²⁺ rises at metaphase: JONES, CARROLL, MERRIMAN, WHITTINGHAM AND KONO **121**, 3259.
translational control of *Xenopus* FGF receptor: ROBBIE, PETERSON, AMAYA AND MUSCI **121**, 1775.
- MEK**
Caenorhabditis meiotic progression: CHURCH, GUAN AND LAMBIE **121**, 2525.
- Melanoblast specification**
only melanocytes migrate dorsolaterally: ERICKSON AND GOINS **121**, 915.
- Melanocyte**
immortal mouse melanoblasts: SVIDERSKAYA, WAKELING AND BENNETT **121**, 1547.
only melanocytes migrate dorsolaterally: ERICKSON AND GOINS **121**, 915.
- Melanocyte precursor**
roles of SIF in melanocyte dispersal and survival: WEHRLE-HALLER AND WESTON **121**, 731.
- Ménétrier's disease**
TGF α alters differentiation in gastric mucosa: SHARP, BABYATSKY, TAKAGI, TAGERUD, WANG, BOCKMAN, BRAND AND MERLINO **121**, 149.
- Meristem**
chimeras show non-autonomy of *floricaula*: CARPENTER AND COEN **121**, 19.
development in *Arabidopsis*: TALBERT, ADLER, PARKS AND COMAI **121**, 2723.
development in lateral roots: LASKOWSKI, WILLIAMS, NUSBAUM AND SUSSEX **121**, 3303.
floricaula in single cell layers activates downstream genes: HANTKE, CARPENTER AND COEN **121**, 27.
- mes-1**
and germ-cell fate in *Caenorhabditis*: STROME, MARTIN, SCHIERENBERG AND PAULSEN **121**, 2961.
- Mesectoderm specification**
neurogenic genes control *l'sc* and mesectoderm: MARTIN-BERMUDO, CARMENA AND JIMENEZ **121**, 219.
- Mesenchymal factor**
developmental biology of the pancreas: SLACK **121**, 1569.
- Mesenchymal-epithelial interactions**
prostatic induction by seminal vesicle: DONJACOUR AND CUNHA **121**, 2199.
tachykinins in morphogenetic processes: WEIL, ITIN AND KESHET **121**, 2419.
- Mesoderm**
amphioxus *Brachyury* genes: HOLLAND, KOSCHORZ, HOLLAND AND HERRMANN **121**, 4283.
anti-dorsalizing morphogenetic protein: MOOS JR., WANG AND KRINKS **121**, 4293.
cDNA libraries from gastrulating mouse embryos: HARRISON, DUNWOODIE, ARKELL, LEHRACH AND BEDDINGTON **121**, 2479.
cell autonomy of *flh* in axial mesoderm: HALPERN, THISSE, HO, THISSE, RIGGLEMAN, TREVARROW, WEINBERG, POSTLETHWAIT AND KIMMEL **121**, 4257.
cell commitment in kidney development: QIAO, COHEN AND HERZLINGER **121**, 3207.
dorsal gradients and mesoderm induction in *Drosophila*: MAGGERT, LEVINE AND FRASCH **121**, 2107.
dpp signaling requires schnurri: STAEHLING-HAMPTON, LAUGHON AND HOFFMANN **121**, 3393.
IMZ stiffness in *Xenopus*: MOORE, KELLER AND KOEHL **121**, 3131.
induction of notochord behavior and differentiation: DOMINGO AND KELLER **121**, 3311.
mesodermal patterning in *Drosophila*: BORKOWSKI, BROWN AND BATE **121**, 4183.
patterning by FGF: CORNELL, MUSCI AND KIMELMAN **121**, 2429.
role of FGF activity in axis formation: GRIFFIN, PATIENT AND HOLDER **121**, 2983.
wingless and myogenesis: BAYLIES, MARTINEZ ARIAS AND BATE **121**, 3829.
- Mesoderm induction**
alteration of mesoderm formation at MBT: KINOSHITA AND ASASHIMA **121**, 1581.
by soluble Vg1: KESSLER AND MELTON **121**, 2155.
dorsal activity in *Xenopus* eggs: HOLOWACZ AND ELINSON **121**, 2789.
MAP kinase in *Xenopus* mesoderm induction and axial patterning: LABONNE, BURKE AND WHITMAN **121**, 1475.
mesoderm production in mice: FAUST, SCHUMACHER, HOLDENER AND MAGNUSON **121**, 273.
mesodermal patterning by *Brachyury* and *Pintallavis*: O'REILLY, SMITH AND CUNLIFFE **121**, 1351.
wnt8 and *wnt8b* expression in zebrafish embryos: KELLY, GREENSTEIN, EREZYILMAZ AND MOON **121**, 1787.
- Mesoderm segmentation**
segmental patterning of the mesoderm: LAWRENCE, BODMER AND VINCENT **121**, 4303.
- Mesoglea**
HMP1: a developmental astacin proteinase: YAN, POLLOCK, NAGASE AND SARRAS JR. **121**, 1591.
- messenger RNA**
tektin mRNA and cilia length in sea urchins: NORRANDER, LINCK AND STEPHENS **121**, 1615.
- Metalloproteinases**
HMP1: a developmental astacin proteinase: YAN, POLLOCK, NAGASE AND SARRAS JR. **121**, 1591.
- Metamorphosis**
Drosophila E63 genes: ANDRES AND THUMMEL **121**, 2667.
functions of *E74* during *Drosophila* metamorphosis: FLETCHER, BURTIS, HOGNESS AND THUMMEL **121**, 1455.
molecular phenotypes of *E74* phenotypes: FLETCHER AND THUMMEL **121**, 1411.
- Metanephric blastema**
cell commitment in kidney development: QIAO, COHEN AND HERZLINGER **121**, 3207.
- Metaphase**
arrest in maturing oocytes: HAMPL AND EPPIG **121**, 925.
- Metaplasia**
developmental biology of the pancreas: SLACK **121**, 1569.

METRO

two pathways for vegetal localization: KLOC AND ETKIN 121, 287.

mew

genetic analysis of α_{PS1} : BROWER, BUNCH, MUKAI, ADAMSON, WEHRLI, LAM, FRIEDLANDER, ROOTE AND ZUSMAN 121, 1311.

MHC embryonic

MRF4 disruption causes myotome and rib defects: PATAPOUTIAN, YOON, MINER, WANG, STARK AND WOLD 121, 3347.

Micromanipulation

a polarising induction: HUTTER AND SCHNABEL 121, 1559.

left-right asymmetry in the *Caenorhabditis* embryo: HUTTER AND SCHNABEL 121, 3417.

Microtubule

conditional root expansion mutants: HAUSER, MORIKAMI AND BENFEY 121, 1237.

Midblastula transition

alteration of mesoderm formation at MBT: KINOSHITA AND ASASHIMA 121, 1581.

Midkine

midkine and HB-GAM in mouse embryos: MITSADIS, SALMIVIRTA, MURAMATSU, MURAMATSU, RAUVALA, LEHTONEN, JALKANEN AND THESLEFF 121, 37.

Midline glia

midline glial cell death: SONNENFELD AND JACOBS 121, 569.

Migration

myogenic cell migration in chick embryos: HAYASHI AND OZAWA 121, 661.
oligodendrocyte development in chick spinal cord: ONO, BANSAL, PAYNE, RUTISHAUSER AND MILLER 121, 1743.
RA alters hindbrain crest cell migration: LEE, OSUMI-YAMASHITA, NINOMIYA, MOON, ERIKSSON AND ETO 121, 825.

ming

regulation of gene expression in the CNS: CUI AND DOE 121, 3233.

mini-white

su(Hw) protein and dosage compensation: ROSEMAN, SWAN AND GEYER 121, 3573.

Minigene

regulatory sequences of *proboscipedia*: KAPOUN AND KAUFMAN 121, 2127.

Mirror-symmetry

frizzled and pattern formation in *Drosophila* eye: ZHENG, ZHANG AND CARTHEW 121, 3045.

Mitochondrial cloud

two RNA localization patterns in oocytes: FORRISTALL, PONDEL, CHEN AND KING 121, 201.

Mitogenesis

peripheral projections and central neurogenesis: BECKER, BERLINER, NITABACH, GAN AND MACAGNO 121, 359.

Mitosis

cell cycle dependence of *eve* expression: WEIGMANN AND LEHNER 121, 3713.
role of *Drosophila* Bag of marbles protein: MCKEARNIN AND OHLSTEIN 121, 2937.
sperm-induced Ca^{2+} rises at metaphase: JONES, CARROLL, MERRIMAN, WHITTINGHAM AND KONO 121, 3259.

Mitotic cycle

mitotic delay dependent survival: RUDEN AND JACKLE 121, 63.

Monolayer cultures

CNTF promotes photoreceptor development: FUHRMANN, KIRSCH AND HOFMANN 121, 2695.

moonfaced phenotype

ascidian *labial* group Hox gene: KATSUYAMA, WADA, YASUGI AND SAIGA 121, 3197.

Moonrat

hedgehog in *Drosophila* imaginal discs: FELSENFELD AND KENNISON 121, 1.

Morphogen

en, hh and dpp in *Drosophila* wing development: ZECCA, BASLER AND STRUHL 121, 2265.

eve as a morphogen for single cell rows: FUJIOKA, JAYNES AND 121, 4371.
FGF signalling in *Xenopus*: KENGAKU AND OKAMOTO 121, 3121.

Morphogenesis

cell signalling and adhesion in the foregut: PANKRATZ AND HOCH 121, 1885.

early placental development in mouse embryos: DOWNS AND GARDNER 121, 407.

HGF/SF in mammary development: NIRANJAN, BULUWELA, YANT, PERUSINGHE, ATHERTON, PHIPPARD, DALE, GUSTERSON AND KAMALATI 121, 2897.

HMPL: a developmental astacin proteinase: YAN, POLLOCK, NAGASE AND SARRAS JR. 121, 1591.

induction of notochord behavior and differentiation: DOMINGO AND KELLER 121, 3311.

submucosal gland development and morphogenesis: ENGELHARDT, SCHLOSSBERG AND YANKASKAS AND DUDUS 121, 2031.

sulphated proteoglycans in kidney development: DAVIES, LYON, GALLAGHER AND GARROD 121, 1507.
tachykinins in morphogenetic processes: WEIL, ITIN AND KESHET 121, 2419.

Morphogenetic furrow

and polarity in *Drosophila* eye: CHANUT AND HEBERLEIN 121, 4085.
and tissue polarity: MA AND MOSES 121, 2279.

shs acts in *Drosophila* eye development: TREISMAN, LAI AND RUBIN 121, 2835.
wg inhibits the morphogenetic furrow: TREISMAN AND RUBIN 121, 3519.

Morphogenetic movement

zebrafish neural fate maps: WOO AND FRASER 121, 2595.

Morphogenic gradient

Snake zymogen and activated forms: SMITH, GIORDANO, SCHWARTZ AND DELOTTO 121, 4127.

Mosaic

chimeras show non-autonomy of *floricaula*: CARPENTER AND COEN 121, 19.

Mosaic analysis

of *let-23* gene function: KOGA AND OHSHIMA 121, 2655.

Mosaic screen

Drosophila lats gene encodes a putative protein kinase: XU, WANG, ZHANG, STEWART AND YU 121, 1053.

Motility

induction of notochord behavior and differentiation: DOMINGO AND KELLER 121, 3311.

Motoneuron

LIM homeobox genes and motoneuronal fate: APPEL, KORZH, GLASGOW, THOR, EDLUND, DAWID AND EISEN 121, 4117.

muscle sensory neurons require NT-3 to survive: OAKLEY, GARNER, LARGE AND FRANK 121, 1341.

Motor axon

versican localization in barrier tissues: LANDOLT, VAUGHAN, WINTERHALTER AND ZIMMERMANN 121, 2303.

Motor neurons

unc-4 control of VA motor neuron development: MILLER III AND NIEMEYER 121, 2877.

Mouse

α_2 integrin-deficient mice: YANG, RAYBURN AND HYNES 121, 549.
alkaline phosphatase and PGCs: MACGREGOR, ZAMBROWICZ AND SORIANO 121, 1487.
apoptotic death in *lurcher* Purkinje cells: NORMAN, FENG, CHENG, GUBBAY, CHAN AND HEINTZ 121, 1183.
asplenic *hox11* mice: DEAR, COLLEDGE, CARLTON, LAVENIR, LARSON, SMITH, WARREN, EVANS, SOFRONIEW AND RABBITTS 121, 2909.

β -catenin and mouse development at gastrulation: HAEGEL, LARUE, OHSUGI, FEDOROV, HERRENKNECHT AND KEMLER 121, 3529.

biogenesis of the coiled body: FERREIRA AND CARMO-FONSECA 121, 601.
branching of mesenchyme-free lung epithelium: NOGAWA AND ITO 121, 1015.

cDNA libraries from gastrulating mouse embryos: HARRISON, DUNWOODIE, ARKELL, LEHRACH AND BEDDINGTON 121, 2479.

chimerism with mouse male fetal germ cells: KATO AND TSUNODA 121, 779.
connective tissue homeobox genes: OLIVER, WEHR, JENKINS, COPELAND, CHEYETTE, HARTENSTEIN, ZIPURSKY AND GRUSS 121, 693.

coordinate expression of the zona genes: EPIFANO, LIANG, FAMILARI, MOOS JR. AND DEAN 121, 1947.

cortex cell dispersion patterns in transgenic mosaics: TAN, FAULKNER-JONES, BREEN, WALSH, BERTRAM AND REESE 121, 1029.

CRABPI and CRABPII knockout: LAMPRON, ROCHETTE-EGLY, GORRY, DOLLE, MARK, LUFKIN, LEMEUR AND CHAMON 121, 539.

demethylation of a muscle-specific transgene: GRIESHAMMER, MCGREW AND ROSENTHAL 121, 2245.

desmocollin expression in mouse embryo: COLLINS, LORIMER, GARROD, PIDSLEY, BUXTON AND FLEMING 121, 743.

developmental expression of mouse stromelysin-3 RNA: LEFEBVRE,

- REGNIER, CHENARD, WENDLING, CHAMMON, BASSET AND P. 121, 947.
dominant negative FGFR1 in the lens: ROBINSON, MACMILLAN-CROW, THOMPSON AND OVERBEEK 121, 3959.
downstream effects of *ET-B* deletion: KAPUR, SWEETSER, DOGGETT, SIEBERT AND PALMITER 121, 3787.
Drosophila lats gene encodes a putative protein kinase: XU, WANG, ZHANG, STEWART AND YU 121, 1053.
early placental development in mouse embryos: DOWNS AND GARDNER 121, 407.
embryonic expression of *agouti*: MILLAR, MILLER, STEVENS AND BARSH 121, 3223.
endothelial specific promoter: SCHLAEGER, QIN, FUJIWARA, MAGRAM AND SATO 121, 1089.
expression of *Msx* genes in mouse regeneration: REGINELLI, WANG, SASSOON AND MUNEOKA 121, 1065.
expression of orphan nuclear receptor *tailless* in mouse forebrain: MONAGHAN, GRAU, BOCK AND SCHUTZ 121, 839.
expression of *Sry*: HACKER, CAPEL, GOODFELLOW AND LOVELL-BADGE 121, 1603.
eye homeobox gene: OLIVER, MAILHOS, WEHR, COPELAND, JENKINS AND GRUSS 121, 4045.
FGF in lens development: CHOW, ROUX, ROGHANI, PALMER, RIFKIN, MOSCATELLI AND LANG 121, 4383.
FGF-8 isoforms activate FGFR2c, 3c, and 4: MACARTHUR, LAWSHE, XU, SANTOS-OCAMPO, HEIKINHEIMO, CHELLAIAH AND ORNITZ 121, 3603.
Fgf8 expression in the mouse embryo: CROSSLEY AND MARTIN 121, 439.
fibroblasts in neurofibromatosis type 1 (NF1): ROSENBAUM, BOISSY, KOMBRINCK, BRANNAN, JENKINS, COPELAND AND RATNER 121, 3583.
function of Polycomb in mice and flies: MULLER, GAUNT AND LAWRENCE 121, 2847.
GATA-4 and endoderm differentiation: SOUDAIS, BIELINSKA, HEIKINHEIMO, MACARTHUR, NARITA, SAFFITZ, SIMON, LEIDEN AND WILSON 121, 3877.
gene expression in preimplantation mouse embryo: WORRAD, TURNER AND SCHULTZ 121, 2949.
gooseoid -null mice: RIVERA-PEREZ, MALLO, GENDRON-MAGUIRE, GRIDLEY AND BEHRINGER 121, 3005.
gooseoid knockout: YAMADA, MANSOURI, TORRES, STUART, BLUM, SCHULTZ, DE ROBERTIS AND GRUSS 121, 2917.
H19 imprinting: SASAKI, FERGUSON-SMITH, SHUM, BARTON AND SURANI 121, 4195.
homeoprotein expression in pancreas: GUZ, MONTMINY, STEIN, LEONARD, GAMER, WRIGHT AND TEITELMAN 121, 11.
Hox gene enhancers in mice and *Drosophila*: FRASCH, CHEN AND LUFKIN 121, 957.
Hox genes and vertebral transposition: BURKE, NELSON, MORGAN AND TABIN 121, 333.
Hoxa 11 structure, expression and function in fertility: HSIEH-LI, WITTE, WEINSTEIN, BRANFORD, LI, SMALL AND POTTER 121, 1373.
Hoxa-3⁻ mutant mice: MANLEY AND CAPECCHI 121, 1989.
Hoxc-8 early neural tube enhancer: SHASHIKANT, BIEBERICH, BELTING, WANG, BORBELY AND RUDDLE 121, 4339.
Hxt is a bHLH regulator of trophoblast: CROSS, FLANNERY, BLANAR, STEINGRIMSSON, JENKINS, COPELAND, RUTTER AND WERB 121, 2513.
immortal mouse melanoblasts: SVIDERSKAYA, WAKELING AND BENNETT 121, 1547.
in ovo mouse somite transplantation: FONTAINE-PERUS, JARNO, FOURNIER LE RAY, LI AND PAULIN 121, 1705.
ld disrupts the SHH/FGF-4 feedback loop: HARAMIS, BROWN AND ZELLER 121, 4237.
LIFR mutation results in perinatal death: WARE, HOROWITZ, RENSHAW, HUNT, LIGGITT, KOBLAR, GLINIAC, MCKENNA, PAPAYANNPOULOU, THOMA, CHENG, DONOVAN, PESCHON, BARTLETT, WILLIS 121, 1283.
lineage restriction of myf5 in the brain: TAJBAKSH AND BUCKINGHAM 121, 4077.
lxtP limbs contain ectopic ZPA: CHAN, LAUFER, TABIN AND LEDER 121, 1971.
metaphase I arrest in maturing oocytes: HAMPL AND EPPIG 121, 925.
midline and HB-GAM in mouse embryos: MITSADI, SALMIVIRTA, MURAMATSU, MURAMATSU, RAUVALA, LEHTONEN, JALKANEN AND THESLEFF 121, 37.
molecular cloning of AP-2: MOSER, IMHOF, PSCHERER, BAUER, AMSELGRUBER, SINOWATZ, HOFSTADTER, SCHULE AND BUETTNER 121, 2779.
MRF4 disruption causes myotome and rib defects: PATAPOUTIAN, YOON, MINER, WANG, STARK AND WOLD 121, 3347.
neural fate of distal epiblast: QUINLAN, WILLIAMS, TAN AND TAM 121, 87.
Notch1 in somite segmentation: CONLON, REAUME AND ROSSANT 121, 1533.
nuclear Ca²⁺-releasing activity in embryos: KONO, CARROLL, SWANN AND WHITTINGHAM 121, 1123.
Otx2 and neuroectoderm specification: ACAMPORA, MAZAN, LALLEMAND, AVANTAGGIATO, MAURY, SIMEONE AND BRULET 121, 3279.
parthenote stem cell defects: NEWMAN-SMITH AND WERB 121, 2069.
Pax-2 required for urogenital development: TORRES, GOMEZ-PARDO, DRESSLER AND GRUSS 121, 4057.
Pax-6 in eye and nasal development: GRINDLEY, DAVIDSON AND HILL 121, 1433.
polydactyly in *CRABP-II* mutant mice: FAWCETT, PASCERI, FRASER, COLBERT, ROSSANT AND GIGUERE 121, 671.
pRb in regulation of N-myc expression by TGF- β : SERRA AND MOSES 121, 3057.
prostatic induction by seminal vesicle: DONJACOUR AND CUNHA 121, 2199.
proteinase expression in mouse implantation: HARVEY, LECO, ARCELLANA-PANLILIO, ZHANG, EDWARDS AND SCHULTZ 121, 1005.
PTHrP impairs breast development: WYSOLMERSKI, MCCAUGHERN-CARUCCI, DAIFOTIS, BROADUS AND PHILBRICK 121, 3539.
RA and RA receptors in neural tube defects: CHEN, MORRIS-KAY AND COPP 121, 681.
RBP-Jk gene knock-out mice: OKA, NAKANO, WAKEHAM, LUIS DE LA POMPA, MORI, SAKAI, OKAZAKI, KAWAICHI, SHIOTA, MAK AND HONJO 121, 3291.
regionalization of mammalian forebrain: FISHELL 121, 803.
regulation of mouse sperm capacitation: VISCONTI, MOORE, BAILEY, LECLERC, CONNORS, PAN, OLDS-CLARKE AND KOPF 121, 1139.
repression of *Pax-2* by *Wt1*: RYAN, STEELE-PERKINS, MORRIS, RAUSCHER III AND DRESSLER 121, 867.
resistance to RA induced limb defects in *RXR α* ^{-/-} mice: SUCOV, IZPISUA-BELMONTE, GANAN AND EVANS 121, 3997.
scleraxis and skeletal formation in mouse: CSERJESI, BROWN, LIGON, LYONS, COPELAND, GILBERT, JENKINS AND OLSON 121, 1099.
Shh in chick and mouse embryo: MARTI, TAKADA, BUMCROT, SASAKI AND MCMAHON 121, 2537.
somitome and neural crest cells: TRAINOR AND TAM 121, 2569.
sperm capacitation: VISCONTI, BAILEY, MOORE, PAN, OLDS-CLARKE AND KOPF 121, 1129.
sperm injection: KIMURA AND YANAGIMACHI 121, 2397.
sulphated proteoglycans in kidney development: DAVIES, LYON, GALLAGHER AND GARROD 121, 1507.
T in morphogenetic movement: WILSON, MANSON, SKARNES AND BEDDINGTON 121, 877.
tachykinins in morphogenetic processes: WEIL, ITIN AND KESHER 121, 2419.
TBP, TFIIIB, and pol II in spermatids: SCHMIDT AND SCHIBLER 121, 2373.
TGf α alters differentiation in gastric mucosa: SHARP, BABYATSKY, TAKAGI, TAGERUD, WANG, BOCKMAN, BRAND AND MERLINO 121, 149.
TGf α induces migration of periosteal mesenchymal cells in vivo: RENEKER, SILVERSIDES, PATEL AND OVERBEEK 121, 1669.
TGf β 1 controls endothelial differentiation and haematopoiesis: DICKSON, MARTIN, COUSINS, KULKARNI, KARLSSON AND AKHURST 121, 1845.
transcriptional activation of the mouse zygotic

- genome: CHRISTIANS, CAMPION, THOMPSON AND RENARD **121**, 113.
transcriptional repression in germ cells: O'NEILL AND ARTZT **121**, 561.
two CDC25 homologues:
WICKRAMASINGHE, BECKER, ERNST, RESNICK, CENTANNI, TESSAROLLO, GRABEL AND DONOVAN **121**, 2047.
VCAM-1-deficient mice: KWEE, BALDWIN, SHEN, STEWART, BUCK, BUCK AND LABOW **121**, 489.
- Mouse egg**
activation: AYABE, KOPF AND SCHULTZ **121**, 2233.
- Mouse mutant**
inner ear defects of *trkB* and *trkC* mutant mice: SCHIMMANG, MINICHELLO, VAZQUEZ, SAN JOSE, GIRALDEZ, KLEIN AND REPRESA **121**, 3381.
mesoderm production in mice: FAUST, SCHUMACHER, HOLDENER AND MAGNUSON **121**, 273.
- Mouse oocyte**
sperm-induced Ca^{2+} rises at metaphase: JONES, CARROLL, MERRIMAN, WHITTINGHAM AND KONO **121**, 3259.
- MRF4/herculin/Myf-6**
MRF4 disruption causes myotome and rib defects: PATAPOUTIAN, YOON, MINER, WANG, STARK AND WOLD **121**, 3347.
- mRNA localization**
gratuitous localization of *K10* mRNA: SERANO AND COHEN **121**, 3013.
K10 mRNA localization: SERANO AND COHEN **121**, 3809.
regulation of *oskar* translation: RONGO, GAVIS AND LEHMANN **121**, 2737.
- mRNA transport**
K10 mRNA localization: SERANO AND COHEN **121**, 3809.
- msl genes**
vir is a regulator of *Sxl* in *Drosophila*: HILFIKER, AMREIN, DUBENDORFER, SCHNEITER AND NOTHIGER **121**, 4017.
- msl-2**
regulation of dosage compensation: BASHAW AND BAKER **121**, 3245.
- Msx1**
expression of *Msx* genes in mouse regeneration: REGINELLI, WANG, SASSOON AND MUNEOKA **121**, 1065.
- Msx2**
expression of *Msx* genes in mouse regeneration: REGINELLI, WANG, SASSOON AND MUNEOKA **121**, 1065.
- msx**
genes and zebrafish fin regeneration: AKIMENKO, JOHNSON, WESTERFIELD AND EKER **121**, 347.
- multiple edematous wings**
genetic analysis of αPSI : BROWER, BUNCH, MUKAI, ADAMSON, WEHRLI, LAM, FRIEDLANDER, ROOTE AND ZUSMAN **121**, 1311.
- Murine pancreas**
homeoprotein expression in pancreas: GUZ, MONTMINY, STEIN, LEONARD, GAMER, WRIGHT AND TEITELMAN **121**, 11.
- Muscle**
connective tissue homeobox genes: OLIVER, WEHR, JENKINS, COPELAND, CHEYETTE, HARTENSTEIN, ZIPURSKY AND GRUSS **121**, 693.
demethylation of a muscle-specific transgene: GRIESHAMMER, MCGREW AND ROSENTHAL **121**, 2245.
desmin and myofibril-membrane attachment: CARY AND KLYMKOWSKY **121**, 1041.
founder cells and *Drosophila* myogenesis: RUSHTON, DRYSDALE, ABMAYR, MICHELSON AND BATE **121**, 1979.
induction in *Drosophila*: BAKER AND SCHUBIGER **121**, 1387.
mesodermal patterning in *Drosophila*: BORKOWSKI, BROWN AND BATE **121**, 4183.
- Muscle attachment**
genetic analysis of αPSI : BROWER, BUNCH, MUKAI, ADAMSON, WEHRLI, LAM, FRIEDLANDER, ROOTE AND ZUSMAN **121**, 1311.
- Muscle development**
innervation is essential for male muscle: CURRIE AND BATE **121**, 2549.
- Muscle of Lawrence**
abnormal MOL genesis in *fruitless* flies: TAYLOR AND KNITTEL **121**, 3079.
- Muscle spindle afferent**
muscle sensory neurons require NT-3 to survive: OAKLEY, GARNER, LARGE AND FRANK **121**, 1341.
- Musculature**
myoblast fusion and *rost* gene expression in *Drosophila*: PAULULAT, BURCHARD AND RENKAWITZ-POHL **121**, 2611.
- Mutagenesis**
Cis-regulatory control of the *SM50* gene: MAKABE, KIRCHHAMER, BRITTEN AND DAVIDSON **121**, 1957.
GATA-4 and endoderm differentiation: SOUDAIS, BIELINSKA, HEIKINHEIMO, MACARTHUR, NARITA, SAFFITZ, SIMON, LEIDEN AND WILSON **121**, 3877.
- Mutant**
RA and RA receptors in neural tube defects: CHEN, MORRIS-KAY AND COPP **121**, 681.
- Myelin**
periaxin in myelinating Schwann cells: SCHERER, XU, BANNERMAN, SHERMAN AND BROPHY **121**, 4265.
- Myelin basic protein**
astroglial oligodendroglial factors: GARD, BURRELL, PFEIFFER, RUDGE AND WILLIAMS II **121**, 2187.
- Myelinogenesis**
astroglial oligodendroglial factors: GARD, BURRELL, PFEIFFER, RUDGE AND WILLIAMS II **121**, 2187.
- myf-5**
lineage restriction of myf-5 in the brain: TAJBAKHSH AND BUCKINGHAM **121**, 4077.
- Myoblast**
myoblast fusion and *rost* gene expression in *Drosophila*: PAULULAT, BURCHARD AND RENKAWITZ-POHL **121**, 2611.
- myoblast city**
founder cells and *Drosophila* myogenesis: RUSHTON, DRYSDALE, ABMAYR, MICHELSON AND BATE **121**, 1979.
- myoD**
regulation of the *myoD* gene in mouse embryos: GOLDHAMER, BRUNK, FAERMAN, KING, SHANI AND EMERSON **121**, 637.
- Myoepithelial cell**
HGF/SF in mammary development: NIRANJAN, BULUWELA, YANT, PERUSINGHE, ATHERTON, PHIPPARD, DALE, GUSTERSON AND KAMALATI **121**, 2897.
PTHrP impairs breast development: WYSOLMERSKI, MCCAUGHERN-CARUCCI, DAIFOTIS, BROADUS AND PHILBRICK **121**, 3539.
- Myogenesis**
abnormal MOL genesis in *fruitless* flies: TAYLOR AND KNITTEL **121**, 3079.
founder cells and *Drosophila* myogenesis: RUSHTON, DRYSDALE, ABMAYR, MICHELSON AND BATE **121**, 1979.
induction of cardiac myogenesis: SCHULTHEISS, XYDAS AND LASSAR **121**, 4203.
muscle induction in *Drosophila*: BAKER AND SCHUBIGER **121**, 1387.
paraxial mesoderm myogenic induction: STERN, BROWN AND HAUSCHKA **121**, 3675.
regulation of the *myoD* gene in mouse embryos: GOLDHAMER, BRUNK, FAERMAN, KING, SHANI AND EMERSON **121**, 637.
wingless and myogenesis: BAYLIES, MARTINEZ ARIAS AND BATE **121**, 3829.
- Myogenic bHLH**
axial tissues induce myogenic bHLH genes: MUNSTERBERG AND LASSAR **121**, 651.
- Myogenic cell**
myogenic cell migration in chick embryos: HAYASHI AND OZAWA **121**, 661.
- Myogenic conversion**
lineage restriction of myf5 in the brain: TAJBAKHSH AND BUCKINGHAM **121**, 4077.
- Myosin**
rhabdome assembly requires rhodopsin: KUMAR AND READY **121**, 4359.
- Myosin regulatory light chain**
myosin II in oogenesis and early cleavage: WHEATLEY, KULKARNI AND KARESS **121**, 1937.
- Myotomal muscle**
desmin and myofibril-membrane attachment: CARY AND KLYMKOWSKY **121**, 1041.
- Myotome**
MRF4 disruption causes myotome and rib defects: PATAPOUTIAN, YOON, MINER, WANG, STARK AND WOLD **121**, 3347.
NT-3 and dermis development: BRILL, KAHANE, CARMELI, VON SCHACK, BARDE AND KALCHEIM **121**, 2583.
- N-myc**
pRb in regulation of N-myc expression by TGF- β : SERRA AND MOSES **121**, 3057.
- nanos**
evolutionary conservation of *nanos*: CURTIS, APFELD AND LEHMANN **121**, 1899.
- Nasal placode**
Pax-6 in eye and nasal development: GRINDLEY, DAVIDSON AND HILL **121**, 1433.
- nautilus**
myoblast fusion and *rost* gene expression in *Drosophila*: PAULULAT, BURCHARD AND RENKAWITZ-POHL **121**, 2611.

Na⁺/H⁺ exchanger

- pH_i decrease important for axis formation in *Xenopus*: GUTKNECHT, KOSTER, TERTOOLEN, DE LAAT AND DURSTON 121, 1911.

NCAM

- induction of prospective neural crest: MAYOR, MORGAN AND SARGENT 121, 767.

Nematocytes

- hydra *achaete-scute* homolog: GRENS, MASON, MARSH AND BODE 121, 4027.

Nematode

- mosaic analysis of *let-23* gene function: KOGA AND OHSHIMA 121, 2655.

Nemertea

- spiral cell fate specification: MARTINDALE AND HENRY 121, 3175.

Nephron epithelium

- cell commitment in kidney development: QIAO, COHEN AND HERZLINGER 121, 3207.

Nerve cell differentiation

- head activator signal transduction: GALLIOT, WELSCHOF, SCHUCKERT, HOFFMEISTER AND SCHALLER 121, 1205.

Nerve growth cone

- dynamics of thin filopodia during sea urchin gastrulation: MILLER, FRASER AND MCCLAY 121, 2501.

Nerve growth factor

- NT-3 and dermis development: BRILL, KAHANE, CARMELI, VON SCHACK, BARDE AND KALCHEIM 121, 2583.

Nerve growth factor receptor

- periaxin in myelinating Schwann cells: SCHERER, XU, BANNERMAN, SHERMAN AND BROPHY 121, 4265.

Nervous system

- chimeric mice with excess neuropilin: KITSUKAWA, SHIMONO, KAWAKAMI, KONDOH AND FUJISAWA 121, 4309.
dally, a putative integral membrane proteoglycan, affects cell division: NAKATO, FUTCH AND SELLECK 121, 3687.
 hormonal induction of Dopa decarboxylase in *Drosophila*: HODGETTS, CLARK, O'KEEFE, SCHOOLS, CROSSGROVE, GUILD AND VON KALM 121, 3913.

Nervous system development

- cell cycle dependence of *eve* expression: WEIGMANN AND LEHNER 121, 3713.
 developmental expression of mouse stromelysin-3 RNA: LEFEBVRE, REGNIER, CHENARD, WENDLING, CHAMBON, BASSET AND P. 121, 947.

Neural competence

- HGF/SF and chick neural induction: STREIT, STERN, THERY, IRELAND, APARICIO, SHARPE AND GHERARDI 121, 813.

Neural crest

- cadherins: NAKAGAWA AND TAKEICHI 121, 1321.
 cell migration: BIRGBAUER, SECHRIST, BRONNER-FRASER AND FRASER 121, 935.
 dorsalization of the neural tube by non-neural ectoderm: DICKINSON, SELLECK, MCMAHON AND BRONNER-FRASER 121, 2099.
Hoxa-3⁻ mutant mice: MANLEY AND CAPECCHI 121, 1989.

induction of prospective neural crest:

- MAYOR, MORGAN AND SARGENT 121, 767.
 RA alters hindbrain crest cell migration: LEE, OSUMI-YAMASHITA, NINOMIYA, MOON, ERIKSSON AND ETO 121, 825.
 regeneration: SECHRIST, NIETO, ZAMANIAN AND BRONNER-FRASER 121, 4103.
 role for PNA-binding molecules in migration of avian trunk neural crest: KRULL, COLLAZO, FRASER AND BRONNER-FRASER 121, 3733.
 roles of SIF in melanocyte dispersal and survival: WEHRLER-HALLER AND WESTON 121, 731.
 somitomere and neural crest cells: TRAINOR AND TAM 121, 2569.
 versican localization in barrier tissues: LANDOLT, VAUGHAN, WINTERHALTER AND ZIMMERMANN 121, 2303.

Neural crest migration

- only melanocytes migrate dorsolaterally: ERICKSON AND GOINS 121, 915.

Neural development

- LAMP interacts selectively with limbic neurons: ZHUKAREVA AND LEVITT 121, 1161.

Neural expression

- neural expression of *ceh-10*: SVENDSEN AND MCGHEE 121, 1253.

Neural fold

- induction of prospective neural crest: MAYOR, MORGAN AND SARGENT 121, 767.
 neural crest cadherins: NAKAGAWA AND TAKEICHI 121, 1321.
 neural crest regeneration: SECHRIST, NIETO, ZAMANIAN AND BRONNER-FRASER 121, 4103.

Neural induction

- FGF and noggin neural induction and patterning: LAMB AND HARLAND 121, 3627.
 FGF signalling in *Xenopus*: KENGAKU AND OKAMOTO 121, 3121.
 GSK3 β and ectodermal cell fate determination: ITOH, TANG, NEEL AND SOKOL 121, 3979.
 hedgehog gene family of *Xenopus*: EKKER, MCGREW, LAI, LEE, VON KESSLER, MOON AND BEACHY 121, 2337.
 HGF/SF and chick neural induction: STREIT, STERN, THERY, IRELAND, APARICIO, SHARPE AND GHERARDI 121, 813.
 induction of anterior neur ectoderm: BLITZ AND CHO 121, 993.
 neural patterning by hedgehog: LAI, EKKER, BEACHY AND MOON 121, 2349.
Otx2 and neuroectoderm specification: ACAMPORA, MAZAN, LALLEMAND, AVANTAGGIATO, MAURY, SIMEONE AND BRULET 121, 3279.
 pattern in noggin-induced neural tissue: KNECHT, GOOD, DAWID AND HARLAND 121, 1927.
XIPOU 2 has direct neuralizing activity: WITTA, AGARWAL AND SATO 121, 721.

Neural patterning

- anteroposterior specification in the CNS: COX AND HEMMATI-BRIVANLOU 121, 4349.

- zebrafish neural fate maps: WOO AND FRASER 121, 2595.

Neural plate border

- induction of prospective neural crest: MAYOR, MORGAN AND SARGENT 121, 767.

Neural retina

- ligands of thyroid receptors induce cones: KELLEY, TURNER AND REH 121, 3777.

Neural specificity

- unc-4* control of VA motor neuron development: MILLER III AND NIEMEYER 121, 2877.

Neural tissue

- induction in chick Hensen's node: STOREY, SELLECK AND STERN 121, 417.

Neural tube

- axial tissues induce myogenic bHLH genes: MUNSTERBERG AND LASSAR 121, 651.
Hoxc-8 early neural tube enhancer: SHASHIKANT, BIEBERICH, BELTING, WANG, BORBELY AND RUDDLE 121, 4339.
 neural crest formation in the avian embryo: SELLECK AND BRONNER-FRASER 121, 525.
 paraxial mesoderm myogenic induction: STERN, BROWN AND HAUSCHKA 121, 3675.
 RA and RA receptors in neural tube defects: CHEN, MORRIS-KAY AND COPP 121, 681.
RBP-J κ gene knock-out mice: OKA, NAKANO, WAKEHAM, LUIS DE LA POMPA, MORI, SAKAI, OKAZAKI, KAWAICHI, SHIOTA, MAK AND HONJO 121, 3291.

Neuralizing activity

- properties of *Xenopus* dishevelled: SOKOL, KLINGENSMITH, PERRIMON AND ITOH 121, 1637.

Neurite growth

- axonal guidance in chick retina: STIER AND SCHLOSSHAUER 121, 1443.
 LAMP interacts selectively with limbic neurons: ZHUKAREVA AND LEVITT 121, 1161.
 neurotrophins affect neurite patterns: TUTTLE AND MATTHEW 121, 1301.

Neuroblast

- activation of neuroblast proliferation: DATTA 121, 1173.
 cell cycle dependence of *eve* expression: WEIGMANN AND LEHNER 121, 3713.
 cortical localization of pros at mitosis: SPANA AND DOE 121, 3187.
 downstream effects of *ET-B* deletion: KAPUR, SWEETSER, DOGGETT, SIEBERT AND PALMITER 121, 3787.
 evolution of the insect CNS: BROADUS AND DOE 121, 3989.
 numb autonomously specifies cell fate: SPANA, KOPCZYNSKI, GOODMAN AND DOE 121, 3489.
 regulation of gene expression in the CNS: CUI AND DOE 121, 3233.
Serrate activates *Notch*: GU, HUKRIEDE AND FLEMING 121, 855.

Neurodegeneration

- apoptotic death in lurcher Purkinje cells: NORMAN, FENG, CHENG, GUBBAY, CHAN AND HEINTZ 121, 1183.

Neuroectoderm

neural fate of distal epiblast: QUINLAN, WILLIAMS, TAN AND TAM **121, 87.**

Neurofibroma

fibroblasts in neurofibromatosis type 1(NF1): ROSENBAUM, BOISSY, KOMBRINCK, BRANNAN, JENKINS, COPELAND AND RATNER **121, 3583.**

Neurofibromatosis

fibroblasts in neurofibromatosis type 1(NF1): ROSENBAUM, BOISSY, KOMBRINCK, BRANNAN, JENKINS, COPELAND AND RATNER **121, 3583.**

Neurogenesis

Caenorhabditis elegans mab-21 gene: CHOW, HALL AND EMMONS **121, 3615.**

clonal analysis of *Su(H)*: SCHWEISGUTH **121, 1875.**

CNS- and PNS-specific subelements of pan-neural enhancers: EMERY AND BIER **121, 3549.**

GPA receptor function and expression: HELLER, FINN, HUBER, NISHI, GEISSEN, PUSCHEL AND ROHRER **121, 2681.**

ligands of thyroid receptors induce cones: KELLEY, TURNER AND REH **121, 3777.**

neurogenic genes control *l'sc* and mesectoderm: MARTIN-BERMUDO, CARMENA AND JIMENEZ **121, 219.**

Notch and *wingless* in the fly wing:

RULIFSON AND BLAIR **121, 2813.**

PNS lineages in *Drosophila*: BREWSTER AND BODMER **121, 2923.**

regulatory interactions between *cut* and *poxn*: VERVOORT, ZINK, PUJOL, VICTOIR, DUMONT, GHYSEN AND DAMBLY-CHAUDIERE **121, 3111.**

Neurogenic gene

cell type specification in the *Drosophila* endoderm: TEPASS AND HARTENSTEIN **121, 393.**

control *l'sc* and mesectoderm: MARTIN-BERMUDO, CARMENA AND JIMENEZ **121, 219.**

Neuron

transcription factors in sympathetic differentiation: GROVES, GEORGE, TISSIER-SETA, ENGEL, BRUNET AND ANDERSON **121, 887.**

Neuron precursors

NPY expression and cell lineage: HALL AND MACPHERDAN **121, 2361.**

Neuron specification

seven-up requires Ras activation: BEGEMANN, MICHON, VOORN, WEPF AND MLODZIK **121, 225.**

Neuronal death

multiple cell cycle events precede target-related neuronal death: HERRUP AND BUSSE **121, 2385.**

Neuronal determination

yan function in division versus differentiation: ROGGE, GREEN, URANO, HORN-SABAN, MLODZIK, SHILO, HARTENSTEIN AND BANERJEE **121, 3947.**

Neuronal development

apterous and neuronal pathfinding: LUNDGREN, CALLAHAN, THOR AND THOMAS **121, 1769.**

Neuronal differentiation

control of cortical neuronal phenotype: FERRI AND LEVITT **121, 1151.**

pattern in noggin-induced neural tissue:

KNECHT, GOOD, DAWID AND HARLAND **121, 1927.**

zebrafish *nk2.2* gene: BARTH AND WILSON **121, 1755.**

Neuronal identity

regulatory interactions between *cut* and *poxn*: VERVOORT, ZINK, PUJOL, VICTOIR, DUMONT, GHYSEN AND DAMBLY-CHAUDIERE **121, 3111.**

Neuronal migration

in the cerebral cortex: O'ROURKE, SULLIVAN, KAZNOWSKI, JACOBS AND MCCONNELL **121, 2165.**

Neuropeptide

NPY expression and cell lineage: HALL AND MACPHERDAN **121, 2361.**

sensory deficiencies in *trk* double mutant mice: MINICHELLO, PIEHL, VAZQUEZ, SCHIMMANG, HOKFELT, REPRESA AND KLEIN **121, 4067.**

Neurotransmitter

development of ganglion cell subsets: YAMAGATA AND SANES **121, 3763.**

Neurotrophin

affect neurite patterns: TUTTLE AND MATTHEW **121, 1301.**

BDNF regulation by GABA: BERNINGER, MARTY, ZAFRA, DA PENHA BERZAGHI, THOENEN AND LINDHOLM **121, 2327.**

NT-3 and dermis development: BRILL, KAHANE, CARMELI, VON SCHACK, BARDE AND KALCHEIM **121, 2583.**

sensory deficiencies in *trk* double mutant mice: MINICHELLO, PIEHL, VAZQUEZ, SCHIMMANG, HOKFELT, REPRESA AND KLEIN **121, 4067.**

truncated *trkB* in the developing chick: BIFFO, OFFENHAUSER, CARTER AND BARDE **121, 2461.**

Neurotrophin-3

astroglial oligodendroglial factors: GARD, BURRELL, PFEIFFER, RUDGE AND WILLIAMS II **121, 2187.**

muscle sensory neurons require NT-3 to survive: OAKLEY, GARNER, LARGE AND FRANK **121, 1341.**

Neurulation

neural crest formation in the avian embryo: SELLECK AND BRONNER-FRASER **121, 525.**

RA and RA receptors in neural tube defects: CHEN, MORRIS-KAY AND COPP **121, 681.**

NF1

fibroblasts in neurofibromatosis type 1(NF1): ROSENBAUM, BOISSY, KOMBRINCK, BRANNAN, JENKINS, COPELAND AND RATNER **121, 3583.**

NGF

neurotrophins affect neurite patterns: TUTTLE AND MATTHEW **121, 1301.**

Nicotiana

genetic ablation of petal and stamen primordia: DAY, GALGOCI AND IRISH **121, 2887.**

ninaE

rhabdomere assembly requires rhodopsin: KUMAR AND READY **121, 4359.**

Nk-homeobox

XNkx-2.3, a second vertebrate homologue of *tinman*: EVANS, YAN, MURILLO, PONCE AND PAPALOPULU **121, 3889.**

Nk2

zebrafish *nk2.2* gene: BARTH AND WILSON **121, 1755.**

Nodal

gooseoid and *lim1* expression and axis duplication in zebrafish: TOYAMA, O'CONNELL, WRIGHT, KUEHN AND DAWID **121, 383.**

Nodal-related signaling in mesoderm patterning: JONES, KUEHN, HOGAN, SMITH AND WRIGHT **121, 3651.**

Node

mesoderm production in mice: FAUST, SCHUMACHER, HOLDENER AND MAGNUSON **121, 273.**

Otx2 and neuroectoderm specification: ACAMPORA, MAZAN, LALLEMAND, AVANTAGGIATO, MAURY, SIMEONE AND BRULET **121, 3279.**

noggin

FGF and noggin neural induction and patterning: LAMB AND HARLAND **121, 3627.**

pattern in noggin-induced neural tissue: KNECHT, GOOD, DAWID AND HARLAND **121, 1927.**

XIPOU 2 has direct neuralizing activity: WITTA, AGARWAL AND SATO **121, 721.**

noggin

hedgehog gene family of *Xenopus*: EKKER, MCGREW, LAI, LEE, VON KESSLER, MOON AND BEACHY **121, 2337.**

induction of anterior neuroectoderm: BLITZ AND CHO **121, 993.**

induction of prospective neural crest: MAYOR, MORGAN AND SARGENT **121, 767.**

Nonautonomy

duels in *Caenorhabditis* development: SCHNABEL **121, 2219.**

Nose

expression of orphan nuclear receptor *tailless* in mouse forebrain: MONAGHAN, GRAU, BOCK AND SCHUTZ **121, 839.**

Notch

DSL protein structure/function: FITZGERALD AND GREENWALD **121, 4275.**

functional analysis of *Drosophila* Deltex: MATSUNO, DIEDERICH, GO, BLAUMUELLER AND ARTAVANIS-TSAKONAS **121, 2633.**

organizing activity in the *Drosophila* wing: DIAZ-BENJUMEA AND COHEN **121, 4215.**

Notch1

in somite segmentation: CONLON, REAUME AND ROSSANT **121, 1533.**

Notch

and *wingless* in the fly wing: RULIFSON AND BLAIR **121, 2813.**

clonal analysis of *Su(H)*: SCHWEISGUTH **121, 1875.**

requirements for *E(spl)HHLH* expression: JENNINGS, DE CELIS, DELIDAKIS, PREISS AND BRAY **121, 3745.**

retinal determination by Notch selection: AUSTIN, FELDMAN, IDA JR. AND CEPKO **121, 3637.**

Serrate activates *Notch*: GU, HUKRIEDE AND FLEMING **121, 855.**

Notochord

amphioxus *Brachyury* genes: HOLLAND,

- KOSCHORZ, HOLLAND AND HERRMANN **121**, 4283.
axial tissues induce myogenic bHLH genes: MUNSTERBERG AND LASSAR **121**, 651.
cell autonomy of *flh* in axial mesoderm: HALPERN, THISSE, HO, THISSE, RIGGLEMAN, TREVARROW, WEINBERG, POSTLETHWAIT AND KIMMEL **121**, 4257.
induction of notochord behavior and differentiation: DOMINGO AND KELLER **121**, 3311.
paraxial mesoderm myogenic induction: STERN, BROWN AND HAUSCHKA **121**, 3675.
- NT-3**
neurotrophins affect neurite patterns: TUTTLE AND MATTHEW **121**, 1301.
- nubbin**
proximal-distal pattern in *Drosophila* wings: NG, DIAZ-BENJUMEA AND COHEN **121**, 589.
- Nuclear hormone receptor**
expression of orphan nuclear receptor *tailless* in mouse forebrain: MONAGHAN, GRAU, BOCK AND SCHUTZ **121**, 839.
- Nuclear structure**
biogenesis of the coiled body: FERREIRA AND CARMO-FONSECA **121**, 601.
- Nuclear transfer**
chimerism with mouse male fetal germ cells: KATO AND TSUNODA **121**, 779.
- Nucleolus**
biogenesis of the coiled body: FERREIRA AND CARMO-FONSECA **121**, 601.
- Nucleus**
nuclear Ca²⁺-releasing activity in embryos: KONO, CARROLL, SWANN AND WHITTINGHAM **121**, 1123.
- numb**
autonomously specifies cell fate: SPANA, KOPCZYNSKI, GOODMAN AND DOE **121**, 3489.
cortical localization of pros at mitosis: SPANA AND DOE **121**, 3187.
- numb**
PNS lineages in *Drosophila*: BREWSTER AND BODMER **121**, 2923.
- Nurse cell dumping**
myosin II in oogenesis and early cleavage: WHEATLEY, KULKARNI AND KARESS **121**, 1937.
- O4 antibody**
oligodendrocyte development in chick spinal cord: ONO, BANSAL, PAYNE, RUTISHAUSER AND MILLER **121**, 1743.
- Odd-skipped**
numb autonomously specifies cell fate: SPANA, KOPCZYNSKI, GOODMAN AND DOE **121**, 3489.
- Oligodendroblast**
astroglial oligodendroglial factors: GARD, BURRELL, PFEIFFER, RUDGE AND WILLIAMS II **121**, 2187.
- Oligodendrocyte**
astroglial oligodendroglial factors: GARD, BURRELL, PFEIFFER, RUDGE AND WILLIAMS II **121**, 2187.
development in chick spinal cord: ONO, BANSAL, PAYNE, RUTISHAUSER AND MILLER **121**, 1743.
- Oligodendrocyte-type-2 astrocyte (O-2A)**
analysis of DNA-binding proteins in O-2A differentiation: BARNETT, ROSARIO, DOYLE, KILBEY, LOVATT AND GILLESPIE **121**, 3969.
- Ommatidia**
morphogenetic furrow and polarity in *Drosophila* eye: CHANUT AND HEBERLEIN **121**, 4085.
- Ommatidial rotation**
furrow progression and ommatidial polarity: STRUTT AND MLODZIK **121**, 4247.
- Ommatidium**
seven-up function and ras signaling: KRAMER, WEST AND HIROMI **121**, 1361.
- Oncogenes**
FGF-8 isoforms activate FGFR2c, 3c, and 4: MACARTHUR, LAWSHE, XU, SANTOS-OCAMPO, HEIKINHEIMO, CHELLAIAH AND ORNITZ **121**, 3603.
- Ontogeny**
homeoprotein expression in pancreas: GUZ, MONTMINY, STEIN, LEONARD, GAMER, WRIGHT AND TEITELMAN **121**, 11.
- Oocyte**
Drosophila ovarian follicle stem cells: MARGOLIS AND SPRADLING **121**, 3797.
metaphase I arrest in maturing oocytes: HAMPL AND EPPIG **121**, 925.
nuclear Ca²⁺-releasing activity in embryos: KONO, CARROLL, SWANN AND WHITTINGHAM **121**, 1123.
two pathways for vegetal localization: KLOC AND ETKIN **121**, 287.
two RNA localization patterns in oocytes: FORRISTALL, PONDEL, CHEN AND KING **121**, 201.
- Oocyte-specific gene expression**
coordinate expression of the zona genes: EPIFANO, LIANG, FAMILARI, MOOS JR. AND DEAN **121**, 1947.
- Oogenesis**
K10 mRNA localization: SERANO AND COHEN **121**, 3809.
myosin II in oogenesis and early cleavage: WHEATLEY, KULKARNI AND KARESS **121**, 1937.
soma-germline interactions in oogenesis: NAGOSHI, PATTON, BAE AND GEYER **121**, 579.
translational control of *Xenopus* FGF receptor: ROBBIE, PETERSON, AMAYA AND MUSCI **121**, 1775.
two pathways for vegetal localization: KLOC AND ETKIN **121**, 287.
- Opsin immunoreactivity**
CNTF promotes photoreceptor development: FUHRMANN, KIRSCH AND HOFMANN **121**, 2695.
- Optic axons**
polysialic acid in the optic pathway: YIN, WATANABE AND RUTISHAUSER **121**, 3439.
- Optic recess**
mouse eye homeobox gene: OLIVER, MAILHOS, WEHR, COPELAND, JENKINS AND GRUSS **121**, 4045.
- Optic tectum**
development of ganglion cell subsets: YAMAGATA AND SANES **121**, 3763.
polysialic acid in the optic pathway: YIN, WATANABE AND RUTISHAUSER **121**, 3439.
- retinotectal interactions in vitro: YAMAGATA AND SANES **121**, 189.
- Optic tract**
polysialic acid in the optic pathway: YIN, WATANABE AND RUTISHAUSER **121**, 3439.
- Optic vesicle**
Pax-6 in eye and nasal development: GRINDLEY, DAVIDSON AND HILL **121**, 1433.
- Organizer**
anti-dorsalizing morphogenetic protein: MOOS JR., WANG AND KRINKS **121**, 4293.
endoderm in *Xenopus* cardiogenesis: NASCONE AND MERCOLA **121**, 515.
- Organizing activity**
en, hh and dpp in *Drosophila* wing development: ZECCA, BASLER AND STRUHL **121**, 2265.
- Organogenesis**
CLV3 regulates meristem development: CLARK, RUNNING AND MEYEROWITZ **121**, 2057.
gonadal precursor cells in *Drosophila*: BOYLE AND DINARDO **121**, 1815.
PThrP impairs breast development: WYSOLMERSKI, MCCAUGHERN-CARUCCI, DAIFOTIS, BROADUS AND PHILBRICK **121**, 3539.
- Orphan nuclear receptor**
expression of orphan nuclear receptor *tailless* in mouse forebrain: MONAGHAN, GRAU, BOCK AND SCHUTZ **121**, 839.
- orthodenticle**
orthodenticle in *Drosophila* head development: ROYET AND FINKELSTEIN **121**, 3561.
induction of anterior neuroectoderm: BLITZ AND CHO **121**, 993.
- oskar**
regulation of *oskar* translation: RONGO, GAVIS AND LEHMANN **121**, 2737.
translational control of *oskar*: MARKUSSEN, MICHON, BREITWIESER AND EPHRUSSI **121**, 3723.
- Osteogenesis**
developmental expression of mouse stromelysin-3 RNA: LEFEBVRE, REGNIER, CHENARD, WENDLING, CHAMBON, BASSET AND P. **121**, 947.
- Osteoporosis**
LIFR mutation results in perinatal death: WARE, HOROWITZ, RENSHAW, HUNT, LIGGITT, KOBLAR, GLINIAR, MCKENNA, PAPAYANNOPOULOU, THOMA, CHENG, DONOVAN, PESCHON, BARTLETT, WILLIS **121**, 1283.
- otu**
soma-germline interactions in oogenesis: NAGOSHI, PATTON, BAE AND GEYER **121**, 579.
- Otx2**
GSK3 β and ectodermal cell fate determination: ITOH, TANG, NEEL AND SOKOL **121**, 3979.
- Otx2**
and neuroectoderm specification: ACAMPORA, MAZAN, LALLEMAND, AVANTAGGIATO, MAURY, SIMEONE AND BRULET **121**, 3279.
Xotx2 and the fate of anterior regions: PANNESSE, POLO, ANDREAZZOLI,

- VIGNALI, KABLAR, BARSACCHI AND BONCINELLI **121**, 707.
- Ovarian tumor**
soma-germline interactions in oogenesis:
NAGOSHI, PATTON, BAE AND GEYER **121**, 579.
- Ovary**
cell rearrangement in ovary development:
GODT AND LASKI **121**, 173.
Drosophila ovarian follicle stem cells:
MARGOLIS AND SPRADLING **121**, 3797.
- Overexpression**
chimeric mice with excess neuropilin:
KITSUKAWA, SHIMONO, KAWAKAMI, KONDOH AND FUJISAWA **121**, 4309.
- ovo*
soma-germline interactions in oogenesis:
NAGOSHI, PATTON, BAE AND GEYER **121**, 579.
- p34^{cdc2} kinase**
metaphase I arrest in maturing oocytes:
HAMPL AND EPPIG **121**, 925.
- Paired box**
Pax proteins and eye development:
MACDONALD, BARTH, XU, HOLDER, MIKKOLA AND WILSON **121**, 3267.
- Pan-neural gene**
CNS- and PNS-specific subelements of pan-neural enhancers: EMERY AND BIER **121**, 3549.
- Pancreas**
developmental biology of the pancreas:
SLACK **121**, 1569.
- Pancreatic cell lineage**
homeoprotein expression in pancreas: GUZ, MONTMINY, STEIN, LEONARD, GAMER, WRIGHT AND TEITELMAN **121**, 11.
- Pancreatic islets**
homeoprotein expression in pancreas: GUZ, MONTMINY, STEIN, LEONARD, GAMER, WRIGHT AND TEITELMAN **121**, 11.
- Pancreatic polypeptide**
developmental biology of the pancreas:
SLACK **121**, 1569.
- Paraxial mesoderm**
Hox genes and vertebral transposition:
BURKE, NELSON, MORGAN AND TABIN **121**, 333.
somitomere and neural crest cells: TRAINOR AND TAM **121**, 2569.
- Parietal cell**
TGF α alters differentiation in gastric mucosa:
SHARP, BABYATSKY, TAKAGI, TAGERUD, WANG, BOCKMAN, BRAND AND MERLINO **121**, 149.
- Parietal endoderm**
ECM and PTHrP regulate parietal endoderm:
BEHRENDTSEN, ALENANDER AND WERB **121**, 4137.
- Parthenogenetic**
H19 imprinting: SASAKI, FERGUSON-SMITH, SHUM, BARTON AND SURANI **121**, 4195.
- Parthenote**
stem cell defects: NEWMAN-SMITH AND WERB **121**, 2069.
- patched**
morphogenetic furrow and polarity in *Drosophila* eye: CHANUT AND HEBERLEIN **121**, 4085.
- morphogenetic furrow and tissue polarity: MA AND MOSES **121**, 2279.
- ptc* overexpression in wing discs: JOHNSON, GRENIER AND SCOTT **121**, 4161.
- Pathfinding**
Lazarillo: a neuronal GPI-linked lipocalin:
GANFORNINA, SANCHEZ AND BASTIANI **121**, 123.
- Pattern formation**
a polarising induction: HUTTER AND SCHNABEL **121**, 1559.
adult requirements for *exd*: RAUSKOLB, SMITH, PEIFER AND WIESCHAUS **121**, 3663.
CLV3 regulates meristem development:
CLARK, RUNNING AND MEYEROWITZ **121**, 2057.
dorsalization of the neural tube by non-neural ectoderm: DICKINSON, SELLECK, MCMAHON AND BRONNER-FRASER **121**, 2099.
en, *hh* and *dpp* in *Drosophila* wing development: ZECCA, BASLER AND STRUHL **121**, 2265.
frizzled and pattern formation in *Drosophila* eye: ZHENG, ZHANG AND CARTHEW **121**, 3045.
genetic ablation of petal and stamen primordia:
DAY, GALGOCI AND IRISH **121**, 2887.
head formation in *Hydra*: TECHNAU AND HOLSTEIN **121**, 1273.
homeobox genes and limb regeneration:
GARDINER, BLUMBERG, KOMINE AND BRYANT **121**, 1731.
initiation of the proximodistal axis in insect legs: CAMPBELL AND TOMLINSON **121**, 619.
ld disrupts the SHH/FGF-4 feedback loop:
HARAMIS, BROWN AND ZELLER **121**, 4237.
left-right asymmetry in the *Caenorhabditis* embryo: HUTTER AND SCHNABEL **121**, 3417.
longitudinal organization of the brain:
SHIMAMURA, HARTIGAN, MARTINEZ, PUELIÉS AND RUBENSTEIN **121**, 3923.
mesoderm patterning by FGF: CORNELL, MUSCI AND KIMELMAN **121**, 2429.
Notch and *wingless* in the fly wing:
RULIFSON AND BLAIR **121**, 2813.
Notch1 in somite segmentation: CONLON, REAUME AND ROSSANT **121**, 1533.
organizing activity in the *Drosophila* wing:
DIAZ-BENJUMEA AND COHEN **121**, 4215.
orthodenticle in *Drosophila* head development:
ROYET AND FINKELSTEIN **121**, 3561.
planar polarity in *Drosophila*: WEHRLI AND TOMLINSON **121**, 2451.
proximal-distal pattern in *Drosophila* wings:
NG, DIAZ-BENJUMEA AND COHEN **121**, 589.
regulation of S phase by cyclin E:
RICHARDSON, O'KEEFE, MARTY AND SAINT **121**, 3371.
wnt8 and *wnt8b* expression in zebrafish embryos: KELLY, GREENSTEIN, EREZYILMAZ AND MOON **121**, 1787.
- Patterning**
genetic control of cerebellar patterning:
MILLEN, HUI AND JOYNER **121**, 3935.
- Pax**
proteins and eye development:
MACDONALD, BARTH, XU, HOLDER, MIKKOLA AND WILSON **121**, 3267.
- pax-1**
Hoxa-3⁻ mutant mice: MANLEY AND CAPECCHI **121**, 1989.
- Pax-2**
required for urogenital development:
TORRES, GOMEZ-PARDO, DRESSLER AND GRUSS **121**, 4057.
repression of *Pax-2* by *Wt1*: RYAN, STEELE-PERKINS, MORRIS, RAUSCHER III AND DRESSLER **121**, 867.
- Pax-6**
in eye and nasal development: GRINDLEY, DAVIDSON AND HILL **121**, 1433.
- pax**
wnt8 and *wnt8b* expression in zebrafish embryos: KELLY, GREENSTEIN, EREZYILMAZ AND MOON **121**, 1787.
- PDGF**
in *Xenopus* gastrulation: ATALIOTIS, SYMES, CHOU, HO AND MERCOLA **121**, 3099.
- pebble**
regulation of gene expression in the CNS: CUI AND DOE **121**, 3233.
- pelle kinase**
pelle activation at the plasma membrane:
GALINDO, EDWARDS, GILLESPIE AND WASSERMAN **121**, 2209.
- pelota**
meiotic G₂/M arrest: EBERHART AND WASSERMAN **121**, 3477.
- PepTide YY**
developmental biology of the pancreas:
SLACK **121**, 1569.
- Peri-implantation development**
parthenote stem cell defects: NEWMAN-SMITH AND WERB **121**, 2069.
- Periclinical chimera**
floricaula in single cell layers activates downstream genes: HANTKE, CARPENTER AND COEN **121**, 27.
- Perineurium**
fibroblasts in neurofibromatosis type 1 (NF1): ROSENBAUM, BOISSY, KOMBRINCK, BRANNAN, JENKINS, COPELAND AND RATNER **121**, 3583.
- Periopic mesenchyme**
TGF α induces migration of periopic mesenchymal cells in vivo: RENEKER, SILVERSIDES, PATEL AND OVERBEEK **121**, 1669.
- Peripheral nerve**
periaxin in myelinating Schwann cells:
SCHERER, XU, BANNERMAN, SHERMAN AND BROPHY **121**, 4265.
projections and central neurogenesis:
BECKER, BERLINER, NITABACH, GAN AND MACAGNO **121**, 359.
- Peripheral nervous system**
clonal analysis of *Su(H)*: SCHWEISGUTH **121**, 1875.
neural crest formation in the avian embryo:
SELLECK AND BRONNER-FRASER **121**, 525.
PNS lineages in *Drosophila*: BREWSTER AND BODMER **121**, 2923.
regulatory interactions between *cut* and *poxn*: VERVOORT, ZINK, PUJOL, VICTOIR, DUMONT, GHYSEN AND DAMBLY-CHAUDIERE **121**, 3111.

Perivitelline space

Snake zymogen and activated forms: SMITH, GIORIANO, SCHWARTZ AND DELOTTO 121, 4127.

Permeases

haematopoietic development: GUIMARES, BAZAN, ZLOTNIK, WILES, GRIMALDI, LEE AND MCCLANAHAN 121, 3335.

PG-M

versican localization in barrier tissues: LANDOLT, VAUGHAN, WINTERHALTER AND ZIMMERMANN 121, 2303.

pH regulation

pH_i decrease important for axis formation in *Xenopus*: GUTKNECHT, KOSTER, TERTOOLEN, DE LAAT AND DURSTON 121, 1911.

Phagocytic haemocyte

midline glial cell death: SONNENFELD AND JACOBS 121, 569.

phantastica

control of dorsoventrality in leaves: WAITES AND HUDSON 121, 2143.

Pharyngeal arch

Fgf8 expression in the mouse embryo: CROSSLEY AND MARTIN 121, 439.
FGF-8 isoforms activate FGFR2c, 3c, and 4: MACARTHUR, LAWSHE, XU, SANTOS-OCAMPO, HEIKINHEIMO, CHELLAIAH AND ORNITZ 121, 3603.

Phenotypic marker

transcription factors in sympathetic differentiation: GROVES, GEORGE, TISSIER-SETA, ENGEL, BRUNET AND ANDERSON 121, 887.

Phosphatidylinositol-specific phospholip

LAMP interacts selectively with limbic neurons: ZHUKAREVA AND LEVITT 121, 1161.

Phosphotyrosine

tyrosine phosphatases in axonogenesis: STOKER, GEHRIG, HAJ AND BAY 121, 1833.

Photoreceptor

CNTF promotes photoreceptor development: FUHRMANN, KIRSCH AND HOFMANN 121, 2695.

frizzled and pattern formation in *Drosophila* eye: ZHENG, ZHANG AND CARTHEW 121, 3045.

rhabdomere assembly requires rhodopsin: KUMAR AND READY 121, 4359.

the proneural gene for chordotonal organs and photoreceptors: JARMAN, SUN, JAN AND JAN 121, 2019.

Photosensitivity

neural expression of *ceh-10*: SVENDSEN AND MCGHEE 121, 1253.

Phox2

transcription factors in sympathetic differentiation: GROVES, GEORGE, TISSIER-SETA, ENGEL, BRUNET AND ANDERSON 121, 887.

phylogenetic stage

evolution of the insect CNS: BROADUS AND DOE 121, 3989.

pie-1

the EMS cell's response to induction: GOLDSTEIN 121, 1227.

piebald lethal

downstream effects of *ET-B* deletion: KAPUR, SWEETSER, DOGGETT, SIEBERT AND PALMITER 121, 3787.

pinocchio

radial organisation of the *Arabidopsis* root: SCHERES, DI LAURENZIO, WILLEMSSEN, HAUSER, JANMAAT, WEISBECK AND BENFEY 121, 53.

Pintallavis

mesodermal patterning by *Brachyury* and *Pintallavis*: O'REILLY, SMITH AND CUNLIFFE 121, 1351.

PKC

sulphated proteoglycans in kidney development: DAVIES, LYON, GALLAGHER AND GARROD 121, 1507.

Placenta

α_4 integrin-deficient mice: YANG, RAYBURN AND HYNES 121, 549.
early placental development in mouse embryos: DOWNS AND GARDNER 121, 407.

Hxt is a bHLH regulator of trophoblast: CROSS, FLANNERY, BLANAR, STEINGRIMSSON, JENKINS, COPELAND, RUTTER AND WERB 121, 2513.

VCAM-1-deficient mice: KWEE, BALDWIN, SHEN, STEWART, BUCK, BUCK AND LABOW 121, 489.

Planar polarity

in *Drosophila*: WEHRLI AND TOMLINSON 121, 2451.

Planar signalling

induction of anterior neurectoderm: BLITZ AND CHO 121, 993.

Plasticity

of IGF2 imprinting status: EKSTROM, CUI, LI AND OHLSSON 121, 309.
Wingless function in the leg disc: WILDER AND PERRIMON 121, 477.

Platelet-derived growth factor

astroglial oligodendroglial factors: GARD, BURRELL, PFEIFFER, RUDGE AND WILLIAMS II 121, 2187.
inhibition of PDGF-A translation: SOUZA, KULISZEWSKI, WANG, TSEU, TANSWELL AND POST 121, 2559.

Pleiotrophin

midline and HB-GAM in mouse embryos: MITSIADES, SALMIVIRTA, MURAMATSU, MURAMATSU, RAUVALA, LEHTONEN, JALKANEN AND THESLEFF 121, 37.

PNA

role for PNA-binding molecules in migration of avian trunk neural crest: KRULL, COLLAZO, FRASER AND BRONNER-FRASER 121, 3733.

PNS

neurotrophins affect neurite patterns: TUTTLE AND MATTHEW 121, 1301.

repo and glia function: HALTER, URBAN, RICKERT, NER, ITO, TRAVERS AND TECHNAU 121, 317.

requirements for *E(spl)bHLH* expression: JENNINGS, DE CELIS, DELIDAKIS, PREISS AND BRAY 121, 3745.

role of proneural genes in *Drosophila*: GIANGRANDE 121, 429.

the proneural gene for chordotonal organs and photoreceptors: JARMAN, SUN, JAN AND JAN 121, 2019.

Polarisising region

development of reaggregated mesenchyme: HARDY, RICHARDSON, FRANCIES-WEST, RODRIGUEZ, IZPISUA-

BELMONTE, DUPREZ AND WOLPERT 121, 4329.

Polarity

frizzled and pattern formation in *Drosophila* eye: ZHENG, ZHANG AND CARTHEW 121, 3045.

morphogenetic furrow and polarity in *Drosophila* eye: CHANUT AND HEBERLEIN 121, 4085.

morphogenetic furrow and tissue polarity: MA AND MOSES 121, 2279.

Polarization

calcium channels and the cell cycle in blastomeres: YAZAKI, TOSTI AND DALE 121, 1827.

Polarizing activity

lstr^P limbs contain ectopic ZPA: CHAN, LAUFER, TABIN AND LEDER 121, 1971.
relation of formins to AER and ZPA: CHAN, WYNshaw-BORIS AND LEDER 121, 3151.

Polycomb

function of Polycomb in mice and flies: MULLER, GAUNT AND LAWRENCE 121, 2847.

Polycomb-binding sites in the BX-C: CHIANG, O'CONNOR, PARO, SIMON AND BENDER 121, 1681.

Polycomb

Dlw specifies dorsal wing identity in *Drosophila*: TIONG, NASH AND BENDER 121, 1649.

Polydactyly

in *CRABP-II* mutant mice: FAWCETT, PASCERI, FRASER, COLBERT, ROSSANT AND GIGUERE 121, 671.

polyhomeotic

as a target of engrailed: SERRANO, BROCK, DEMERET, DURA, RANDSHOLT, KORNBERG AND MASCHAT 121, 1691.

Polymerase chain reaction

haematopoietic development: GUIMARES, BAZAN, ZLOTNIK, WILES, GRIMALDI, LEE AND MCCLANAHAN 121, 3335.

Polysialic acid

in the optic pathway: YIN, WATANABE AND RUTISHAUSER 121, 3439.

Polytene chromosome

Drosophila E63 genes: ANDRES AND THUMMEL 121, 2667.

functions of *E74* during *Drosophila* metamorphosis: FLETCHER, BURTIS, HOGNESS AND THUMMEL 121, 1455.

porcupine

Wingless regulation in *Drosophila*: MANOUKIAN, YOFFE, WILDER AND PERRIMON 121, 4037.

Position-effect

su(Hw) protein and dosage compensation: ROSEMAN, SWAN AND GEYER 121, 3573.

Positional information

Arabidopsis gynoecium structure: SESSIONS AND ZAMBRYSKI 121, 1519.

Posterior neuropore

RA and RA receptors in neural tube defects: CHEN, MORRIS-KAY AND COPP 121, 681.

Posterior pattern

FGF and noggin neural induction and patterning: LAMB AND HARLAND 121, 3627.

POU

proximal-distal pattern in *Drosophila* wings:

- NG, DIAZ-BENJUMEA AND COHEN 121, 589.
XIPOU 2 has direct neuralizing activity: WITTA, AGARWAL AND SATO 121, 721.
- poxn**
 regulatory interactions between *cut* and *poxn*: VERVOORT, ZINK, PUJOL, VICTOIR, DUMONT, GHYSEN AND DAMBLY-CHAUDIERE 121, 3111.
- pRb**
 in regulation of N-myc expression by TGF- β : SERRA AND MOSES 121, 3057.
- Preimplantation development**
 CSF-1 and preimplantation development: BHATNAGAR, PAPAIOANNOU AND BIGGERS 121, 1333.
 EGF, TGF- α and EGFR in human embryos: CHIA, WINSTON AND HANDYSIDE 121, 299.
 two CDC25 homologues: WICKRAMASINGHE, BECKER, ERNST, RESNICK, CENTANNI, TESSAROLLO, GRABEL AND DONOVAN 121, 2047.
- prickle**
 components of the *frizzled* signaling pathway: KRASNOW, WONG AND ADLER 121, 4095.
- Primary mesenchyme**
 dynamics of thin filopodia during sea urchin gastrulation: MILLER, FRASER AND MCCLAY 121, 2501.
- Primary motoneuron**
 LIM homeobox genes and motoneuronal fate: APPEL, KORZH, GLASGOW, THOR, EDLUND, DAWID AND EISEN 121, 4117.
- Primitive endoderm**
 GATA-4 and endoderm differentiation: SOUDAIS, BIELINSKA, HEIKINHEIMO, MACARTHUR, NARITA, SAFFITZ, SIMON, LEIDEN AND WILSON 121, 3877.
- Primitive streak**
 cDNA libraries from gastrulating mouse embryos: HARRISON, DUNWOODIE, ARKELL, LEHRACH AND BEDDINGTON 121, 2479.
 HGF/SF and chick neural induction: STREIT, STERN, THERY, IRELAND, APARICIO, SHARPE AND GHERARDI 121, 813.
 mesoderm production in mice: FAUST, SCHUMACHER, HOLDENER AND MAGNUSON 121, 273.
- Primordial germ cell**
 alkaline phosphatase and PGCs: MACGREGOR, ZAMBROWICZ AND SORIANO 121, 1487.
 LIFR mutation results in perinatal death: WARE, HOROWITZ, RENSHAW, HUNT, LIGGITT, KOBLAR, GLINIAK, MCKENNA, PAPAYANNOPOULOU, THOMA, CHENG, DONOVAN, PESCHON, BARTLETT, WILLIS 121, 1283.
 migration of *Drosophila* primordial germ cells: JAGLARZ AND HOWARD 121, 3495.
- Primordium**
 meristem development in lateral roots: LASKOWSKI, WILLIAMS, NUSBAUM AND SUSSEX 121, 3303.
- proboscipedia**
 regulatory sequences of *proboscipedia*: KAPOUN AND KAUFMAN 121, 2127.
- Procambium**
Arabidopsis Athb-8 expression in procambial cells: BAIMA, NOBILI, SESSA, LUCCHETTI, RUBERTI AND MORELLI 121, 4171.
- Programmed cell death**
 apoptotic death in lurcher Purkinje cells: NORMAN, FENG, CHENG, GUBBAY, CHAN AND HEINTZ 121, 1183.
- Proliferation**
 adult morphogenesis in *Drosophila*: WEAVER AND WHITE 121, 4149.
 Wingless function in the leg disc: WILDER AND PERRIMON 121, 477.
- Promoter**
 CNS- and PNS-specific subelements of pan-neuronal enhancers: EMERY AND BIER 121, 3549.
 demethylation of a muscle-specific transgene: GRIESHAMMER, MCGREW AND ROSENTHAL 121, 2245.
 endothelial specific promoter: SCHLAEGER, QIN, FUJIWARA, MAGRAM AND SATO 121, 1089.
 plasticity of IGF2 imprinting status: EKSTROM, CUI, LI AND OHLSSON 121, 309.
- Promoter-specificity**
 regulatory sequences of *proboscipedia*: KAPOUN AND KAUFMAN 121, 2127.
- Proneural clusters**
Serrate activates *Notch*: GU, HUKRIEDE AND FLEMING 121, 855.
- Proneural gene**
 role of proneural genes in *Drosophila*: GIANGRANDE 121, 429.
 the proneural gene for chordotonal organs and photoreceptors: JARMAN, SUN, JAN AND JAN 121, 2019.
- Prosencephalon**
 longitudinal organization of the brain: SHIMAMURA, HARTIGAN, MARTINEZ, PUELLES AND RUBENSTEIN 121, 3923.
- prospero**
 cortical localization of pros at mitosis: SPANA AND DOE 121, 3187.
- prospero**
 evolution of the insect CNS: BROADUS AND DOE 121, 3989.
- Prostate**
 prostatic induction by seminal vesicle: DONJACOUR AND CUNHA 121, 2199.
- Protein**
 translational control of *Xenopus* FGF receptor: ROBBIE, PETERSON, AMAYA AND MUSCI 121, 1775.
 XDCoH the cofactor of LFB1 in *Xenopus*: POGGE V. STRANDMANN AND RYFFEL 121, 1217.
- Protein kinase**
Drosophila *lats* gene encodes a putative protein kinase: XU, WANG, ZHANG, STEWART AND YU 121, 1053.
ptc overexpression in wing discs: JOHNSON, GRENIER AND SCOTT 121, 4161.
 regulation of mouse sperm capacitation: VISCONTI, MOORE, BAILEY, LECLERC, CONNORS, PAN, OLDS-CLARKE AND KOPF 121, 1139.
- Protein processing**
 neural patterning by hedgehog: LAI, EKKER, BEACHY AND MOON 121, 2349.
- Proteoglycan**
dally, a putative integral membrane proteoglycan, affects cell division: NAKATO, FUTCH AND SELLECK 121, 3687.
- Proximal-distal axis**
 role of *fg* in proximal-distal growth: VILLANO AND KATZ 121, 2767.
- Proximal-distal pattern**
 in *Drosophila* wings: NG, DIAZ-BENJUMEA AND COHEN 121, 589.
- PS integrin**
 genetic analysis of α ps1: BROWER, BUNCH, MUKAI, ADAMSON, WEHRLI, LAM, FRIEDLANDER, ROOTE AND ZUSMAN 121, 1311.
- PTH/PTHrP receptor**
 PTHrP impairs breast development: WYSOLMERSKI, MCCAUGHEN-CARUCCI, DAIFOTIS, BROADUS AND PHILBRICK 121, 3539.
- Purkinje cell**
 apoptotic death in lurcher Purkinje cells: NORMAN, FENG, CHENG, GUBBAY, CHAN AND HEINTZ 121, 1183.
- Purkinje fiber**
 heart Purkinje fiber differentiation: GOURDIE, MIMA, THOMPSON AND MIKAWA 121, 1423.
- Quail embryo**
 neural crest formation in the avian embryo: SELLECK AND BRONNER-FRASER 121, 525.
- Quiescent center**
 maintenance of the quiescent center: KERK AND FELDMAN 121, 2825.
- Rac**
Drosophila Rac genes: HARDEN, LOH, CHIA AND LIM 121, 903.
- Radial glia**
 axonal guidance in chick retina: STIER AND SCHLOSSHAUER 121, 1443.
 epigenetic control of BLBP transcription: FENG AND HEINTZ 121, 1719.
 neuronal migration in the cerebral cortex: O'ROURKE, SULLIVAN, KAZNOWSKI, JACOBS AND MCCONNELL 121, 2165.
- Radial pattern**
 organisation of the *Arabidopsis* root: SCHERES, DI LAURENZIO, WILLEMSSEN, HAUSER, JANMAAT, WEISBECK AND BENFEY 121, 53.
- Radish**
 meristem development in lateral roots: LASKOWSKI, WILLIAMS, NUSBAUM AND SUSSEX 121, 3303.
- Raphanus sativus**
 meristem development in lateral roots: LASKOWSKI, WILLIAMS, NUSBAUM AND SUSSEX 121, 3303.
- ras**
 fibroblasts in neurofibromatosis type 1 (NF1): ROSENBAUM, BOISSY, KOMBRINCK, BRANNAN, JENKINS, COPELAND AND RATNER 121, 3583.
- Ras pathway**
seven-up requires Ras activation: BEGEMANN, MICHON, VOORN, WEPF AND MLODZIK 121, 225.
- ras**
Caenorhabditis meiotic progression: CHURCH, GUAN AND LAMBIE 121, 2525.
- Rat**
 astroglial oligodendroglial factors:

- GARD, BURRELL, PFEIFFER, RUDGE AND WILLIAMS II 121, 2187.
- BDNF regulation by GABA: BERNINGER, MARTY, ZAFRA, DA PENHA BERZAGHI, THOENEN AND LINDHOLM 121, 2327.
- cell commitment in kidney development: QIAO, COHEN AND HERZLINGER 121, 3207.
- control of cortical neuronal phenotype: FERRI AND LEVITT 121, 1151.
- Hxt is a bHLH regulator of trophoblast: CROSS, FLANNERY, BLANAR, STEINGRIMSSON, JENKINS, COPELAND, RUTTER AND WERB 121, 2513.
- ligands of thyroid receptors induce cones: KELLEY, TURNER AND REH 121, 3777.
- NPY expression and cell lineage: HALL AND MACPHERDAN 121, 2361.
- periaxin in myelinating Schwann cells: SCHERER, XU, BANNERMAN, SHERMAN AND BROPHY 121, 4265.
- prostatic induction by seminal vesicle: DONJACOUR AND CUNHA 121, 2199.
- regionalization of mammalian forebrain: FISHELL 121, 803.
- TBP, TFIIIB, and pol II in spermatids: SCHMIDT AND SCHIBLER 121, 2373.
- Rat lung**
- inhibition of PDGF-A translation: SOUZA, KULISZEWSKI, WANG, TSEU, TANSWELL AND POST 121, 2559.
- RBP-J κ**
- gene knock-out mice: OKA, NAKANO, WAKEHAM, LUIS DE LA POMPA, MORI, SAKAI, OKAZAKI, KAWACHI, SHIOTA, MAK AND HONJO 121, 3291.
- Rb**
- pRb in regulation of N-myc expression by TGF- β : SERRA AND MOSES 121, 3057.
- reaper**
- midline glial cell death: SONNENFELD AND JACOBS 121, 569.
- Receptor**
- FGF in lens development: CHOW, ROUX, ROGHANI, PALMER, RIFKIN, MOSCATELLI AND LANG 121, 4383.
- IP3 and ryanodine receptors in bovine oocytes: YUE, WHITE, REED AND BUNCH 121, 2645.
- Recombinant explants**
- anteroposterior specification in the CNS: COX AND HEMMATI-BRIVANLOU 121, 4349.
- Regeneration**
- head activator signal transduction: GALLIOT, WELSCHOF, SCHUCKERT, HOFFMEISTER AND SCHALLER 121, 1205.
- head formation in *Hydra*: TECHNAN AND HOLSTEIN 121, 1273.
- msx* genes and zebrafish fin regeneration: AKIMENKO, JOHNSON, WESTERFIELD AND EKKER 121, 347.
- neural crest regeneration: SECHRIST, NIETO, ZAMANIAN AND BRONNER-FRASER 121, 4103.
- RA in regenerating limb blastema: VIVIANO, HORTON, MADEN AND BROCKES 121, 3753.
- the *Xenopus laevis* tail-forming region: TUCKER AND SLACK 121, 249.
- Regionalization**
- of mammalian forebrain: FISHELL 121, 803.
- Regions**
- chromatin maturation in mouse embryos: THOMPSON, LEGOUY, CHRISTIANS AND RENARD 121, 3425.
- Regulation**
- polyhomeotic as a target of engrailed: SERRANO, BROCK, DEMERET, DURA, RANDSHOLT, KORNBERG AND MASCHAT 121, 1691.
- Regulatory hierarchy**
- sequential gene activation by ecdysone: HUET, RUIZ AND RICHARDS 121, 1195.
- rel protein**
- pelle activation at the plasma membrane: GALINDO, EDWARDS, GILLESPIE AND WASSERMAN 121, 2209.
- Renal stem cell**
- cell commitment in kidney development: QIAO, COHEN AND HERZLINGER 121, 3207.
- repo**
- and glia function: HALTER, URBAN, RICKERT, NER, ITO, TRAVERS AND TECHNAU 121, 317.
- Repression**
- regulation of a gap gene stripe: MARGOLIS, BOROWSKY, STEINGRIMSSON, SHIM, LENGUEL AND POSAKONY 121, 3067.
- Resurrector mutant**
- mitotic delay dependent survival: RUDEN AND JACKLE 121, 63.
- Retina**
- axonal guidance in chick retina: STIER AND SCHLOSSHAUER 121, 1443.
- integrin $\alpha\beta_1$ in developing retina: BRADSHAW, MCNAGNY, GERVIN, CANN, GRAF AND CLEGG 121, 3593.
- retinal determination by Notch selection: AUSTIN, FELDMAN, IDA JR. AND CEPKO 121, 3637.
- zebrafish neural fate maps: WOO AND FRASER 121, 2595.
- Retinal ganglion cells**
- development of ganglion cell subsets: YAMAGATA AND SANES 121, 3763.
- Retinoic acid**
- alters hindbrain crest cell migration: LEE, OSUMI-YAMASHITA, NINOMIYA, MOON, ERIKSSON AND ETO 121, 825.
- and RA receptors in neural tube defects: CHEN, MORRIS-KAY AND COPP 121, 681.
- ascidian labial group Hox gene: KATSUYAMA, WADA, YASUGI AND SAIGA 121, 3197.
- CRABPI and CRABPII knockout: LAMPRON, ROCHETTE-EGLY, GORRY, DOLLE, MARK, LUFKIN, LEMEURE AND CHAMON 121, 539.
- homeobox genes and limb regeneration: GARDINER, BLUMBERG, KOMINE AND BRYANT 121, 1731.
- Hox gene enhancers in mice and *Drosophila*: FRASCH, CHEN AND LUFKIN 121, 957.
- ligands of thyroid receptors induce cones: KELLEY, TURNER AND REH 121, 3777.
- midline and HB-GAM in mouse embryos: MITSIDIS, SALMIVIRTA, MURAMATSU, RAUVALA, LEHTONEN, JALKANEN AND THESLEFF 121, 37.
- polydactyly in *CRABP-II* mutant mice: FAWCETT, PASCERI, FRASER, COLBERT, ROSSANT AND GIGUERE 121, 671.
- resistance to RA induced limb defects in *RXR α* ^{-/-} mice: SUCOV, IZPISUA-BELMONTE, GANAN AND EVANS 121, 3997.
- Retinoic acid receptor**
- RA and RA receptors in neural tube defects: CHEN, MORRIS-KAY AND COPP 121, 681.
- Retinoid**
- RA in regenerating limb blastema: VIVIANO, HORTON, MADEN AND BROCKES 121, 3753.
- Retinotectal**
- development of ganglion cell subsets: YAMAGATA AND SANES 121, 3763.
- retinotectal interactions in vitro: YAMAGATA AND SANES 121, 189.
- timing of topographic cues: CHIEN, CORNEL AND HOLT 121, 2621.
- Retrovirus**
- heart Purkinje fiber differentiation: GOURDIE, MIMA, THOMPSON AND MIKAWA 121, 1423.
- submucosal gland development and morphogenesis: ENGELHARDT, SCHLOSSBERG AND YANKASKAS AND DUDUS 121, 2031.
- Reverse-transcriptase**
- desmocollin expression in mouse embryo: COLLINS, LORIMER, GARROD, PIDSLEY, BUXTON AND FLEMING 121, 743.
- REVOLUTA**
- meristem development in *Arabidopsis*: TALBERT, ADLER, PARKS AND COMAI 121, 2723.
- Rhabdomere**
- assembly requires rhodopsin: KUMAR AND READY 121, 4359.
- Rhodopsin**
- rhabdomere assembly requires rhodopsin: KUMAR AND READY 121, 4359.
- rhomboid**
- genetic hierarchy of *Drosophila* wing vein development: STURTEVANT AND BIER 121, 785.
- midline glial cell death: SONNENFELD AND JACOBS 121, 569.
- Rhombomere**
- FGF-3 in chick development: MAHMOOD, KIEFER, GUTHRIE, DICKSON AND MASON 121, 1399.
- neural crest cell migration: BIRGBAUER, SECHRIST, BRONNER-FRASER AND FRASER 121, 935.
- plasticity of transposed rhombomeres: GRAPIN-BOTTON, BONNIN, MCNAUGHTON, KRUMLAUF AND LE DOUARIN 121, 2707.
- Sek-1* and segmental patterning: XU, ALLDUS, HOLDER AND WILKINSON 121, 4005.
- Rib**
- MRF4 disruption causes myotome and rib defects: PATAPOUTIAN, YOON, MINER, WANG, STARK AND WOLD 121, 3347.
- RNA**
- regulation of dosage compensation: BASHAW AND BAKER 121, 3245.
- RNA binding protein**
- translational control of *Xenopus* FGF receptor:

- ROBBIE, PETERSON, AMAYA AND MUSCI **121**, 1775.
- RNA localization**
eggshell defects and bicaudal embryos: RITTENHOUSE AND BERG **121**, 3023.
two pathways for vegetal localization: KLOC AND ETKIN **121**, 287.
- RNA polymerase II**
TBP, TFIIB, and pol II in spermatids: SCHMIDT AND SCHIBLER **121**, 2373.
- RNA secondary structure**
K10 mRNA localization: SERANO AND COHEN **121**, 3809.
- RNA-binding protein**
Caenorhabditis dosage compensation: HSU, CHUANG AND MEYER **121**, 3323.
pattern in noggin-induced neural tissue: KNECHT, GOOD, DAWID AND HARLAND **121**, 1927.
- RNase protection**
coordinate expression of the zona genes: EPIFANO, LIANG, FAMILARI, MOOS JR. AND DEAN **121**, 1947.
expression of *Sry*: HACKER, CAPEL, GOODFELLOW AND LOVELL-BADGE **121**, 1603.
- rolling stone gene**
myoblast fusion and *rost* gene expression in *Drosophila*: PAULULAT, BURCHARD AND RENKAWITZ-POHL **121**, 2611.
- Root development**
conditional root expansion mutants: HAUSER, MORIKAMI AND BENFEY **121**, 1237.
maintenance of the quiescent center: KERK AND FELDMAN **121**, 2825.
- Root meristem**
radial organisation of the *Arabidopsis* root: SCHERES, DI LAURENZIO, WILLEMSSEN, HAUSER, JANMAAT, WEISBEEK AND BENFEY **121**, 53.
- rough**
seven-up function and ras signaling: KRAMER, WEST AND HIROMI **121**, 1361.
- RT-PCR**
EGF, TGF- α and EGFR in human embryos: CHIA, WINSTON AND HANDYSIDE **121**, 299.
- runt**
regulation of *fz* by *runt* and *hairy*: TSAI AND GERGEN **121**, 453.
- RXR**
resistance to RA induced limb defects in *RXR α* ^{-/-} mice: SUCOV, IZPISUA-BELMONTE, GANAN AND EVANS **121**, 3997.
- Ryanodine**
IP3 and ryanodine receptors in bovine oocytes: YUE, WHITE, REED AND BUNCH **121**, 2645.
mouse egg activation: AYABE, KOPF AND SCHULTZ **121**, 2233.
- Ryanodine receptor**
mouse egg activation: AYABE, KOPF AND SCHULTZ **121**, 2233.
- S phase**
cell cycle dependence of *eve* expression: WEIGMANN AND LEHNER **121**, 3713.
regulation of S phase by cyclin E: RICHARDSON, O'KEEFE, MARTY AND SAINT **121**, 3371.
- Salivary gland imaginal ring**
role of *Aw* in imaginal development: CURTISS AND HEILIG **121**, 3819.
- Scaffold attachment**
chromatin maturation in mouse embryos: THOMPSON, LEGOUY, CHRISTIANS AND RENARD **121**, 3425.
- scarecrow**
radial organisation of the *Arabidopsis* root: SCHERES, DI LAURENZIO, WILLEMSSEN, HAUSER, JANMAAT, WEISBEEK AND BENFEY **121**, 53.
- SCF**
immortal mouse melanoblasts: SVIDERSKAYA, WAKELING AND BENNETT **121**, 1547.
- SCG10**
transcription factors in sympathetic differentiation: GROVES, GEORGE, TISSIER-SETA, ENGEL, BRUNET AND ANDERSON **121**, 887.
- Schistocerca**
evolution of the insect CNS: BROADUS AND DOE **121**, 3989.
- Schwann cell**
fibroblasts in neurofibromatosis type I (NF1): ROSENBAUM, BOISSY, KOMBRINCK, BRANNAN, JENKINS, COPELAND AND RATNER **121**, 3583.
periaxin in myelinating Schwann cells: SCHERER, XU, BANNERMAN, SHERMAN AND BROPHY **121**, 4265.
- Scleraxis**
and skeletal formation in mouse: CSERJESI, BROWN, LIGON, LYONS, COPELAND, GILBERT, JENKINS AND OLSON **121**, 1099.
- Sclerotome**
NT-3 and dermis development: BRILL, KAHANE, CARMELI, VON SCHACK, BARDE AND KALCHEIM **121**, 2583.
scleraxis and skeletal formation in mouse: CSERJESI, BROWN, LIGON, LYONS, COPELAND, GILBERT, JENKINS AND OLSON **121**, 1099.
- scratch (scrt)**
CNS- and PNS-specific subelements of pan-neuronal enhancers: EMERY AND BIER **121**, 3549.
- Sea urchin**
calcium channels and the cell cycle in blastomeres: YAZAKI, TOSTI AND DALE **121**, 1827.
dynamics of thin filopodia during sea urchin gastrulation: MILLER, FRASER AND MCCLAY **121**, 2501.
ectoderm differentiation in sea urchins: WIKRAMANAYAKE, BRANDHORST AND KLEIN **121**, 1497.
how do sea urchins invaginate: DAVIDSON, KOEHL, KELLER AND OSTER **121**, 2005.
T gene expression: HARADA, YASUO AND SATOH **121**, 2747.
tektin mRNA and cilia length in sea urchins: NORRANDER, LINCK AND STEPHENS **121**, 1615.
vegetal plate specification in sea urchins: RANSICK AND DAVIDSON **121**, 3215.
- Sea urchin gene regulation**
spatial gene regulation by Zn finger factor: WANG, KIRCHHAMER, BRITTEN AND DAVIDSON **121**, 1111.
- Secondary mesenchyme**
dynamics of thin filopodia during sea urchin gastrulation: MILLER, FRASER AND MCCLAY **121**, 2501.
- Secondary mesenchyme founder cells**
sea urchin *T* gene expression: HARADA, YASUO AND SATOH **121**, 2747.
- Seed dormancy**
late embryo development in *Arabidopsis*: NAMBARA, KEITH, MCCOURT AND NAITO **121**, 629.
- Segment identity**
Hox genes and segment identity: CASTELLI-GAIR AND AKAM **121**, 2973.
Hox genes and vertebral transposition: BURKE, NELSON, MORGAN AND TABIN **121**, 333.
- Segment polarity gene**
hedgehog in *Drosophila* imaginal discs: FELSENFELD AND KENNISON **121**, 1.
ptc overexpression in wing discs: JOHNSON, GRENIER AND SCOTT **121**, 4161.
regulation of the *ci* gene: SCHWARTZ, LOCKE, NISHIDA AND KORNBERG **121**, 1625.
Wingless regulation in *Drosophila*: MANOUKIAN, YOFFE, WILDER AND PERRIMON **121**, 4037.
- Segmentation**
caudal regulation and function: SCHULZ AND TAUTZ **121**, 1023.
eve as a morphogen for single cell rows: FUJIOKA, JAYNES AND **121**, 4371.
hunchback expression in *Tribolium*: WOLF, SOMMER, SCHRODER, GLASER AND TAUTZ **121**, 4227.
neurogenic sublineage required for CNS segmentation in Annelids: RAMIREZ, WEDEEN, STUART, LANS AND WEISBLAT **121**, 2091.
Notch1 in somite segmentation: CONLON, REAUME AND ROSSANT **121**, 1533.
regulation of a gap gene stripe: MARGOLIS, BOROWSKY, STEINGRIMSSON, SHIM, LENGUEL AND POSAKONY **121**, 3067.
Sek-1 and segmental patterning: XU, ALLDUS, HOLDER AND WILKINSON **121**, 4005.
- Sek-1**
and segmental patterning: XU, ALLDUS, HOLDER AND WILKINSON **121**, 4005.
- Sensory ganglia**
truncated trkB in the developing chick: BIFFO, OFFENHAUSER, CARTER AND BARDE **121**, 2461.
- Sensory interneurons**
neural expression of *ceh-10*: SVENDSEN AND MCGHEE **121**, 1253.
- Sensory neuron**
PNS lineages in *Drosophila*: BREWSTER AND BODMER **121**, 2923.
sensory deficiencies in *trk* double mutant mice: MINICHELLO, PIEHL, VAZQUEZ, SCHIMMANG, HOKFELT, REPRESA AND KLEIN **121**, 4067.
- Sequence conservation**
sea urchin *T* gene expression: HARADA, YASUO AND SATOH **121**, 2747.
- Serial transplantation**
chimerism with mouse male fetal germ cells: KATO AND TSUNODA **121**, 779.
- Serine proteases**
Snake zymogen and activated forms: SMITH, GIORDANO, SCHWARTZ AND DELOTTO **121**, 4127.
- Serrate**
organizing activity in the *Drosophila* wing:

- DIAZ-BENJUMEA AND COHEN **121**, 4215.
- Serrate**
activates *Notch*: GU, HUKRIEDE AND FLEMING **121**, 855.
- seven-up**
evolution of the insect CNS: BROADUS AND DOE **121**, 3989.
requires Ras activation: BEGEMANN, MICHON, VOORN, WEPF AND MLODZIK **121**, 225.
- sevenless**
seven-up function and ras signaling: KRAMER, WEST AND HIROMI **121**, 1361.
- Sex determination**
a sex-specific number of germ cells in embryos: POIRIE, NIEDERER AND STEINMANN-ZWICKY **121**, 1867.
dual hermaphrodite role in *Drosophila*: PULTZ AND BAKER **121**, 99.
expression of *Sry*: HACKER, CAPEL, GOODFELLOW AND LOVELL-BADGE **121**, 1603.
soma-germline interactions in oogenesis: NAGOSHI, PATTON, BAE AND GEYER **121**, 579.
TRA-2A directs hermaphrodite development: KUWABARA AND KIMBLE **121**, 2995.
- Sex specification**
regulation of dosage compensation: BASHAW AND BAKER **121**, 3245.
- Sex-specific splicing**
vir is a regulator of *Sxl* in *Drosophila*: HILFIKER, AMREIN, DUBENDORFER, SCHNEITER AND NOTHIGER **121**, 4017.
- Sexual development**
abnormal MOL genesis in *fruitless* flies: TAYLOR AND KNITTEL **121**, 3079.
- Sexual dimorphism**
a sex-specific number of germ cells in embryos: POIRIE, NIEDERER AND STEINMANN-ZWICKY **121**, 1867.
- Sexual organ**
peripheral projections and central neurogenesis: BECKER, BERLINER, NITABACH, GAN AND MACAGNO **121**, 359.
- SHH**
ld disrupts the SHH/FGF-4 feedback loop: HARAMIS, BROWN AND ZELLER **121**, 4237.
- Shh peptides**
in chick and mouse embryo: MARTI, TAKADA, BUMCROT, SASAKI AND MCMAHON **121**, 2537.
- shh**
development of reaggregated mesenchyme: HARDY, RICHARDSON, FRANCIES-WEST, RODRIGUEZ, IZPISUA-BELMONTE, DUPREZ AND WOLPERT **121**, 4329.
relation of formins to AER and ZPA: CHAN, WYNshaw-BORIS AND LEDER **121**, 3151.
signalling during gut development: ROBERTS, JOHNSON, BURKE, NELSON, MORGAN AND TABIN **121**, 3163.
- Shoot apical meristem**
late embryo development in *Arabidopsis*: NAMBARA, KEITH, MCCOURT AND NAITO **121**, 629.
- Shoot meristem**
CLV3 regulates meristem development: CLARK, RUNNING AND MEYEROWITZ **121**, 2057.
- Short germ band embryo**
hunchback expression in *Tribolium*: WOLF, SOMMER, SCHRODER, GLASER AND TAUTZ **121**, 4227.
- shortroot**
radial organisation of the *Arabidopsis* root: SCHERES, DI LAURENZIO, WILLEMSSEN, HAUSER, JANMAAT, WEISBEEK AND BENFEY **121**, 53.
- Sialyl Lewis x**
carbohydrate involvement in B cell development: MASTELLER, LARSEN, CARLSON, PICKEL, NICKOLOFF, LOWE, THOMPSON AND LEE **121**, 1657.
- Signal transduction**
components of the *frizzled* signaling pathway: KRASNOW, WONG AND ADLER **121**, 4095.
MAP kinase in *Xenopus* mesoderm induction and axial patterning: LABONNE, BURKE AND WHITMAN **121**, 1475.
pelle activation at the plasma membrane: GALINDO, EDWARDS, GILLESPIE AND WASSERMAN **121**, 2209.
- Signaling**
ptc overexpression in wing discs: JOHNSON, GRENIER AND SCOTT **121**, 4161.
- Silencer**
epigenetic control of BLBP transcription: FENG AND HEINTZ **121**, 1719.
- sine oculis**
mouse eye homeobox gene: OLIVER, MAILHOS, WEHR, COPELAND, JENKINS AND GRUSS **121**, 4045.
- single-minded**
brain development in *Drosophila*: THERIANOS, LEUZINGER, HIRTH, GOODMAN AND REICHERT **121**, 3849.
neurogenic genes control *l'sc* and mesectoderm: MARTIN-BERMUDO, CARMENA AND JIMENEZ **121**, 219.
- Situs inversus**
cardiac left-right development: DANOS AND YOST **121**, 1467.
- Skeletal formation**
scleraxis and skeletal formation in mouse: CSERJESI, BROWN, LIGON, LYONS, COPELAND, GILBERT, JENKINS AND OLSON **121**, 1099.
- Skeletogenic lineage**
Cis-regulatory control of the *SM50* gene: MAKABE, KIRCHHAMER, BRITTEN AND DAVIDSON **121**, 1957.
- Skeleton**
goosecoid -null mice: RIVERA-PEREZ, MALLO, GENDRON-MAGUIRE, GRIDLEY AND BEHRINGER **121**, 3005.
- slit**
midline glial cell death: SONNENFELD AND JACOBS **121**, 569.
- Slug**
neural crest regeneration: SECHRIST, NIETO, ZAMANIAN AND BRONNER-FRASER **121**, 4103.
- SM50 gene**
Cis-regulatory control of the *SM50* gene: MAKABE, KIRCHHAMER, BRITTEN AND DAVIDSON **121**, 1957.
- Small eye**
Pax-6 in eye and nasal development: GRINDLEY, DAVIDSON AND HILL **121**, 1433.
- Small GTP-binding protein**
Drosophila Rac genes: HARDEN, LOH, CHIA AND LIM **121**, 903.
- snail1**
wnt8 and *wnt8b* expression in zebrafish embryos: KELLY, GREENSTEIN, EREZYILMAZ AND MOON **121**, 1787.
- snail (sna)**
CNS- and PNS-specific subelements of pan-neural enhancers: EMERY AND BIER **121**, 3549.
- Snake**
zymogen and activated forms: SMITH, GIORDANO, SCHWARTZ AND DELOTTO **121**, 4127.
- snRNPs**
biogenesis of the coiled body: FERREIRA AND CARMO-FONSECA **121**, 601.
- Somatostatin**
developmental biology of the pancreas: SLACK **121**, 1569.
- Somite**
induction in chick Hensen's node: STOREY, SELLECK AND STERN **121**, 417.
Notch1 in somite segmentation: CONLON, REAUME AND ROSSANT **121**, 1533.
NT-3 and dermis development: BRILL, KAHANE, CARMELI, VON SCHACK, BARDE AND KALCHEIM **121**, 2583.
paraxial mesoderm myogenic induction: STERN, BROWN AND HAUSCHKA **121**, 3675.
RBP-Jκ gene knock-out mice: OKA, NAKANO, WAKEHAM, LUIS DE LA POMPA, MORI, SAKAI, OKAZAKI, KAWAICHI, SHIOTA, MAK AND HONJO **121**, 3291.
role for PNA-binding molecules in migration of avian trunk neural crest: KRULL, COLLAZO, FRASER AND BRONNER-FRASER **121**, 3733.
scleraxis and skeletal formation in mouse: CSERJESI, BROWN, LIGON, LYONS, COPELAND, GILBERT, JENKINS AND OLSON **121**, 1099.
- Somite graft**
in ovo mouse somite transplantation: FONTAINE-PERUS, JARNO, FOURNIER LE RAY, LI AND PAULIN **121**, 1705.
- Somitogenesis**
axial tissues induce myogenic bHLH genes: MUNSTERBERG AND LASSAR **121**, 651.
mouse delta-like gene: BETTENHAUSEN, HRABE DE ANGELIS, SIMON, GUENET AND GOSSLER **121**, 2407.
- Somitomere**
somitomere and neural crest cells: TRAINOR AND TAM **121**, 2569.
- Sonic hedgehog**
signalling during gut development: ROBERTS, JOHNSON, BURKE, NELSON, MORGAN AND TABIN **121**, 3163.
- spadetail**
wnt8 and *wnt8b* expression in zebrafish embryos: KELLY, GREENSTEIN, EREZYILMAZ AND MOON **121**, 1787.
- spaghetti squash**
myosin II in oogenesis and early cleavage:

- WHEATLEY, KULKARNI AND KARESS 121, 1937.
- Spatial pattern**
neural patterning by hedgehog: LAI, EKKER, BEACHY AND MOON 121, 2349.
tissue progenitors in zebrafish gastrula: SHIH AND FRASER 121, 2755.
- Spec genes**
ectoderm differentiation in sea urchins: WIKRAMANAYAKE, BRANDHORST AND KLEIN 121, 1497.
- Spemann organizer**
homeobox control of Spemann organizer: ZARAISKY, ECOCHARD, KAZANSKAYA, LUKYANOV, FESENKO AND DUPRAT 121, 3839.
induction of anterior neuroectoderm: BLITZ AND CHO 121, 993.
regulation of axial pattern by Xgsk-3: PIERCE AND KIMELMAN 121, 755.
- Sperm**
mouse sperm capacitation: VISCONTI, BAILEY, MOORE, PAN, OLDS-CLARKE AND KOPF 121, 1129.
nuclear Ca^{2+} -releasing activity in embryos: KONO, CARROLL, SWANN AND WHITTINGHAM 121, 1123.
regulation of mouse sperm capacitation: VISCONTI, MOORE, BAILEY, LECLERC, CONNORS, PAN, OLDS-CLARKE AND KOPF 121, 1139.
- Spermatid**
sperm injection: KIMURA AND YANAGIMACHI 121, 2397.
- Spermatogenesis**
Hoxa 11 structure, expression and function in fertility: HSIEH-LI, WITTE, WEINSTEIN, BRANFORD, LI, SMALL AND POTTER 121, 1373.
pelota meiotic G₂/M arrest: EBERHART AND WASSERMAN 121, 3477.
transcriptional repression in germ cells: O'NEILL AND ARTZT 121, 561.
- Spermatogenic cell**
sperm injection: KIMURA AND YANAGIMACHI 121, 2397.
- Spermatozoa**
sperm injection: KIMURA AND YANAGIMACHI 121, 2397.
- Spermiogenesis**
TBP, TFIIIB, and pol II in spermatids: SCHMIDT AND SCHIBLER 121, 2373.
- Spina bifida**
RA and RA receptors in neural tube defects: CHEN, MORRIS-KAY AND COPP 121, 681.
- Spinal cord**
dorsalization of the neural tube by non-neural ectoderm: DICKINSON, SELLECK, MCMAHON AND BRONNER-FRASER 121, 2099.
oligodendrocyte development in chick spinal cord: ONO, BANSAL, PAYNE, RUTISHAUSER AND MILLER 121, 1743.
RA and RA receptors in neural tube defects: CHEN, MORRIS-KAY AND COPP 121, 681.
- Spiny legs**
fizzled and pattern formation in *Drosophila* eye: ZHENG, ZHANG AND CARTHEW 121, 3045.
- Spiralians**
spiral cell fate specification: MARTINDALE AND HENRY 121, 3175.
- spire**
gratuitous localization of *K10* mRNA: SERANO AND COHEN 121, 3013.
- spotch**
connective tissue homeobox genes: OLIVER, WEHR, JENKINS, COPELAND, CHEYETTE, HARTENSTEIN, ZIPURSKY AND GRUSS 121, 693.
- Sry**
expression of *Sry*: HACKER, CAPEL, GOODFELLOW AND LOVELL-BADGE 121, 1603.
- Ssml**
transgene methylation in embryos and ES cells: WENG, MAGNUSON AND STORB 121, 2853.
- staggerer**
multiple cell cycle events precede target-related neuronal death: HERRUP AND BUSSE 121, 2385.
- Steel factor**
roles of SIF in melanocyte dispersal and survival: WEHRLE-HALLER AND WESTON 121, 731.
- Stem cell**
Drosophila ovarian follicle stem cells: MARGOLIS AND SPRADLING 121, 3797.
parthenote stem cell defects: NEWMAN-SMITH AND WERB 121, 2069.
role of *Drosophila* Bag of marbles protein: MCKEARIN AND OHLSTEIN 121, 2937.
- Stem cell proliferation**
activation of neuroblast proliferation: DATTA 121, 1173.
- Sterility**
mes-1 and germ-cell fate in *Caenorhabditis*: STROME, MARTIN, SCHIERENBERG AND PAULSEN 121, 2961.
- Steroid hormone**
Drosophila E63 genes: ANDRES AND THUMMEL 121, 2667.
- Steroid receptor**
seven-up function and ras signaling: KRAMER, WEST AND HIROMI 121, 1361.
- Stomach**
TGF α alters differentiation in gastric mucosa: SHARP, BABYATSKY, TAKAGI, TAGERUD, WANG, BOCKMAN, BRAND AND MERLINO 121, 149.
- Stomatogastric nervous system**
positioning of SNS invagination centers: GONZALEZ-GAITAN AND JACKLE 121, 2313.
- Streptozotocin**
developmental biology of the pancreas: SLACK 121, 1569.
- string**
cortical localization of pros at mitosis: SPANA AND DOE 121, 3187.
- string**
cell cycle dependence of *eve* expression: WEIGMANN AND LEHNER 121, 3713.
regulation of gene expression in the CNS: CUI AND DOE 121, 3233.
- Strong's Luxoid**
lxt^D limbs contain ectopic ZPA: CHAN, LAUFER, TABIN AND LEDER 121, 1971.
- Strongylocentrotus purpuratus**
Cis-regulatory control of the *SM50* gene: MAKABE, KIRCHHAMER, BRITTEN AND DAVIDSON 121, 1957.
- su(Hw) protein**
protein and dosage compensation: ROSEMAN, SWAN AND GEYER 121, 3573.
- Substance P**
development of ganglion cell subsets: YAMAGATA AND SANES 121, 3763.
- Suppressor of Hairless**
clonal analysis of *Su(H)*: SCHWEISGUTH 121, 1875.
functional analysis of *Drosophila* Deltex: MATSUNO, DIEDERICH, GO, BLAUMUELLER AND ARTAVANIS-TSAKONAS 121, 2633.
- Sympathetic ganglion**
NPY expression and cell lineage: HALL AND MACPHERDAN 121, 2361.
- Sympathetic neuron**
GPA receptor function and expression: HELLER, FINN, HUBER, NISHI, GEISSEN, PUSCHEL AND ROHRER 121, 2681.
transcription factors in sympathetic differentiation: GROVES, GEORGE, TISSIER-SETA, ENGEL, BRUNET AND ANDERSON 121, 887.
- Synaptobrevin**
pattern in noggin-induced neural tissue: KNECHT, GOOD, DAWID AND HARLAND 121, 1927.
- Synaptogenesis**
retinotectal interactions in vitro: YAMAGATA AND SANES 121, 189.
- Syndecan-1**
midkine and HB-GAM in mouse embryos: MITSIADES, SALMIVIRTA, MURAMATSU, MURAMATSU, RAUVALA, LEHTONEN, JALKANEN AND THESLEFF 121, 37.
- T (Brachyury)**
in morphogenetic movement: WILSON, MANSON, SKARNES AND BEDDINGTON 121, 877.
- T gene**
amphioxus *Brachyury* genes: HOLLAND, KOSCHORZ, HOLLAND AND HERRMANN 121, 4283.
- t-complex**
mouse delta-like gene: BETTENHAUSEN, HRABE DE ANGELIS, SIMON, GUENET AND GOSSLER 121, 2407.
- Tachykinin**
in morphogenetic processes: WEIL, ITIN AND KESHET 121, 2419.
- Tail bud**
the *Xenopus laevis* tail-forming region: TUCKER AND SLACK 121, 249.
- tailless**
expression of orphan nuclear receptor *tailless* in mouse forebrain: MONAGHAN, GRAU, BOCK AND SCHUTZ 121, 839.
regulation of a gap gene stripe: MARGOLIS, BOROWSKY, STEINGRIMSSON, SHIM, LENGUEL AND POSAKONY 121, 3067.
- Target**
homeotic regulation of *cnm*: HEUER, LI AND KAUFMAN 121, 3861.
- Target gene**
polyhomeotic as a target of engrailed: SERRANO, BROCK, DEMERET, DURA, RANDSHOLT, KORNBERG AND MASCHAT 121, 1691.
- Target innervation**
inner ear defects of *trkB* and *trkC* mutant mice:

- SCHIMMANG, MINICHELLO, VAZQUEZ, SAN JOSE, GIRALDEZ, KLEIN AND REPRESA **121**, 3381.
- Target tissue**
NPY expression and cell lineage: HALL AND MACPHERDAN **121**, 2361.
- Targeted mutations**
development of *GATA-1*⁻ hematopoietic cells: PEVNY, LIN, D'AGATI, SIMON, ORKIN AND COSTANTINI **121**, 163.
- TATA-binding protein**
TBP, TFIIB, and pol II in spermatids: SCHMIDT AND SCHIBLER **121**, 2373.
- teashirt**
tsh regulation by homeotic genes: MCCORMICK, CORE, KERRIDGE AND SCOTT **121**, 2799.
- Tektin**
mRNA and cilia length in sea urchins: NORRANDER, LINCK AND STEPHENS **121**, 1615.
- Telencephalon**
regionalization of mammalian forebrain: FISHELL **121**, 803.
- Tendon**
connective tissue homeobox genes: OLIVER, WEHR, JENKINS, COPELAND, CHEYETTE, HARTENSTEIN, ZIPURSKY AND GRUSS **121**, 693.
- Teratogenesis**
resistance to RA induced limb defects in *RXRα*⁻ mice: SUCOV, IZPISUA-BELMONTE, GANAN AND EVANS **121**, 3997.
- Terminal differentiation**
in *Caenorhabditis*: ROUGVIE AND AMBROS **121**, 2491.
- Terminal filament**
cell rearrangement in ovary development: GODT AND LASKI **121**, 173.
- Terminal system**
expression of orphan nuclear receptor *tailless* in mouse forebrain: MONAGHAN, GRAU, BOCK AND SCHUTZ **121**, 839.
- TGF-α**
alters differentiation in gastric mucosa: SHARP, BABYATSKY, TAKAGI, TAGERUD, WANG, BOCKMAN, BRAND AND MERLINO **121**, 149.
EGF, TGF-α and EGFR in human embryos: CHIA, WINSTON AND HANDYSIDE **121**, 299.
induces migration of periostic mesenchymal cells in vivo: RENEKER, SILVERSIDES, PATEL AND OVERBEEK **121**, 1669.
- TGF-β**
anti-dorsalizing morphogenetic protein: MOOS JR., WANG AND KRINKS **121**, 4293.
Nodal-related signaling in mesoderm patterning: JONES, KUEHN, HOGAN, SMITH AND WRIGHT **121**, 3651.
pRb in regulation of N-myc expression by TGF-β: SERRA AND MOSES **121**, 3057.
TGFβ1 controls endothelial differentiation and haematopoiesis: DICKSON, MARTIN, COUSINS, KULKARNI, KARLSSON AND AKHURST **121**, 1845.
- TH**
transcription factors in sympathetic differentiation: GROVES, GEORGE, TISSIER-SETA, ENGEL, BRUNET AND ANDERSON **121**, 887.
- Thresholds**
mesodermal patterning by *Brachyury* and *Pintallavis*: O'REILLY, SMITH AND CUNLIFFE **121**, 1351.
- Thymus**
Hoxa-3⁻ mutant mice: MANLEY AND CAPECCHI **121**, 1989.
- Thyroid**
Hoxa-3⁻ mutant mice: MANLEY AND CAPECCHI **121**, 1989.
- Thyroid hormone**
ligands of thyroid receptors induce cones: KELLEY, TURNER AND REH **121**, 3777.
- TIMP-3**
proteinase expression in mouse implantation: HARVEY, LECO, ARCELLANA-PANLILIO, ZHANG, EDWARDS AND SCHULTZ **121**, 1005.
- tinman**
XNkx-2.3, a second vertebrate homologue of *tinman*: EVANS, YAN, MURILLO, PONCE AND PAPALOPULU **121**, 3889.
- Tip cell formation**
positioning of SNS invagination centers: GONZALEZ-GAITAN AND JACKLE **121**, 2313.
- Tissue interaction**
myogenic cell migration in chick embryos: HAYASHI AND OZAWA **121**, 661.
- Tissue polarity**
components of the *frizzled* signaling pathway: KRASNOW, WONG AND ADLER **121**, 4095.
furrow progression and ommatidial polarity: STRUTT AND MLODZIK **121**, 4247.
- Tissue-specific transcription**
XDCoH the cofactor of LFB1 in *Xenopus*: POGGE V, STRANDMANN AND RYFFEL **121**, 1217.
- tolluid gene**
HMP1: a developmental astacin proteinase: YAN, POLLOCK, NAGASE AND SARRAS JR. **121**, 1591.
- Toll**
pelle activation at the plasma membrane: GALINDO, EDWARDS, GILLESPIE AND WASSERMAN **121**, 2209.
- Tooth**
tachykinins in morphogenetic processes: WEIL, ITIN AND KESHET **121**, 2419.
- torso**
pelle activation at the plasma membrane: GALINDO, EDWARDS, GILLESPIE AND WASSERMAN **121**, 2209.
- tra-2**
TRA-2A directs hermaphrodite development: KUWABARA AND KIMBLE **121**, 2995.
- Tracheal development**
homeotic gene regulation of tracheal development: CHIANG, YOUNG AND BEACHY **121**, 3901.
ventral veinless in *Drosophila* development: DE CELIS, LLIMARGAS AND CASANOVA **121**, 3405.
- Transcription**
epigenetic control of BLBP transcription: FENG AND HEINTZ **121**, 1719.
expression of *Sry*: HACKER, CAPEL, GOODFELLOW AND LOVELL-BADGE **121**, 1603.
Hxt is a bHLH regulator of trophoblast: CROSS, FLANNERY, BLANAR, STEINGRIMSSON, JENKINS, COPELAND, RUTTER AND WERB **121**, 2513.
- neurogenic genes control *l'sc* and mesectoderm: MARTIN-BERMUDO, CARMENA AND JIMENEZ **121**, 219.
regulation of a gap gene stripe: MARGOLIS, BOROWSKY, STEINGRIMSSON, SHIM, LENGUEL AND POSAKONY **121**, 3067.
regulation of the *myoD* gene in mouse embryos: GOLDHAMER, BRUNK, FAERMAN, KING, SHANI AND EMERSON **121**, 637.
repression in germ cells: O'NEILL AND ARTZT **121**, 561.
TBP, TFIIB, and pol II in spermatids: SCHMIDT AND SCHIBLER **121**, 2373.
terminal differentiation in *Caenorhabditis*: ROUGVIE AND AMBROS **121**, 2491.
- Transcription factor**
in sympathetic differentiation: GROVES, GEORGE, TISSIER-SETA, ENGEL, BRUNET AND ANDERSON **121**, 887.
molecular cloning of AP-2: MOSER, IMHOF, PSCHERER, BAUER, AMSELGRUBER, SINOWATZ, HOFSTADTER, SCHULE AND BUETTNER **121**, 2779.
spatial gene regulation by Zn finger factor: WANG, KIRCHHAMER, BRITTEN AND DAVIDSON **121**, 1111.
- Transcription repression**
repression of *Pax-2* by W7T: RYAN, STEELE-PERKINS, MORRIS, RAUSCHER III AND DRESSLER **121**, 867.
- Transcriptional control**
Hoxc-8 early neural tube enhancer: SHASHIKANT, BIEBERICH, BELTING, WANG, BORBELY AND RUDDLE **121**, 4339.
- Transcriptional enhancer**
tsh regulation by homeotic genes: MCCORMICK, CORE, KERRIDGE AND SCOTT **121**, 2799.
- Transcriptional regulation**
an active repressor mimics a *ftz* mutant: JOHN, SMITH AND JAYNES **121**, 1801.
- Transcriptional repression**
eve as a morphogen for single cell rows: FUJIOKA, JAYNES AND **121**, 4371.
- Transdetermination**
wingless induces transdetermination: MAVES AND SCHUBIGER **121**, 1263.
- Transfer cells**
gametic imprinting and endosperm development: CHARLTON, KEEN, MERRIMAN, LYNCH, GREENLAND AND DICKINSON **121**, 3089.
- Transformation**
RA alters hindbrain crest cell migration: LEE, OSUMI-YAMASHITA, NINOMIYA, MOON, ERIKSSON AND ETO **121**, 825.
- transformer**
vir is a regulator of *Sxl* in *Drosophila*: HILFIKER, AMREIN, DUBENDORFER, SCHNEITER AND NOTHIGER **121**, 4017.
- Transforming growth factor α**
induces migration of periostic mesenchymal cells in vivo: RENEKER, SILVERSIDES, PATEL AND OVERBEEK **121**, 1669.
- Transforming growth factor-beta**
dpp signaling requires *schnurri*: STAHLING-HAMPTON, LAUGHON AND HOFFMANN **121**, 3393.

4444 Subject Index

Transgene

- demethylation of a muscle-specific transgene: GRIESHAMMER, MCGREW AND ROSENTHAL **121**, 2245.
- transcriptional activation of the mouse zygotic genome: CHRISTIANS, CAMPION, THOMPSON AND RENARD **121**, 113.

Transgenesis

- chromatin maturation in mouse embryos: THOMPSON, LEGOUY, CHRISTIANS AND RENARD **121**, 3425.

Transgenic analysis

- dominant negative FGFR1 in the lens: ROBINSON, MACMILLAN-CROW, THOMPSON AND OVERBEEK **121**, 3959.

Hoxc-8 early neural tube enhancer:

- SHASHIKANT, BIEBERICH, BELTING, WANG, BORBELY AND RUDDLE **121**, 4339.

Transgenic fly

- Hox* gene enhancers in mice and *Drosophila*: FRASCH, CHEN AND LUFKIN **121**, 957.

Transgenic mouse

- anterior expression boundary of *Hoxa-7*: KNITTEL, KESSEL, KIM AND GRUSS **121**, 1077.
- endothelial specific promoter: SCHLAEGER, QIN, FUJIWARA, MAGRAM AND SATO **121**, 1089.

FGF-induced lens differentiation in vivo:

- ROBINSON, OVERBEEK, VERRAN, GRIZZLE, STOCKARD, FRIESEL, MACIAG AND THOMPSON **121**, 505.

fibroblasts in neurofibromatosis type 1 (NF1):

- ROSENBAUM, BOISSY, KOMBRINCK, BRANNAN, JENKINS, COPELAND AND RATNER **121**, 3583.

Hox gene enhancers in mice and *Drosophila*:

- FRASCH, CHEN AND LUFKIN **121**, 957.

in ovo mouse somite transplantation:

- FONTAINE-PERUS, JARNO, FOURNIER LE RAY, LI AND PAULIN **121**, 1705.

PTHrP impairs breast development:

- WYSOLMERSKI, MCCAGHERN-CARUCCI, DAIFOTIS, BROADUS AND PHILBRICK **121**, 3539.

regulation of the *myoD* gene in mouse embryos:

- GOLDHAMER, BRUNK, FAERMAN, KING, SHANI AND EMERSON **121**, 637.

TGF α induces migration of periostic mesenchymal cells in vivo:

- RENEKER, SILVERSIDES, PATEL AND OVERBEEK **121**, 1669.

- transgene methylation in embryos and ES cells: WENG, MAGNUSON AND STORB **121**, 2853.

Transient expression

- sea urchin *T* gene expression: HARADA, YASUO AND SATOH **121**, 2747.

Translational control

- of *oskar*: MARKUSSEN, MICHON, BREITWIESER AND EPHRUSSI **121**, 3723.

- of *Xenopus* FGF receptor: ROBBIE, PETERSON, AMAYA AND MUSCI **121**, 1775.

Translational regulation

- of *oskar* translation: RONGO, GAVIS AND LEHMANN **121**, 2737.

Translocation

- asplenic *hox11* mice: DEAR, COLLEDGE, CARLTON, LAVENIR, LARSON,

- SMITH, WARREN, EVANS, SOFRONIEW AND RABBITTS **121**, 2909.

Transmembrane receptor

- Notch1 in somite segmentation: CONLON, REAUME AND ROSSANT **121**, 1533.

Transplantation

- chimerism with mouse male fetal germ cells: KATO AND TSUNODA **121**, 779.
- plasticity of transposed rhombomeres: GRAPIN-BOTTON, BONNIN, MCNAUGHTON, KRUMLAUF AND LE DOUARIN **121**, 2707.

Transposon mutagenesis

- control of dorsoventrality in leaves: WAITES AND HUDSON **121**, 2143.

trithorax

- Dlw* specifies dorsal wing identity in *Drosophila*: TIONG, NASH AND BENDER **121**, 1649.

1,4,5-Trisphosphate

- IP3 and ryanodine receptors in bovine oocytes: YUE, WHITE, REED AND BUNCH **121**, 2645.

Trk

- sensory deficiencies in *trk* double mutant mice: MINICHELLO, PIEHL, VAZQUEZ, SCHIMMANG, HOKFELT, REPRESA AND KLEIN **121**, 4067.

trkB

- inner ear defects of *trkB* and *trkC* mutant mice: SCHIMMANG, MINICHELLO, VAZQUEZ, SAN JOSE, GIRALDEZ, KLEIN AND REPRESA **121**, 3381.

trkC

- inner ear defects of *trkB* and *trkC* mutant mice: SCHIMMANG, MINICHELLO, VAZQUEZ, SAN JOSE, GIRALDEZ, KLEIN AND REPRESA **121**, 3381.
- muscle sensory neurons require NT-3 to survive: OAKLEY, GARNER, LARGE AND FRANK **121**, 1341.
- NT-3 and dermis development: BRILL, KAHANE, CARMELI, VON SCHACK, BARDE AND KALCHEIM **121**, 2583.

trol

- activation of neuroblast proliferation: DATTA **121**, 1173.

Trophoblast

- desmocollin expression in mouse embryo: COLLINS, LORIMER, GARROD, PIDSLEY, BUXTON AND FLEMING **121**, 743.
- ECM and PTHrP regulate parietal endoderm: BEHRENDTSEN, ALENANDER AND WERB **121**, 4137.

Trophoblast

- CSF-1 and preimplantation development: BHATNAGAR, PAPAIOANNOU AND BIGGERS **121**, 1333.
- ECM and PTHrP regulate parietal endoderm: BEHRENDTSEN, ALENANDER AND WERB **121**, 4137.
- H19* imprinting: SASAKI, FERGUSON-SMITH, SHUM, BARTON AND SURANI **121**, 4195.
- Hxt is a bHLH regulator of trophoblast: CROSS, FLANNERY, BLANAR, STEINGRIMSSON, JENKINS, COPELAND, RUTTER AND WERB **121**, 2513.

TRP-2

- roles of SIF in melanocyte dispersal and survival: WEHRLE-HALLER AND WESTON **121**, 731.

TSC-22

- shs* acts in *Drosophila* eye development: TREISMAN, LAI AND RUBIN **121**, 2835.

Tumour suppressor

- Drosophila lats* gene encodes a putative protein kinase: XU, WANG, ZHANG, STEWART AND YU **121**, 1053.

twist

- mesodermal patterning in *Drosophila*: BORKOWSKI, BROWN AND BATE **121**, 4183.

Two-hybrid

- pelle activation at the plasma membrane: GALINDO, EDWARDS, GILLESPIE AND WASSERMAN **121**, 2209.

Tyrosine kinase

- mosaic analysis of *let-23* gene function: KOGA AND OHSHIMA **121**, 2655.
- sensory deficiencies in *trk* double mutant mice: MINICHELLO, PIEHL, VAZQUEZ, SCHIMMANG, HOKFELT, REPRESA AND KLEIN **121**, 4067.

Tyrosine kinase receptor

- FGF-8 isoforms activate FGFR2c, 3c, and 4: MACARTHUR, LAWSHE, XU, SANTOS-OCAMPO, HEIKINHEIMO, CHELLAIAH AND ORNITZ **121**, 3603.
- truncated *trkB* in the developing chick: BIFFO, OFFENHAUSER, CARTER AND BARDE **121**, 2461.

Tyrosine phosphorylation

- mouse sperm capacitation: VISCONTI, BAILEY, MOORE, PAN, OLDS-CLARKE AND KOPF **121**, 1129.
- regulation of mouse sperm capacitation: VISCONTI, MOORE, BAILEY, LECLERC, CONNORS, PAN, OLDS-CLARKE AND KOPF **121**, 1139.

T (Brachyury) gene

- sea urchin *T* gene expression: HARADA, YASUO AND SATOH **121**, 2747.

t complex

- transcriptional repression in germ cells: O'NEILL AND ARTZT **121**, 561.

Ultrathorax

- Hox* genes and segment identity: CASTELLI-GAIR AND AKAM **121**, 2973.

Ultrathorax target genes

- DWnt-4*, a novel *Drosophila Wnt* gene: GRABA, GIESELER, ARAGNOL, LAURENTI, MARIOL, BERENGER, SAGNIER AND PRADEL **121**, 209.

Ultraviolet

- induction of prospective neural crest: MAYOR, MORGAN AND SARGENT **121**, 767.

unc-4

- control of VA motor neuron development: MILLER III AND NIEMEYER **121**, 2877.

unplugged

- regulation of gene expression in the CNS: CUI AND DOE **121**, 3233.

3' Untranslated region

- translational control of *Xenopus* FGF receptor: ROBBIE, PETERSON, AMAYA AND MUSCI **121**, 1775.

Urodele

- homeobox genes and limb regeneration: GARDINER, BLUMBERG, KOMINE AND BRYANT **121**, 1731.

Urogenital development

- Pax-2* required for urogenital development: TORRES, GOMEZ-PARDO, DRESSLER AND GRUSS **121**, 4057.

Urokinase

proteinase expression in mouse implantation:
HARVEY, LECO, ARCELLANA-
PANLILIO, ZHANG, EDWARDS AND
SCHULTZ **121**, 1005.

Uterine development

uterine fate induction in *Caenorhabditis*:
NEWMAN, WHITE AND STERNBERG
121, 263.

Uterus

Hoxa 11 structure, expression and function in
fertility: HSIEH-LI, WITTE, WEINSTEIN,
BRANFORD, LI, SMALL AND POTTER
121, 1373.

Vascular cell adhesion molecule

VCAM-1-deficient mice: KWEE, BALDWIN,
SHEN, STEWART, BUCK, BUCK AND
LABOW **121**, 489.

Vascular development

Arabidopsis Athb-8 expression in procambial
cells: BAIMA, NOBILI, SESSA,
LUCCHETTI, RUBERTI AND MORELLI
121, 4171.

Vegetal cortex

dorsal activity in *Xenopus* eggs: HOLOWACZ
AND ELINSON **121**, 2789.
two pathways for vegetal localization: KLOC
AND ETKIN **121**, 287.
two RNA localization patterns in oocytes:
FORRISTALL, PONDEL, CHEN AND
KING **121**, 201.

Vegetal plate territory

specification in sea urchins: RANSICK AND
DAVIDSON **121**, 3215.

Vein differentiation

ventral veinless in *Drosophila* development:
DE CELIS, LLIMARGAS AND
CASANOVA **121**, 3405.

ventral veinless

in *Drosophila* development: DE CELIS,
LLIMARGAS AND CASANOVA **121**,
3405.

Ventralization

Wingless function in the leg disc: WILDER
AND PERRIMON **121**, 477.

Versican

localization in barrier tissues: LANDOLT,
VAUGHAN, WINTERHALTER AND
ZIMMERMANN **121**, 2303.

Vertebrate

retinal determination by Notch selection:
AUSTIN, FELDMAN, IDA JR. AND
CEPKO **121**, 3637.
XNkx-2.3, a second vertebrate homologue of
tinman: EVANS, YAN, MURILLO,
PONCE AND PAPALOPULU **121**, 3889.

Vertebrate segment polarity genes

genetic control of cerebellar patterning:
MILLEN, HUI AND JOYNER **121**, 3935.

Vertical signalling

induction of anterior neurectoderm: BLITZ
AND CHO **121**, 993.

Vestibular ganglion

inner ear defects of *trkB* and *trkC* mutant mice:
SCHIMMANG, MINICHELLO,
VAZQUEZ, SAN JOSE, GIRALDEZ,
KLEIN AND REPRESA **121**, 3381.

vestigial

wingless induces transdetermination: MAVES
AND SCHUBIGER **121**, 1263.

Vg1

mesoderm induction by soluble Vg1:
KESSLER AND MELTON **121**, 2155.

Vg1

two RNA localization patterns in oocytes:
FORRISTALL, PONDEL, CHEN AND
KING **121**, 201.

Videomaging

dynamics of thin filopodia during sea urchin
gastrulation: MILLER, FRASER AND
MCCLAY **121**, 2501.

Videomicroscopy

role for PNA-binding molecules in migration
of avian trunk neural crest: KRULL,
COLLAZO, FRASER AND BRONNER-
FRASER **121**, 3733.

Videomicroscopy

tissue progenitors in zebrafish gastrula: SHIH
AND FRASER **121**, 2755.

Vimentin

ECM and PTHrP regulate parietal endoderm:
BEHRENDTSEN, ALENANDER AND
WERB **121**, 4137.

virilizer

vir is a regulator of *Sxl* in *Drosophila*:
HILFIKER, AMREIN, DUBENDORFER,
SCHNEITER AND NOTHIGER **121**, 4017.

Visceral endoderm

GATA-4 and endoderm differentiation:
SOUAIS, BIELINSKA, HEIKINHEIMO,
MACARTHUR, NARITA, SAFFITZ,
SIMON, LEIDEN AND WILSON **121**,
3877.

Visceral mesenchyme

endothelial specific promoter: SCHLAEGER,
QIN, FUJIWARA, MAGRAM AND SATO
121, 1089.

Visceral mesoderm

DWnt-4, a novel *Drosophila* *Wnt* gene:
GRABA, GIESELER, ARAGNOL,
LAURENTI, MARIOL, BERENGER,
SAGNIER AND PRADEL **121**, 209.

Visual system development

polysialic acid in the optic pathway: YIN,
WATANABE AND RUTISHAUSER **121**,
3439.

Vital labeling

myogenic cell migration in chick embryos:
HAYASHI AND OZAWA **121**, 661.

Vitamin A

CRABPI and CRABPII knockout:
LAMPRON, ROCHETTE-EGLY, GORRY,
DOLLE, MARK, LUFKIN, LEMEUR
AND CHAMBON **121**, 539.
polydactyly in *CRABP-II* mutant mice:
FAWCETT, PASCERI, FRASER,
COLBERT, ROSSANT AND GIGUERE
121, 671.

Vulval induction

mosaic analysis of *let-23* gene function:
KOGA AND OHSHIMA **121**, 2655.

Wallerian degeneration

periaxin in myelinating Schwann cells:
SCHERER, XU, BANNERMAN,
SHERMAN AND BROPHY **121**, 4265.

Wilms' tumor

repression of *Pax-2* by *WT1*: RYAN,
STEELE-PERKINS, MORRIS,
RAUSCHER III AND DRESSLER **121**,
867.

Wing

en, hh and dpp in *Drosophila* wing
development: ZECCA, BASLER AND
STRUHL **121**, 2265.
genetic analysis of αPSI : BROWER, BUNCH,
MUKAI, ADAMSON, WEHRLI, LAM,

FRIEDLANDER, ROOTE AND ZUSMAN
121, 1311.

groucho and *hedgehog* regulate *engrailed*: DE
CELIS AND RUIZ-GOMEZ **121**, 3467.
proximal-distal pattern in *Drosophila* wings:
NG, DIAZ-BENJUMEA AND COHEN
121, 589.

Wing disc

Drosophila engrailed and developmental
compartments: TABATA, SCHWARTZ,
GUSTAVSON, ALI AND KORNBERG
121, 3359.

engrailed and wing morphogenesis:

GUILLÉN, MULLOR, CAPDEVILA,
SANCHEZ-HERRERO, MORATA AND
GUERRERO **121**, 3447.

organizing activity in the *Drosophila* wing:
DIAZ-BENJUMEA AND COHEN **121**,
4215.

Wing vein

genetic hierarchy of *Drosophila* wing vein
development: STURTEVANT AND BIER
121, 785.

Wingless

organizing activity in the *Drosophila* wing:
DIAZ-BENJUMEA AND COHEN **121**,
4215.

Wingless function in the leg disc: WILDER
AND PERRIMON **121**, 477.

wingless

and myogenesis: BAYLIES, MARTINEZ
ARIAS AND BATE **121**, 3829.
cell signalling and adhesion in the foregut:
PANKRATZ AND HOCH **121**, 1885.
induces transdetermination: MAVES AND
SCHUBIGER **121**, 1263.
morphogenetic furrow and tissue polarity: MA
AND MOSES **121**, 2279.

Notch and wingless in the fly wing:

RULIFSON AND BLAIR **121**, 2813.
segmental patterning of the mesoderm:
LAWRENCE, BODMER AND VINCENT
121, 4303.

wg inhibits the morphogenetic furrow:
TREISMAN AND RUBIN **121**, 3519.

Wingless regulation in *Drosophila*:

MANOUKIAN, YOFFE, WILDER AND
PERRIMON **121**, 4037.

Wnt gene family

dorsalization of the neural tube by non-neural
ectoderm: DICKINSON, SELLECK,
MCMAHON AND BRONNER-FRASER
121, 2099.

***DWnt-4*, a novel *Drosophila* *Wnt* gene:**

GRABA, GIESELER, ARAGNOL,
LAURENTI, MARIOL, BERENGER,
SAGNIER AND PRADEL **121**, 209.
paraxial mesoderm myogenic induction:
STERN, BROWN AND HAUSCHKA **121**,
3675.

properties of *Xenopus dishevelled*: SOKOL,
KLINGENSMITH, PERRIMON AND
ITO **121**, 1637.

regulation of axial pattern by Xgs-3: PIERCE
AND KIMELMAN **121**, 755.

wnt8 and *wnt8b* expression in zebrafish
embryos: KELLY, GREENSTEIN,
EREZYILMAZ AND MOON **121**, 1787.

WT1

repression of *Pax-2* by *WT1*: RYAN,
STEELE-PERKINS, MORRIS,
RAUSCHER III AND DRESSLER **121**,
867.

4446 Subject Index

X chromosome

Caenorhabditis dosage compensation: HSU, CHUANG AND MEYER **121**, 3323.
su(Hw) protein and dosage compensation: ROSEMAN, SWAN AND GEYER **121**, 3573.

X chromosome inactivation

cortex cell dispersion patterns in transgenic mosaics: TAN, FAULKNER-JONES, BREEN, WALSH, BERTRAM AND REESE **121**, 1029.

XANF-1

homeobox control of Spemann organizer: ZARAISKY, ECOCHARD, KAZANSKAYA, LUKYANOV, FESENKO AND DUPRAT **121**, 3839.

Xbra

induction of prospective neural crest: MAYOR, MORGAN AND SARGENT **121**, 767.

Xcat-2

two RNA localization patterns in oocytes: FORRISTALL, PONDEL, CHEN AND KING **121**, 201.

XDCoH

the cofactor of LFB1 in *Xenopus*: POGGE V, STRANDMANN AND RYFFEL **121**, 1217.

Xenografts

submucosal gland development and morphogenesis: ENGELHARDT, SCHLOSSBERG AND YANKASKAS AND DUDUS **121**, 2031.

Xenopus

alteration of mesoderm formation at MBT: KINOSHITA AND ASASHIMA **121**, 1581.
anteroposterior specification in the CNS: COX AND HEMMATI-BRIVANLOU **121**, 4349.
anti-dorsalizing morphogenetic protein: MOOS JR., WANG AND KRINKS **121**, 4293.
cardiac left-right development: DANOS AND YOST **121**, 1467.
composition of the Organizer: VODICKA AND GERHART **121**, 3505.
desmin and myofibril-membrane attachment: CARY AND KLYMKOWSKY **121**, 1041.
dorsal activity in *Xenopus* eggs: HOLOWACZ AND ELINSON **121**, 2789.
endoderm in *Xenopus* cardiogenesis: NASCONE AND MERCOLA **121**, 515.
FGF and noggin neural induction and patterning: LAMB AND HARLAND **121**, 3627.
FGF signalling in *Xenopus*: KENGAKU AND OKAMOTO **121**, 3121.
gap junctional blockade in early *Xenopus* embryos: PAUL, YU, BRUZZONE, GIMLICH AND GOODENOUGH **121**, 371.
hedgehog gene family of *Xenopus*: EKKER, MCGREW, LAI, LEE, VON KESSLER, MOON AND BEACHY **121**, 3337.
homeobox control of Spemann organizer: ZARAISKY, ECOCHARD, KAZANSKAYA, LUKYANOV, FESENKO AND DUPRAT **121**, 3839.
IMZ stiffness in *Xenopus*: MOORE, KELLER AND KOEHL **121**, 3131.
induction of anterior neuroectoderm: BLITZ AND CHO **121**, 993.
induction of notochord behavior and

differentiation: DOMINGO AND KELLER **121**, 3311.

induction of prospective neural crest:

MAYOR, MORGAN AND SARGENT **121**, 767.

MAP kinase in *Xenopus* mesoderm induction and axial patterning: LABONNE, BURKE AND WHITMAN **121**, 1475.

maternal *Xwnt-8b* in axial patterning: CUI, BROWN, MOON AND CHRISTIAN **121**, 2177.

mesoderm induction by soluble Vg1:

KESSLER AND MELTON **121**, 2155.
mesoderm patterning by FGF: CORNELL, MUSCI AND KIMELMAN **121**, 2429.

mesodermal patterning by *Brachyury* and *Pintallavis*: O'REILLY, SMITH AND CUNLIFFE **121**, 1351.

Nodal-related signaling in mesoderm patterning: JONES, KUEHN, HOGAN, SMITH AND WRIGHT **121**, 3651.

PDGF in *Xenopus* gastrulation: ATALIOTIS, SYMES, CHOU, HO AND MERCOLA **121**, 3099.

pH, decrease important for axis formation in *Xenopus*: GUTKNECHT, KOSTER, TERTOOLEN, DE LAAT AND DURSTON **121**, 1911.

properties of *Xenopus* dishevelled: SOKOL, KLINGENSMITH, PERRIMON AND ITOH **121**, 1637.

regulation of axial pattern by Xgsk-3: PIERCE AND KIMELMAN **121**, 755.

Sek-1 and segmental patterning: XU, ALLDUS, HOLDER AND WILKINSON **121**, 4005.

sog induces an ectopic axis: SCHMIDT, FRANCOIS, BIER AND KIMELMAN **121**, 4319.

tail-forming region: TUCKER AND SLACK **121**, 249.

timing of topographic cues: CHIEN, CORNELL AND HOLT **121**, 2621.

translational control of *Xenopus* FGF receptor: ROBBIE, PETERSON, AMAYA AND MUSCI **121**, 1775.

two pathways for vegetal localization: KLOC AND ETKIN **121**, 287.

two RNA localization patterns in oocytes: FORRISTALL, PONDEL, CHEN AND KING **121**, 201.

XDCoH the cofactor of LFB1 in *Xenopus*: POGGE V, STRANDMANN AND RYFFEL **121**, 1217.

XIPOU 2 has direct neuralizing activity: WITTA, AGARWAL AND SATO **121**, 721.

XNkx-2.3, a second vertebrate homologue of *tinman*: EVANS, YAN, MURILLO, PONCE AND PAPALOPULU **121**, 3889.

Xotx2 and the fate of anterior regions: PANNESE, POLO, ANDREAZZOLI, VIGNALI, KABLAR, BARSACCHI AND BONCINELLI **121**, 707.

XIPOU 2

has direct neuralizing activity: WITTA, AGARWAL AND SATO **121**, 721.

XNkx-2.3

a second vertebrate homologue of *tinman*: EVANS, YAN, MURILLO, PONCE AND PAPALOPULU **121**, 3889.

Xslu

induction of prospective neural crest:

MAYOR, MORGAN AND SARGENT **121**, 767.

Xsna

induction of prospective neural crest: MAYOR, MORGAN AND SARGENT **121**, 767.

Xwnt-8

induction of prospective neural crest: MAYOR, MORGAN AND SARGENT **121**, 767.

Xwnt-8b

maternal *Xwnt-8b* in axial patterning: CUI, BROWN, MOON AND CHRISTIAN **121**, 2177.

Xylem differentiation

late embryo development in *Arabidopsis*: NAMBARA, KEITH, MCCOURT AND NAITO **121**, 629.

yan

function in division versus differentiation: ROGGE, GREEN, URANO, HORN-SABAN, MLODZIK, SHILO, HARTENSTEIN AND BANERJEE **121**, 3947.

Yolk sac

GATA-4 and endoderm differentiation: SOUDAIS, BIELINSKA, HEIKINHEIMO, MACARTHUR, NARITA, SAFFITZ, SIMON, LEIDEN AND WILSON **121**, 3877.

haematopoietic development: GUIMARES, BAZAN, ZLOTNIK, WILES, GRIMALDI, LEE AND MCCLANAHAN **121**, 3335.

TGFβ1 controls endothelial differentiation and haematopoiesis: DICKSON, MARTIN, COUSINS, KULKARNI, KARLSSON AND AKHURST **121**, 1845.

Zea mays

gametic imprinting and endosperm development: CHARLTON, KEEN, MERRIMAN, LYNCH, GREENLAND AND DICKINSON **121**, 3089.
maintenance of the quiescent center: KERK AND FELDMAN **121**, 2825.

Zebrafish

cell autonomy of *flh* in axial mesoderm: HALPERN, THISSE, HO, THISSE, RIGGLEMAN, TREVARROW, WEINBERG, POSTLETHWAIT AND KIMMEL **121**, 4257.

cloche required by endothelial and blood lineages: STAINIER, WEINSTEIN, DETRICH III, ZON AND FISHMAN **121**, 3141.

goosecoid and *lim1* expression and axis duplication in zebrafish: TOYAMA, O'CONNELL, WRIGHT, KUEHN AND DAWID **121**, 383.

LIM homeobox genes and motoneuronal fate: APPEL, KORZH, GLASGOW, THOR, EDLUND, DAWID AND EISEN **121**, 4117.

msx genes and zebrafish fin regeneration: AKIMENKO, JOHNSON, WESTERFIELD AND EKKER **121**, 347.

neural fate maps: WOO AND FRASER **121**, 2595.
nk2.2 gene: BARTH AND WILSON **121**, 1755.

Pax proteins and eye development: MACDONALD, BARTH, XU, HOLDER, MIKKOLA AND WILSON **121**, 3267.
role of FGF activity in axis formation:

GRIFFIN, PATIENT AND HOLDER **121**, 2983.

Sek-1 and segmental patterning: XU, ALLDUS, HOLDER AND WILKINSON **121**, 4005.

wnt8 and *wnt8b* expression in zebrafish embryos: KELLY, GREENSTEIN, EREZYILMAZ AND MOON **121**, 1787.

Zinc finger

dpp signaling requires schnurri: STAEHLING-HAMPTON, LAUGHON AND HOFFMANN **121**, 3393.

terminal differentiation in *Caenorhabditis*: ROUGVIE AND AMBROS **121**, 2491.

Zona pellucida

coordinate expression of the zona genes: EPIFANO, LIANG, FAMILARI, MOOS JR. AND DEAN **121**, 1947.

mouse egg activation: AYABE, KOPF AND SCHULTZ **121**, 2233.

ZP1

coordinate expression of the zona genes: EPIFANO, LIANG, FAMILARI, MOOS JR. AND DEAN **121**, 1947.

ZP2

coordinate expression of the zona genes: EPIFANO, LIANG, FAMILARI, MOOS JR. AND DEAN **121**, 1947.

ZP3

coordinate expression of the zona genes: EPIFANO, LIANG, FAMILARI, MOOS JR. AND DEAN **121**, 1947.

Zygotic transcription

transcriptional activation of the mouse zygotic genome: CHRISTIANS, CAMPION, THOMPSON AND RENARD **121**, 113.